

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 302 CANADA                      |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 92                | 2932        |                              | 2405              | 194782      |
| 0000 4-ST                       | **                | KG                |                    | 92                | 2932        |                              | 2405              | 194782      |
| 00 2-ST                         | **                | KG                |                    | 92                | 2932        |                              | 2405              | 194782      |
| 2402.20-000                     | TH                | KG                | -                  | -                 | -           | 61                           | 55                | 1123        |
| 2402 4-ST                       | TH                | KG                | -                  | -                 | -           | 61                           | 55                | 1123        |
| 2403.10-000                     |                   | KG                | -                  | -                 | -           |                              | 28                | 723         |
| 2403 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 28                | 723         |
| 24 2-ST                         |                   | KG                | -                  | -                 | -           |                              | 83                | 1846        |
| 3304.20-000                     |                   | KG                |                    | -                 | -           |                              | 217               | 2257        |
| 3304.99-900                     |                   | KG                |                    | -                 | -           |                              | 10                | 458         |
| 3304 4-ST                       | **                | KG                |                    | -                 | -           |                              | 227               | 2715        |
| 33 2-ST                         | **                | KG                |                    | -                 | -           |                              | 227               | 2715        |
| 3402.90-000                     |                   | KG                |                    | -                 | -           |                              | 442               | 855         |
| 3402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 442               | 855         |
| 34 2-ST                         | **                | KG                |                    | -                 | -           |                              | 442               | 855         |
| 3506.91-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 495         |
| 3506 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 495         |
| 35 2-ST                         | **                | KG                |                    | -                 | -           |                              | 15                | 495         |
| 3810.90-000                     |                   | KG                |                    | -                 | -           |                              | 18                | 340         |
| 3810 4-ST                       | **                | KG                |                    | -                 | -           |                              | 18                | 340         |
| 3815.12-000                     |                   | KG                |                    | 1                 | 3413        |                              | 1                 | 3413        |
| 3815 4-ST                       | **                | KG                |                    | 1                 | 3413        |                              | 1                 | 3413        |
| 3818.00-100                     |                   | KG                |                    | -                 | -           |                              | 44                | 3208        |
| 3818 4-ST                       | **                | KG                |                    | -                 | -           |                              | 44                | 3208        |
| 3824.90-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 600         |
| 3824 4-ST                       | **                | KG                |                    | -                 | -           |                              | 0                 | 600         |
| 38 2-ST                         | **                | KG                |                    | 1                 | 3413        |                              | 63                | 7561        |
| 3907.30-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 212         |
| 3907 4-ST                       | **                | KG                |                    | -                 | -           |                              | 0                 | 212         |
| 3920.20-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 225         |
| 3920.49-200                     |                   | KG                |                    | -                 | -           |                              | 441               | 31900       |
| 3920.62-000                     |                   | KG                |                    | -                 | -           |                              | 444               | 515         |
| 3920 4-ST                       | **                | KG                |                    | -                 | -           |                              | 894               | 32640       |
| 3926.10-000                     |                   | KG                |                    | -                 | -           |                              | 90                | 413         |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 90                | 413         |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 984               | 33265       |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 363         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 363         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 20                | 363         |
| 4802.20-000                     |                   | KG                |                    | -                 | -           |                              | 201               | 892         |
| 4802 4-ST                       | **                | KG                |                    | -                 | -           |                              | 201               | 892         |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 201               | 892         |
| 4901.99-000                     | NO                | KG                | -                  | -                 | -           | 5656                         | 834               | 5522        |
| 4901 4-ST                       | NO                | KG                | -                  | -                 | -           | 5656                         | 834               | 5522        |
| 4902.90-000                     | NO                | KG                | 536                | 180               | 260         | 2729                         | 689               | 1436        |
| 4902 4-ST                       | NO                | KG                | 536                | 180               | 260         | 2729                         | 689               | 1436        |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 159               | 384         |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 159               | 384         |
| 49 2-ST                         |                   | KG                |                    | 180               | 260         |                              | 1682              | 7342        |
| 5111.19-000                     | SM                | KG                | -                  | -                 | -           | 280                          | 300               | 546         |
| 5111 4-ST                       | SM                | KG                | -                  | -                 | -           | 280                          | 300               | 546         |
| 5112.19-000                     | SM                | KG                | -                  | -                 | -           | 277                          | 100               | 540         |
| 5112 4-ST                       | SM                | KG                | -                  | -                 | -           | 277                          | 100               | 540         |
| 51 2-ST                         | SM                | KG                | -                  | -                 | -           | 557                          | 400               | 1086        |
| 6103.33-000                     | NO                | KG                | -                  | -                 | -           | 122                          | 34                | 345         |
| 6103.43-000                     | NO                | KG                | -                  | -                 | -           | 120                          | 30                | 296         |
| 6103 4-ST                       | NO                | KG                | -                  | -                 | -           | 242                          | 64                | 641         |
| 61 2-ST                         | NO                | KG                | -                  | -                 | -           | 242                          | 64                | 641         |
| 6203.42-000                     | NO                | KG                | 246                | 196               | 1154        | 968                          | 746               | 5501        |
| 6203 4-ST                       | NO                | KG                | 246                | 196               | 1154        | 968                          | 746               | 5501        |
| 62 2-ST                         | NO                | KG                | 246                | 196               | 1154        | 968                          | 746               | 5501        |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 302 CANADA                      |                   |                   |                    |                   |             |                              |                   |             |
| 7113.11-000                     |                   | GR                |                    | -                 | -           |                              | 201               | 514         |
| 7113.19-100                     |                   | GR                |                    | -                 | -           |                              | 268               | 687         |
| 7113 4-ST                       | **                | GR                |                    | -                 | -           |                              | 469               | 1201        |
| 71 2-ST                         | **                | GR                |                    | -                 | -           |                              | 469               | 1201        |
| 7306.90-000                     |                   | KG                |                    | -                 | -           |                              | 5                 | 388         |
| 7306 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5                 | 388         |
| 7307.22-000                     |                   | KG                |                    | -                 | -           |                              | 21                | 432         |
| 7307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 21                | 432         |
| 7318.15-190                     |                   | KG                |                    | 22                | 438         |                              | 22                | 438         |
| 7318 4-ST                       | **                | KG                |                    | 22                | 438         |                              | 22                | 438         |
| 73 2-ST                         | **                | KG                |                    | 22                | 438         |                              | 48                | 1258        |
| 8207.50-200                     | NO                | KG                | -                  | -                 | -           | 3605                         | 1                 | 376         |
| 8207.50-900                     |                   | KG                |                    | 33                | 400         |                              | 33                | 400         |
| 8207 4-ST                       |                   | KG                |                    | 33                | 400         |                              | 34                | 776         |
| 8213.00-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 3392        |
| 8213 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 3392        |
| 82 2-ST                         |                   | KG                |                    | 33                | 400         |                              | 82                | 4168        |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 13                | 242         |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 23                           | 334               | 4050        |
| 8412.39-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 46                | 5392        |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 35                           | 393               | 9684        |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 12                | 1519        |
| 8413.91-000                     |                   | KG                |                    | 80                | 270         |                              | 80                | 270         |
| 8413 4-ST                       |                   | KG                |                    | 80                | 270         |                              | 92                | 1789        |
| 8473.40-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 1600        |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 1600        |
| 8479.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 57                | 400         |
| 8479.89-900                     | NO                | KG                | 1                  | 138               | 954         | 4                            | 590               | 3825        |
| 8479.90-000                     |                   | KG                |                    | 1518              | 12664       |                              | 1581              | 13646       |
| 8479 4-ST                       |                   | KG                |                    | 1656              | 13618       |                              | 2228              | 17871       |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 65                | 1108        |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 65                | 1108        |
| 8482.10-100                     | NO                | KG                | 4376               | 614               | 1211        | 6311                         | 1228              | 12842       |
| 8482.10-900                     | NO                | KG                | -                  | -                 | -           | 80                           | 7                 | 239         |
| 8482.50-100                     | NO                | KG                | 12                 | 21                | 225         | 24                           | 37                | 460         |
| 8482 4-ST                       | NO                | KG                | 4388               | 635               | 1436        | 6415                         | 1272              | 13541       |
| 8483.40-200                     | NO                | KG                | 1000               | 2                 | 240         | 2165                         | 21                | 858         |
| 8483.40-900                     | NO                | KG                | 75                 | 214               | 2742        | 81                           | 252               | 3421        |
| 8483 4-ST                       | NO                | KG                | 1075               | 216               | 2982        | 2246                         | 273               | 4279        |
| 8485.90-000                     |                   | KG                |                    | 756               | 1476        |                              | 3379              | 7338        |
| 8485 4-ST                       | **                | KG                |                    | 756               | 1476        |                              | 3379              | 7338        |
| 84 2-ST                         |                   | KG                |                    | 3343              | 19782       |                              | 7712              | 57210       |
| 8504.31-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 18                | 372         |
| 8504.40-900                     | NO                | KG                | 3                  | 32                | 3744        | 3                            | 32                | 3744        |
| 8504.90-000                     |                   | KG                |                    | -                 | -           |                              | 728               | 10717       |
| 8504 4-ST                       |                   | KG                |                    | 32                | 3744        |                              | 778               | 14833       |
| 8515.90-000                     |                   | KG                |                    | 25                | 1026        |                              | 554               | 12422       |
| 8515 4-ST                       | **                | KG                |                    | 25                | 1026        |                              | 554               | 12422       |
| 8519.99-110                     | NO                | NO                |                    | 22                | 675         |                              | 22                | 675         |
| 8519.99-190                     | NO                | NO                |                    | -                 | -           |                              | 37                | 1008        |
| 8519 4-ST                       | **                | NO                |                    | 22                | 675         |                              | 59                | 1683        |
| 8520.90-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 42                | 259         |
| 8520 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 42                | 259         |
| 8521.90-000                     | NO                | KG                | 61                 | 233               | 3381        | 61                           | 233               | 3381        |
| 8521 4-ST                       | NO                | KG                | 61                 | 233               | 3381        | 61                           | 233               | 3381        |
| 8526.91-900                     | NO                | KG                | 76                 | 335               | 8558        | 76                           | 335               | 8558        |
| 8526 4-ST                       | NO                | KG                | 76                 | 335               | 8558        | 76                           | 335               | 8558        |
| 8528.12-190                     |                   | NO                |                    | 1                 | 280         |                              | 2                 | 1241        |
| 8528 4-ST                       | **                | NO                |                    | 1                 | 280         |                              | 2                 | 1241        |
| 8537.10-000                     | NO                | KG                | 2                  | 236               | 2977        | 2                            | 236               | 2977        |
| 8537 4-ST                       | NO                | KG                | 2                  | 236               | 2977        | 2                            | 236               | 2977        |
| 8543.89-000                     |                   | NO                |                    | -                 | -           |                              | 2                 | 2031        |
| 8543 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2                 | 2031        |
| 8544.41-910                     |                   | KG                |                    | -                 | -           |                              | 1721              | 8510        |
| 8544 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1721              | 8510        |
| 85 2-ST                         |                   |                   |                    |                   | 20641       |                              |                   | 55895       |
| 8708.99-900                     |                   | KG                |                    | 980               | 3076        |                              | 980               | 3076        |
| 8708 4-ST                       | **                | KG                |                    | 980               | 3076        |                              | 980               | 3076        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 302 CANADA                      |                   |                   |                     |                     |             |                              |                     |             |
| 87 2-ST                         | **                | KG                |                     | 980                 | 3076        |                              | 980                 | 3076        |
| 8805.29-000                     |                   | KG                |                     | -                   | -           |                              | 0                   | 1329        |
| 8805 4-ST                       | **                | KG                |                     | -                   | -           |                              | 0                   | 1329        |
| 88 2-ST                         | **                | KG                |                     | -                   | -           |                              | 0                   | 1329        |
| 9010.90-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 297         |
| 9010 4-ST                       | **                | KG                |                     | -                   | -           |                              | 26                  | 297         |
| 9012.90-000                     |                   | KG                |                     | -                   | -           |                              | 76                  | 975         |
| 9012 4-ST                       | **                | KG                |                     | -                   | -           |                              | 76                  | 975         |
| 9015.20-000                     | NO                | KG                | 24                  | 275                 | 12936       | 121                          | 1389                | 66296       |
| 9015.30-000                     | NO                | KG                | -                   | -                   | -           | 13                           | 103                 | 1689        |
| 9015.90-100                     |                   | KG                |                     | -                   | -           |                              | 14                  | 308         |
| 9015 4-ST                       |                   | KG                |                     | 275                 | 12936       |                              | 1506                | 68293       |
| 9017.30-100                     | NO                | KG                | -                   | -                   | -           | 1192                         | 417                 | 13042       |
| 9017.30-910                     | NO                | KG                | -                   | -                   | -           | 266                          | 264                 | 2839        |
| 9017.30-920                     | NO                | KG                | -                   | -                   | -           | 239                          | 64                  | 1445        |
| 9017.30-930                     | NO                | KG                | -                   | -                   | -           | 83                           | 13                  | 256         |
| 9017.90-100                     |                   | KG                |                     | -                   | -           |                              | 1                   | 239         |
| 9017.90-900                     |                   | KG                |                     | -                   | -           |                              | 46                  | 1422        |
| 9017 4-ST                       |                   | KG                |                     | -                   | -           |                              | 805                 | 19243       |
| 9018.19-290                     | NO                | KG                | -                   | -                   | -           | 1                            | 3                   | 1700        |
| 9018.49-900                     | NO                | KG                | 477                 | 10                  | 242         | 477                          | 10                  | 242         |
| 9018 4-ST                       | NO                | KG                | 477                 | 10                  | 242         | 478                          | 13                  | 1942        |
| 9024.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 63                  | 1352        |
| 9024 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 63                  | 1352        |
| 9027.90-100                     |                   | KG                |                     | -                   | -           |                              | 27                  | 450         |
| 9027 4-ST                       | **                | KG                |                     | -                   | -           |                              | 27                  | 450         |
| 9030.89-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 6                   | 378         |
| 9030 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 6                   | 378         |
| 9031.80-190                     | NO                | KG                | -                   | -                   | -           | 152                          | 233                 | 4025        |
| 9031.80-900                     | NO                | KG                | -                   | -                   | -           | 1674                         | 130                 | 3981        |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 92                  | 4228        |
| 9031.90-900                     |                   | KG                |                     | -                   | -           |                              | 25                  | 995         |
| 9031 4-ST                       |                   | KG                |                     | -                   | -           |                              | 480                 | 13229       |
| 9033.00-000                     |                   | KG                |                     | -                   | -           |                              | 28                  | 1124        |
| 9033 4-ST                       | **                | KG                |                     | -                   | -           |                              | 28                  | 1124        |
| 90 2-ST                         |                   | KG                |                     | 285                 | 13178       |                              | 3030                | 107283      |
| 9202.90-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 2                   | 882         |
| 9202 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 2                   | 882         |
| 92 2-ST                         | NO                | KG                | -                   | -                   | -           | 1                            | 2                   | 882         |
| 9402.90-000                     |                   | KG                |                     | -                   | -           |                              | 92                  | 306         |
| 9402 4-ST                       | **                | KG                |                     | -                   | -           |                              | 92                  | 306         |
| 94 2-ST                         | **                | KG                |                     | -                   | -           |                              | 92                  | 306         |
| 9503.90-300                     | NO                | KG                | -                   | -                   | -           | 5203                         | 131                 | 534         |
| 9503.90-900                     | NO                | KG                | -                   | -                   | -           | 7200                         | 100                 | 468         |
| 9503 4-ST                       | NO                | KG                | -                   | -                   | -           | 12403                        | 231                 | 1002        |
| 95 2-ST                         | NO                | KG                | -                   | -                   | -           | 12403                        | 231                 | 1002        |
| 9603.30-000                     | NO                | KG                | -                   | -                   | -           | 11088                        | 99                  | 1581        |
| 9603 4-ST                       | NO                | KG                | -                   | -                   | -           | 11088                        | 99                  | 1581        |
| 9608.10-100                     |                   | NO                |                     | 6336                | 353         |                              | 34948               | 1950        |
| 9608.10-900                     |                   | NO                |                     | -                   | -           |                              | 37440               | 1681        |
| 9608.20-900                     |                   | NO                |                     | -                   | -           |                              | 6864                | 306         |
| 9608.40-000                     |                   | NO                |                     | 18144               | 1089        |                              | 48216               | 3325        |
| 9608 4-ST                       | **                | NO                |                     | 24480               | 1442        |                              | 127468              | 7262        |
| 9609.20-000                     |                   | KG                |                     | 64                  | 361         |                              | 64                  | 361         |
| 9609 4-ST                       | **                | KG                |                     | 64                  | 361         |                              | 64                  | 361         |
| 9612.10-000                     |                   | NO                |                     | -                   | -           |                              | 2000                | 12940       |
| 9612 4-ST                       | **                | NO                |                     | -                   | -           |                              | 2000                | 12940       |
| 9616.20-000                     |                   | KG                |                     | -                   | -           |                              | 7                   | 524         |
| 9616 4-ST                       | **                | KG                |                     | -                   | -           |                              | 7                   | 524         |
| 96 2-ST                         |                   |                   |                     |                     | 1803        |                              |                     | 22668       |
| TOTAL                           |                   |                   |                     |                     | 67077       |                              |                     | 513622      |
|                                 |                   |                   |                     |                     |             |                              |                     |             |