

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 126 MALDIVE                     |                   |                   |                    |                   |             |                              |                   |             |
| 3402.13-000                     |                   | KG                |                    | -                 | -           |                              | 550               | 810         |
| 3402.20-000                     |                   | KG                |                    | -                 | -           |                              | 275               | 413         |
| 3402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 825               | 1223        |
| 34 2-ST                         | **                | KG                |                    | -                 | -           |                              | 825               | 1223        |
| 3814.00-000                     |                   | KG                |                    | -                 | -           |                              | 2415              | 650         |
| 3814 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2415              | 650         |
| 3822.00-000                     |                   | KG                |                    | -                 | -           |                              | 104               | 2095        |
| 3822 4-ST                       | **                | KG                |                    | -                 | -           |                              | 104               | 2095        |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 2519              | 2745        |
| 7010.94-900                     |                   | KG                |                    | -                 | -           |                              | 60                | 220         |
| 7010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 220         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 60                | 220         |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 28                | 1131        |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 1131        |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 28                | 1131        |
| 8409.99-200                     |                   | KG                |                    | 1                 | 390         |                              | 92                | 1741        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 142               | 2276        |
| 8409 4-ST                       | **                | KG                |                    | 1                 | 390         |                              | 234               | 4017        |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 64                           | 41                | 600         |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 77                | 1243        |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 72                           | 118               | 1843        |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 80                | 543         |
| 8413 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 80                | 543         |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 36                | 563         |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 17                | 628         |
| 8414 4-ST                       |                   | KG                |                    | -                 | -           |                              | 53                | 1191        |
| 8421.23-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 6                 | 283         |
| 8421 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 6                 | 283         |
| 8431.20-000                     |                   | KG                |                    | -                 | -           |                              | 173               | 1893        |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 173               | 1893        |
| 8471.30-000                     |                   | NO                |                    | -                 | -           |                              | 48                | 1024        |
| 8471 4-ST                       | **                | NO                |                    | -                 | -           |                              | 48                | 1024        |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 49                | 755         |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 49                | 755         |
| 8483.30-200                     | NO                | KG                | -                  | -                 | -           | 19                           | 51                | 2737        |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 18                | 215         |
| 8483 4-ST                       | NO                | KG                | -                  | -                 | -           | 21                           | 69                | 2952        |
| 84 2-ST                         |                   |                   |                    |                   | 390         |                              |                   | 14501       |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 60                           | 111               | 1441        |
| 8525.20-990                     | NO                | KG                | -                  | -                 | -           | 60                           | 40                | 736         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 120                          | 151               | 2177        |
| 8543.90-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 331         |
| 8543 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 331         |
| 85 2-ST                         |                   | KG                |                    | -                 | -           |                              | 179               | 2508        |
| 9002.11-100                     | NO                | KG                | -                  | -                 | -           | 29                           | 15                | 1008        |
| 9002 4-ST                       | NO                | KG                | -                  | -                 | -           | 29                           | 15                | 1008        |
| 9006.30-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 4                 | 238         |
| 9006.61-000                     |                   | NO                |                    | -                 | -           |                              | 8                 | 433         |
| 9006 4-ST                       |                   |                   |                    |                   | -           |                              |                   | 671         |
| 9018.19-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 9                 | 484         |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 79                | 1148        |
| 9018.90-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 19                | 232         |
| 9018.90-190                     | NO                | KG                | -                  | -                 | -           | 7                            | 18                | 684         |
| 9018.90-200                     | NO                | KG                | -                  | -                 | -           | 35                           | 7                 | 280         |
| 9018 4-ST                       |                   | KG                |                    | -                 | -           |                              | 132               | 2828        |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 32                | 550         |
| 9027.80-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 218         |
| 9027 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 43                | 768         |
| 90 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 5275        |
| 9207.10-900                     | NO                | KG                | -                  | -                 | -           | 14                           | 217               | 1433        |
| 9207 4-ST                       | NO                | KG                | -                  | -                 | -           | 14                           | 217               | 1433        |
| 92 2-ST                         | NO                | KG                | -                  | -                 | -           | 14                           | 217               | 1433        |
| TOTAL                           |                   |                   |                    |                   | 390         |                              |                   | 29036       |
| 127 BANGLA                      |                   |                   |                    |                   |             |                              |                   |             |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 127 BANGLA<br>0000.00-190       |                   | KG                |                    | 181               | 2308        |                              | 1951              | 39433       |
| 0000 4-ST                       | **                | KG                |                    | 181               | 2308        |                              | 1951              | 39433       |
| 00 2-ST                         | **                | KG                |                    | 181               | 2308        |                              | 1951              | 39433       |
| 1209.91-000                     |                   | KG                |                    | -                 | -           |                              | 745               | 5445        |
| 1209 4-ST                       | **                | KG                |                    | -                 | -           |                              | 745               | 5445        |
| 12 2-ST                         | **                | KG                |                    | -                 | -           |                              | 745               | 5445        |
| 2106.90-900                     |                   | KG                |                    | -                 | -           |                              | 195               | 810         |
| 2106 4-ST                       | **                | KG                |                    | -                 | -           |                              | 195               | 810         |
| 21 2-ST                         | **                | KG                |                    | -                 | -           |                              | 195               | 810         |
| 2915.39-000                     |                   | KG                |                    | 40                | 288         |                              | 40                | 288         |
| 2915 4-ST                       | **                | KG                |                    | 40                | 288         |                              | 40                | 288         |
| 2918.29-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 250         |
| 2918 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 250         |
| 2925.20-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 1549        |
| 2925 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 1549        |
| 2933.39-000                     |                   | KG                |                    | -                 | -           |                              | 300               | 1894        |
| 2933 4-ST                       | **                | KG                |                    | -                 | -           |                              | 300               | 1894        |
| 2936.28-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 201         |
| 2936 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 201         |
| 29 2-ST                         | **                | KG                |                    | 40                | 288         |                              | 540               | 4182        |
| 3004.20-000                     |                   | KG                |                    | 15                | 1645        |                              | 29                | 3212        |
| 3004.50-000                     |                   | KG                |                    | 373               | 9121        |                              | 1038              | 24258       |
| 3004.90-100                     |                   | KG                |                    | 18                | 455         |                              | 18                | 455         |
| 3004.90-900                     |                   | KG                |                    | 374               | 4310        |                              | 587               | 9138        |
| 3004 4-ST                       | **                | KG                |                    | 780               | 15531       |                              | 1672              | 37063       |
| 30 2-ST                         | **                | KG                |                    | 780               | 15531       |                              | 1672              | 37063       |
| 3210.00-300                     |                   | KG                |                    | -                 | -           |                              | 108               | 214         |
| 3210 4-ST                       | **                | KG                |                    | -                 | -           |                              | 108               | 214         |
| 3215.90-000                     |                   | KG                |                    | -                 | -           |                              | 181               | 624         |
| 3215 4-ST                       | **                | KG                |                    | -                 | -           |                              | 181               | 624         |
| 32 2-ST                         | **                | KG                |                    | -                 | -           |                              | 289               | 838         |
| 3301.29-000                     |                   | KG                |                    | -                 | -           |                              | 655               | 2880        |
| 3301 4-ST                       | **                | KG                |                    | -                 | -           |                              | 655               | 2880        |
| 33 2-ST                         | **                | KG                |                    | -                 | -           |                              | 655               | 2880        |
| 3402.11-000                     |                   | KG                |                    | -                 | -           |                              | 72                | 355         |
| 3402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 72                | 355         |
| 34 2-ST                         | **                | KG                |                    | -                 | -           |                              | 72                | 355         |
| 3701.10-000                     |                   | SM                |                    | -                 | -           |                              | 8                 | 206         |
| 3701 4-ST                       | **                | SM                |                    | -                 | -           |                              | 8                 | 206         |
| 37 2-ST                         | **                | SM                |                    | -                 | -           |                              | 8                 | 206         |
| 3904.10-100                     |                   | KG                |                    | -                 | -           |                              | 700               | 451         |
| 3904 4-ST                       | **                | KG                |                    | -                 | -           |                              | 700               | 451         |
| 3907.40-100                     |                   | KG                |                    | -                 | -           |                              | 230               | 709         |
| 3907.40-900                     |                   | KG                |                    | 400               | 498         |                              | 439               | 742         |
| 3907 4-ST                       | **                | KG                |                    | 400               | 498         |                              | 669               | 1451        |
| 3917.29-000                     |                   | KG                |                    | -                 | -           |                              | 80                | 1075        |
| 3917 4-ST                       | **                | KG                |                    | -                 | -           |                              | 80                | 1075        |
| 3920.99-000                     |                   | KG                |                    | -                 | -           |                              | 41                | 7625        |
| 3920 4-ST                       | **                | KG                |                    | -                 | -           |                              | 41                | 7625        |
| 3921.13-000                     |                   | KG                |                    | -                 | -           |                              | 162               | 457         |
| 3921.90-900                     |                   | KG                |                    | -                 | -           |                              | 2241              | 2703        |
| 3921 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2403              | 3160        |
| 3923.50-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 249         |
| 3923 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 249         |
| 3926.10-000                     |                   | KG                |                    | 120               | 738         |                              | 120               | 738         |
| 3926.90-000                     |                   | KG                |                    | 2                 | 204         |                              | 5                 | 1137        |
| 3926 4-ST                       | **                | KG                |                    | 122               | 942         |                              | 125               | 1875        |
| 39 2-ST                         | **                | KG                |                    | 522               | 1440        |                              | 4048              | 15886       |
| 4011.91-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 15                | 312         |
| 4011 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 15                | 312         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 1191        |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 35                | 248         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 44                | 1439        |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 127 BANGLA<br>40 2-ST           |                   | KG                |                    | -                 | -           |                              | 59                | 1751        |
| 4104.39-100                     | SM                | KG                | 193                | 180               | 412         | 193                          | 180               | 412         |
| 4104 4-ST                       | SM                | KG                | 193                | 180               | 412         | 193                          | 180               | 412         |
| 4107.90-000                     |                   | KG                |                    | -                 | -           |                              | 232               | 1262        |
| 4107 4-ST                       | **                | KG                |                    | -                 | -           |                              | 232               | 1262        |
| 41 2-ST                         |                   | KG                |                    | 180               | 412         |                              | 412               | 1674        |
| 4821.10-000                     |                   | KG                |                    | -                 | -           |                              | 41                | 998         |
| 4821 4-ST                       | **                | KG                |                    | -                 | -           |                              | 41                | 998         |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 41                | 998         |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 33                | 4700        |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 33                | 4700        |
| 49 2-ST                         | **                | KG                |                    | -                 | -           |                              | 33                | 4700        |
| 5407.61-290                     | SM                | KG                | -                  | -                 | -           | 2602                         | 319               | 846         |
| 5407 4-ST                       | SM                | KG                | -                  | -                 | -           | 2602                         | 319               | 846         |
| 54 2-ST                         | SM                | KG                | -                  | -                 | -           | 2602                         | 319               | 846         |
| 5911.31-000                     |                   | KG                |                    | -                 | -           |                              | 73                | 1282        |
| 5911.40-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 282         |
| 5911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 103               | 1564        |
| 59 2-ST                         | **                | KG                |                    | -                 | -           |                              | 103               | 1564        |
| 6307.10-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 268         |
| 6307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 16                | 268         |
| 63 2-ST                         | **                | KG                |                    | -                 | -           |                              | 16                | 268         |
| 6406.20-000                     |                   | KG                |                    | -                 | -           |                              | 480               | 503         |
| 6406 4-ST                       | **                | KG                |                    | -                 | -           |                              | 480               | 503         |
| 64 2-ST                         | **                | KG                |                    | -                 | -           |                              | 480               | 503         |
| 6805.30-000                     |                   | KG                |                    | -                 | -           |                              | 774               | 2711        |
| 6805 4-ST                       | **                | KG                |                    | -                 | -           |                              | 774               | 2711        |
| 6813.90-000                     |                   | KG                |                    | 55                | 1900        |                              | 55                | 1900        |
| 6813 4-ST                       | **                | KG                |                    | 55                | 1900        |                              | 55                | 1900        |
| 6815.10-900                     |                   | KG                |                    | 485               | 5549        |                              | 18033             | 127759      |
| 6815 4-ST                       | **                | KG                |                    | 485               | 5549        |                              | 18033             | 127759      |
| 68 2-ST                         | **                | KG                |                    | 540               | 7449        |                              | 18862             | 132370      |
| 6909.19-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 452         |
| 6909 4-ST                       | **                | KG                |                    | -                 | -           |                              | 0                 | 452         |
| 69 2-ST                         | **                | KG                |                    | -                 | -           |                              | 0                 | 452         |
| 7014.00-000                     |                   | KG                |                    | 14                | 470         |                              | 10912             | 62128       |
| 7014 4-ST                       | **                | KG                |                    | 14                | 470         |                              | 10912             | 62128       |
| 7017.90-000                     |                   | KG                |                    | -                 | -           |                              | 51                | 1105        |
| 7017 4-ST                       | **                | KG                |                    | -                 | -           |                              | 51                | 1105        |
| 7020.00-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 206         |
| 7020 4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 206         |
| 70 2-ST                         | **                | KG                |                    | 14                | 470         |                              | 10975             | 63439       |
| 7104.10-000                     |                   | GR                |                    | -                 | -           |                              | 170369            | 10943       |
| 7104 4-ST                       | **                | GR                |                    | -                 | -           |                              | 170369            | 10943       |
| 71 2-ST                         | **                | GR                |                    | -                 | -           |                              | 170369            | 10943       |
| 7307.29-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 224         |
| 7307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 224         |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 38                | 588         |
| 7318.15-900                     |                   | KG                |                    | 135               | 1313        |                              | 1425              | 15966       |
| 7318.19-000                     |                   | KG                |                    | -                 | -           |                              | 107               | 1716        |
| 7318.21-000                     |                   | KG                |                    | -                 | -           |                              | 23                | 413         |
| 7318.22-000                     |                   | KG                |                    | -                 | -           |                              | 45                | 608         |
| 7318 4-ST                       | **                | KG                |                    | 135               | 1313        |                              | 1638              | 19291       |
| 7319.30-000                     |                   | KG                |                    | -                 | -           |                              | 93                | 630         |
| 7319 4-ST                       | **                | KG                |                    | -                 | -           |                              | 93                | 630         |
| 7320.90-000                     |                   | KG                |                    | -                 | -           |                              | 106               | 1437        |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 106               | 1437        |
| 7326.90-000                     |                   | KG                |                    | -                 | -           |                              | 3790              | 10363       |
| 7326 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3790              | 10363       |
| 73 2-ST                         | **                | KG                |                    | 135               | 1313        |                              | 5636              | 31945       |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 127 BANGLA<br>7608.10-000       |                   | KG                |                    | -                 | -           |                              | 112               | 973         |
| 7608 4-ST                       | **                | KG                |                    | -                 | -           |                              | 112               | 973         |
| 76 2-ST                         | **                | KG                |                    | -                 | -           |                              | 112               | 973         |
| 8205.59-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 400         |
| 8205 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 400         |
| 8208.30-000                     |                   | KG                |                    | -                 | -           |                              | 27                | 259         |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 27                | 259         |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 58                | 659         |
| 8301.40-000                     |                   | KG                |                    | -                 | -           |                              | 126               | 530         |
| 8301 4-ST                       | **                | KG                |                    | -                 | -           |                              | 126               | 530         |
| 8302.10-000                     |                   | KG                |                    | -                 | -           |                              | 81                | 526         |
| 8302.41-000                     |                   | KG                |                    | -                 | -           |                              | 35                | 232         |
| 8302 4-ST                       | **                | KG                |                    | -                 | -           |                              | 116               | 758         |
| 8310.00-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 270         |
| 8310 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 270         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 262               | 1558        |
| 8402.90-900                     |                   | KG                |                    | -                 | -           |                              | 24                | 7644        |
| 8402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 24                | 7644        |
| 8407.32-100                     | NO                | KG                | 74                 | 1879              | 1657        | 74                           | 1879              | 1657        |
| 8407 4-ST                       | NO                | KG                | 74                 | 1879              | 1657        | 74                           | 1879              | 1657        |
| 8409.91-100                     |                   | KG                |                    | -                 | -           |                              | 1754              | 7977        |
| 8409.91-200                     |                   | KG                |                    | 22                | 359         |                              | 46                | 1469        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 12                | 233         |
| 8409 4-ST                       | **                | KG                |                    | 22                | 359         |                              | 1812              | 9679        |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 180                          | 68                | 713         |
| 8412.39-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 10                | 365         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 185                          | 78                | 1078        |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 242               | 9817        |
| 8413 4-ST                       | **                | KG                |                    | -                 | -           |                              | 242               | 9817        |
| 8414.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 158               | 670         |
| 8414.90-100                     |                   | KG                |                    | 4200              | 40000       |                              | 6684              | 54341       |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 102               | 22200       |
| 8414 4-ST                       |                   | KG                |                    | 4200              | 40000       |                              | 6944              | 77211       |
| 8415.82-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 218         |
| 8415 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 218         |
| 8417.90-000                     |                   | KG                |                    | -                 | -           |                              | 576               | 1500        |
| 8417 4-ST                       | **                | KG                |                    | -                 | -           |                              | 576               | 1500        |
| 8419.20-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 226               | 2090        |
| 8419.89-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 36                | 624         |
| 8419 4-ST                       | NO                | KG                | -                  | -                 | -           | 8                            | 262               | 2714        |
| 8421.91-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 965         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 82                | 1781        |
| 8421 4-ST                       | **                | KG                |                    | -                 | -           |                              | 88                | 2746        |
| 8424.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 309         |
| 8424.90-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 426         |
| 8424 4-ST                       |                   | KG                |                    | -                 | -           |                              | 14                | 735         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 198               | 675         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 198               | 675         |
| 8443.51-000                     | NO                | KG                | 1                  | 110               | 800         | 1                            | 110               | 800         |
| 8443.59-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 1273        |
| 8443.90-100                     |                   | KG                |                    | -                 | -           |                              | 30                | 934         |
| 8443 4-ST                       |                   | KG                |                    | 110               | 800         |                              | 170               | 3007        |
| 8448.20-000                     |                   | KG                |                    | -                 | -           |                              | 75                | 1800        |
| 8448.33-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 13                | 236         |
| 8448.51-100                     | TH                | KG                | -                  | -                 | -           | 170                          | 162               | 5220        |
| 8448.51-900                     |                   | KG                |                    | -                 | -           |                              | 151               | 4889        |
| 8448 4-ST                       |                   | KG                |                    | -                 | -           |                              | 401               | 12145       |
| 8452.30-900                     | TH                | KG                | -                  | -                 | -           | 50                           | 60                | 1409        |
| 8452.90-990                     |                   | KG                |                    | -                 | -           |                              | 26                | 348         |
| 8452 4-ST                       |                   | KG                |                    | -                 | -           |                              | 86                | 1757        |
| 8464.20-200                     | NO                | KG                | -                  | -                 | -           | 6                            | 1931              | 20367       |
| 8464 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 1931              | 20367       |
| 8466.20-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 1275        |
| 8466.93-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 640         |
| 8466 4-ST                       | **                | KG                |                    | -                 | -           |                              | 26                | 1915        |
| 8467.89-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 29                | 247         |
| 8467 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 29                | 247         |
| 8468.10-000                     | NO                | KG                | -                  | -                 | -           | 288                          | 78                | 526         |
| 8468 4-ST                       | NO                | KG                | -                  | -                 | -           | 288                          | 78                | 526         |
| 8471.30-000                     |                   | NO                |                    | -                 | -           |                              | 16                | 3495        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 127 BANGLA                      |                   |                   |                    |                   |             |                              |                   |             |
| 8471.49-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 480         |
| 8471.60-110                     |                   | NO                |                    | -                 | -           |                              | 2                 | 284         |
| 8471.70-300                     |                   | NO                |                    | -                 | -           |                              | 15                | 280         |
| 8471 4-ST                       | **                | NO                |                    | -                 | -           |                              | 34                | 4539        |
| 8472.90-000                     | NO                | KG                | 1                  | 19                | 544         | 3                            | 64                | 1260        |
| 8472 4-ST                       | NO                | KG                | 1                  | 19                | 544         | 3                            | 64                | 1260        |
| 8473.30-000                     |                   | KG                |                    | -                 | -           |                              | 35                | 1836        |
| 8473.40-000                     |                   | KG                |                    | 12                | 337         |                              | 12                | 337         |
| 8473 4-ST                       | **                | KG                |                    | 12                | 337         |                              | 47                | 2173        |
| 8475.29-000                     |                   | NO                |                    | 1                 | 517         |                              | 1                 | 517         |
| 8475 4-ST                       | **                | NO                |                    | 1                 | 517         |                              | 1                 | 517         |
| 8477.90-100                     |                   | KG                |                    | -                 | -           |                              | 8                 | 209         |
| 8477 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 209         |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 6                            | 585               | 2451        |
| 8479.90-000                     |                   | KG                |                    | -                 | -           |                              | 270               | 880         |
| 8479 4-ST                       |                   | KG                |                    | -                 | -           |                              | 855               | 3331        |
| 8480.71-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 300         |
| 8480.79-000                     |                   | KG                |                    | -                 | -           |                              | 32                | 394         |
| 8480 4-ST                       | **                | KG                |                    | -                 | -           |                              | 56                | 694         |
| 8481.10-000                     |                   | KG                |                    | 1                 | 202         |                              | 301               | 1082        |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 85                | 1618        |
| 8481.40-000                     |                   | KG                |                    | 90                | 1317        |                              | 90                | 1317        |
| 8481.90-000                     |                   | KG                |                    | 30                | 233         |                              | 415               | 8439        |
| 8481 4-ST                       | **                | KG                |                    | 121               | 1752        |                              | 891               | 12456       |
| 8482.40-000                     | NO                | KG                | -                  | -                 | -           | 62500                        | 3254              | 10147       |
| 8482.50-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 70                | 370         |
| 8482 4-ST                       | NO                | KG                | -                  | -                 | -           | 62504                        | 3324              | 10517       |
| 8483.30-200                     | NO                | KG                | -                  | -                 | -           | 10                           | 33                | 15623       |
| 8483.90-100                     |                   | KG                |                    | -                 | -           |                              | 2620              | 10164       |
| 8483 4-ST                       |                   | KG                |                    | -                 | -           |                              | 2653              | 25787       |
| 8484.20-000                     |                   | KG                |                    | -                 | -           |                              | 108               | 11660       |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 108               | 11660       |
| 84 2-ST                         |                   |                   |                    |                   | 45966       |                              |                   | 228781      |
| 8501.40-910                     | NO                | KG                | -                  | -                 | -           | 3                            | 11                | 632         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 11                | 632         |
| 8503.00-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 2409        |
| 8503 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 2409        |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 3                 | 329         |
| 8504.40-900                     | NO                | KG                | -                  | -                 | -           | 25                           | 125               | 1627        |
| 8504 4-ST                       | NO                | KG                | -                  | -                 | -           | 27                           | 128               | 1956        |
| 8513.10-000                     | NO                | KG                | -                  | -                 | -           | 70                           | 35                | 210         |
| 8513 4-ST                       | NO                | KG                | -                  | -                 | -           | 70                           | 35                | 210         |
| 8514.40-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 26                | 320         |
| 8514 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 26                | 320         |
| 8517.50-000                     |                   | NO                |                    | -                 | -           |                              | 3                 | 366         |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 843               | 33650       |
| 8517 4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 34016       |
| 8522.90-900                     |                   | KG                |                    | -                 | -           |                              | 50                | 6003        |
| 8522 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 6003        |
| 8524.39-000                     |                   | NO                |                    | -                 | -           |                              | 250               | 1549        |
| 8524.91-000                     |                   | NO                |                    | -                 | -           |                              | 34                | 3506        |
| 8524 4-ST                       | **                | NO                |                    | -                 | -           |                              | 284               | 5055        |
| 8525.40-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 238         |
| 8525 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 238         |
| 8528.12-110                     |                   | NO                |                    | -                 | -           |                              | 1                 | 268         |
| 8528.12-190                     |                   | NO                |                    | -                 | -           |                              | 1                 | 270         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2                 | 538         |
| 8529.90-900                     |                   | KG                |                    | 838               | 13108       |                              | 9371              | 121229      |
| 8529 4-ST                       | **                | KG                |                    | 838               | 13108       |                              | 9371              | 121229      |
| 8531.80-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 7                 | 600         |
| 8531.90-000                     |                   | KG                |                    | 351               | 4488        |                              | 3186              | 45510       |
| 8531 4-ST                       |                   | KG                |                    | 351               | 4488        |                              | 3193              | 46110       |
| 8532.23-000                     | TH                | KG                | -                  | -                 | -           | 40                           | 9                 | 1306        |
| 8532 4-ST                       | TH                | KG                | -                  | -                 | -           | 40                           | 9                 | 1306        |
| 8534.00-000                     |                   | KG                |                    | 8                 | 231         |                              | 53                | 1037        |
| 8534 4-ST                       | **                | KG                |                    | 8                 | 231         |                              | 53                | 1037        |
| 8536.30-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 1340        |
| 8536.90-210                     |                   | KG                |                    | 112               | 1880        |                              | 1512              | 18903       |
| 8536 4-ST                       | **                | KG                |                    | 112               | 1880        |                              | 1518              | 20243       |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 4                 | 239         |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 4                 | 239         |
| 8538.90-900                     |                   | KG                |                    | 127               | 1524        |                              | 1131              | 11351       |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 127 BANGLA                      |                   |                   |                    |                   |             |                              |                   |             |
| 8538 4-ST                       | **                | KG                |                    | 127               | 1524        |                              | 1131              | 11351       |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 1370                         | 186               | 4364        |
| 8539.39-000                     | NO                | KG                | 34000              | 22                | 436         | 329307                       | 187               | 4147        |
| 8539 4-ST                       | NO                | KG                | 34000              | 22                | 436         | 330677                       | 373               | 8511        |
| 8541.40-100                     |                   | TH                |                    | 659               | 1741        |                              | 5785              | 21384       |
| 8541.40-910                     |                   | NO                |                    | -                 | -           |                              | 228332            | 2641        |
| 8541 4-ST                       | **                |                   |                    |                   | 1741        |                              |                   | 24025       |
| 8543.20-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 1388        |
| 8543.89-000                     |                   | NO                |                    | 15                | 2228        |                              | 55                | 5975        |
| 8543 4-ST                       | **                | NO                |                    | 15                | 2228        |                              | 56                | 7363        |
| 8544.11-000                     |                   | KG                |                    | -                 | -           |                              | 212               | 1708        |
| 8544.41-910                     |                   | KG                |                    | -                 | -           |                              | 387               | 5671        |
| 8544.49-910                     |                   | KG                |                    | 60                | 1017        |                              | 520               | 5750        |
| 8544.59-910                     |                   | KG                |                    | -                 | -           |                              | 317               | 2956        |
| 8544 4-ST                       | **                | KG                |                    | 60                | 1017        |                              | 1436              | 16085       |
| 8547.20-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 270         |
| 8547 4-ST                       | **                | KG                |                    | -                 | -           |                              | 120               | 270         |
| 85 2-ST                         |                   |                   |                    |                   | 26653       |                              |                   | 309146      |
| 8708.39-000                     |                   | KG                |                    | -                 | -           |                              | 122               | 443         |
| 8708 4-ST                       | **                | KG                |                    | -                 | -           |                              | 122               | 443         |
| 8716.80-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 200               | 820         |
| 8716 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 200               | 820         |
| 87 2-ST                         |                   | KG                |                    | -                 | -           |                              | 322               | 1263        |
| 9001.90-000                     |                   | KG                |                    | -                 | -           |                              | 75                | 770         |
| 9001 4-ST                       | **                | KG                |                    | -                 | -           |                              | 75                | 770         |
| 9002.19-000                     |                   | KG                |                    | 100               | 7920        |                              | 675               | 22620       |
| 9002 4-ST                       | **                | KG                |                    | 100               | 7920        |                              | 675               | 22620       |
| 9006.30-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 41                | 1070        |
| 9006.91-900                     |                   | KG                |                    | -                 | -           |                              | 110               | 1154        |
| 9006 4-ST                       |                   | KG                |                    | -                 | -           |                              | 151               | 2224        |
| 9008.40-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 135               | 350         |
| 9008 4-ST                       | NO                | KG                | -                  | -                 | -           | 10                           | 135               | 350         |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 85                | 781         |
| 9009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 85                | 781         |
| 9010.50-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 300         |
| 9010 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 300         |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 9                            | 15                | 267         |
| 9011.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 3                 | 228         |
| 9011.80-900                     | NO                | KG                | 20                 | 122               | 944         | 97                           | 705               | 7440        |
| 9011 4-ST                       |                   | NO                | 20                 | 122               | 944         | 107                          | 723               | 7935        |
| 9015.20-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 22                | 957         |
| 9015 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 22                | 957         |
| 9017.30-990                     | NO                | KG                | -                  | -                 | -           | 10                           | 16                | 275         |
| 9017 4-ST                       | NO                | KG                | -                  | -                 | -           | 10                           | 16                | 275         |
| 9018.11-100                     | NO                | KG                | 21                 | 91                | 1596        | 111                          | 555               | 13832       |
| 9018.12-000                     |                   | NO                |                    | 7                 | 2436        |                              | 168               | 69624       |
| 9018.19-100                     | NO                | KG                | 1                  | 98                | 2250        | 5                            | 148               | 5778        |
| 9018.19-290                     | NO                | KG                | -                  | -                 | -           | 5                            | 53                | 1350        |
| 9018.19-900                     | NO                | KG                | -                  | -                 | -           | 8                            | 174               | 2894        |
| 9018.32-900                     |                   | KG                |                    | -                 | -           |                              | 122               | 574         |
| 9018.49-100                     | ST                | KG                | -                  | -                 | -           | 2                            | 80                | 604         |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 657               | 4235        |
| 9018.90-110                     | NO                | KG                | 1                  | 14                | 540         | 7                            | 190               | 2809        |
| 9018.90-390                     | NO                | KG                | -                  | -                 | -           | 14                           | 49                | 1048        |
| 9018 4-ST                       |                   |                   |                    |                   | 6822        |                              |                   | 102748      |
| 9019.10-000                     |                   | KG                |                    | -                 | -           |                              | 183               | 1383        |
| 9019.20-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 276         |
| 9019 4-ST                       | **                | KG                |                    | -                 | -           |                              | 197               | 1659        |
| 9022.30-100                     | NO                | KG                | 1                  | 80                | 2508        | 1                            | 80                | 2508        |
| 9022.90-910                     |                   | KG                |                    | -                 | -           |                              | 26                | 267         |
| 9022 4-ST                       |                   | KG                |                    | 80                | 2508        |                              | 106               | 2775        |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 4                            | 28                | 216         |
| 9025.90-000                     |                   | KG                |                    | -                 | -           |                              | 82                | 1693        |
| 9025 4-ST                       |                   | KG                |                    | -                 | -           |                              | 110               | 1909        |
| 9026.10-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 730         |
| 9026.10-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 50                | 482         |
| 9026.20-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 3                 | 275         |
| 9026.20-190                     | NO                | KG                | -                  | -                 | -           | 8                            | 46                | 1122        |
| 9026.80-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 24                | 579         |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 56                | 2108        |
| 9026 4-ST                       |                   | KG                |                    | -                 | -           |                              | 194               | 5296        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 127 BANGLA                      |                   |                   |                    |                   |             |                              |                   |             |
| 9027.30-100                     | NO                | KG                | -                  | -                 | -           | 3                            | 318               | 8485        |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 81                           | 271               | 2087        |
| 9027.80-190                     | NO                | KG                | 36                 | 45                | 534         | 40                           | 349               | 5418        |
| 9027.80-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 321         |
| 9027.90-100                     |                   | KG                |                    | -                 | -           |                              | 40                | 997         |
| 9027 4-ST                       |                   | KG                |                    | 45                | 534         |                              | 986               | 17308       |
| 9028.10-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 14                | 449         |
| 9028 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 14                | 449         |
| 9029.90-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 382         |
| 9029 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1                 | 382         |
| 9030.20-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 57                | 2488        |
| 9030.40-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 41                | 5837        |
| 9030.89-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 21                | 2394        |
| 9030.89-990                     | NO                | KG                | -                  | -                 | -           | 4                            | 261               | 3175        |
| 9030.90-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 832         |
| 9030 4-ST                       |                   | KG                |                    | -                 | -           |                              | 410               | 14726       |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 32                           | 152               | 2643        |
| 9031.90-100                     |                   | KG                |                    | -                 | -           |                              | 53                | 1919        |
| 9031 4-ST                       |                   | KG                |                    | -                 | -           |                              | 205               | 4562        |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 104                          | 24                | 728         |
| 9032.89-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 10                | 212         |
| 9032.90-000                     |                   | KG                |                    | -                 | -           |                              | 65                | 1192        |
| 9032 4-ST                       |                   | KG                |                    | -                 | -           |                              | 99                | 2132        |
| 9033.00-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 276         |
| 9033 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 276         |
| 90 2-ST                         |                   |                   |                    |                   | 18728       |                              |                   | 190434      |
| 9405.99-900                     |                   | KG                |                    | -                 | -           |                              | 30                | 1011        |
| 9405 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 1011        |
| 94 2-ST                         | **                | KG                |                    | -                 | -           |                              | 30                | 1011        |
| 9506.32-000                     |                   | NO                |                    | -                 | -           |                              | 720               | 360         |
| 9506 4-ST                       | **                | NO                |                    | -                 | -           |                              | 720               | 360         |
| 95 2-ST                         | **                | NO                |                    | -                 | -           |                              | 720               | 360         |
| 9606.10-100                     | GS                | KG                | 689                | 223               | 992         | 19943                        | 2462              | 12675       |
| 9606.10-900                     |                   | KG                |                    | -                 | -           |                              | 197               | 1317        |
| 9606 4-ST                       |                   | KG                |                    | 223               | 992         |                              | 2659              | 13992       |
| 9607.11-000                     |                   | KG                |                    | -                 | -           |                              | 3723              | 10234       |
| 9607.19-000                     |                   | KG                |                    | -                 | -           |                              | 253               | 1331        |
| 9607 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3976              | 11565       |
| 96 2-ST                         |                   | KG                |                    | 223               | 992         |                              | 6635              | 25557       |
| TOTAL                           |                   |                   |                    |                   | 121550      |                              |                   | 1118293     |
| 128 E TIMOR                     |                   |                   |                    |                   |             |                              |                   |             |
| 7326.90-000                     |                   | KG                |                    | -                 | -           |                              | 277               | 556         |
| 7326 4-ST                       | **                | KG                |                    | -                 | -           |                              | 277               | 556         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 277               | 556         |
| 8204.11-000                     | NO                | KG                | -                  | -                 | -           | 24                           | 24                | 253         |
| 8204 4-ST                       | NO                | KG                | -                  | -                 | -           | 24                           | 24                | 253         |
| 82 2-ST                         | NO                | KG                | -                  | -                 | -           | 24                           | 24                | 253         |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 78                | 1085        |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 78                | 1085        |
| 8463.90-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 120               | 1840        |
| 8463 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 120               | 1840        |
| 8483.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 100               | 7998        |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 10                | 394         |
| 8483 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 110               | 8392        |
| 84 2-ST                         |                   | KG                |                    | -                 | -           |                              | 308               | 11317       |
| TOTAL                           |                   | KG                |                    | -                 | -           |                              | 609               | 12126       |
| 129 MACAO                       |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | -                 | -           |                              | 3166              | 812518      |
| 0000 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3166              | 812518      |
| 00 2-ST                         | **                | KG                |                    | -                 | -           |                              | 3166              | 812518      |
| 2843.90-000                     |                   | KG                |                    | 5                 | 7344        |                              | 21                | 50827       |
| 2843 4-ST                       | **                | KG                |                    | 5                 | 7344        |                              | 21                | 50827       |
| 28 2-ST                         | **                | KG                |                    | 5                 | 7344        |                              | 21                | 50827       |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 129 MACAO                       |                   |                   |                    |                   |             |                              |                   |             |
| 3920.10-000                     |                   | KG                |                    | -                 | -           |                              | 29                | 261         |
| 3920 4-ST                       | **                | KG                |                    | -                 | -           |                              | 29                | 261         |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 190               | 537         |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 190               | 537         |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 219               | 798         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 1100        |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 1100        |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 4                 | 1100        |
| 4821.10-000                     |                   | KG                |                    | -                 | -           |                              | 65                | 462         |
| 4821 4-ST                       | **                | KG                |                    | -                 | -           |                              | 65                | 462         |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 65                | 462         |
| 5208.39-900                     | SM                | KG                | -                  | -                 | -           | 806                          | 110               | 478         |
| 5208 4-ST                       | SM                | KG                | -                  | -                 | -           | 806                          | 110               | 478         |
| 5209.31-900                     | SM                | KG                | -                  | -                 | -           | 4495                         | 1725              | 1583        |
| 5209 4-ST                       | SM                | KG                | -                  | -                 | -           | 4495                         | 1725              | 1583        |
| 52 2-ST                         | SM                | KG                | -                  | -                 | -           | 5301                         | 1835              | 2061        |
| 5403.31-000                     |                   | KG                |                    | 150               | 420         |                              | 150               | 420         |
| 5403 4-ST                       | **                | KG                |                    | 150               | 420         |                              | 150               | 420         |
| 5407.61-210                     | SM                | KG                | -                  | -                 | -           | 2790                         | 248               | 583         |
| 5407 4-ST                       | SM                | KG                | -                  | -                 | -           | 2790                         | 248               | 583         |
| 54 2-ST                         |                   | KG                |                    | 150               | 420         |                              | 398               | 1003        |
| 5801.22-100                     | SM                | KG                | -                  | -                 | -           | 526                          | 181               | 448         |
| 5801 4-ST                       | SM                | KG                | -                  | -                 | -           | 526                          | 181               | 448         |
| 58 2-ST                         | SM                | KG                | -                  | -                 | -           | 526                          | 181               | 448         |
| 6115.92-500                     | PR                | KG                | -                  | -                 | -           | 734                          | 24                | 485         |
| 6115 4-ST                       | PR                | KG                | -                  | -                 | -           | 734                          | 24                | 485         |
| 61 2-ST                         | PR                | KG                | -                  | -                 | -           | 734                          | 24                | 485         |
| 6215.10-000                     | NO                | KG                | -                  | -                 | -           | 14                           | 0                 | 260         |
| 6215 4-ST                       | NO                | KG                | -                  | -                 | -           | 14                           | 0                 | 260         |
| 62 2-ST                         | NO                | KG                | -                  | -                 | -           | 14                           | 0                 | 260         |
| 7009.91-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 738         |
| 7009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1                 | 738         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1                 | 738         |
| 7117.19-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 204         |
| 7117 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 204         |
| 71 2-ST                         | **                | KG                |                    | -                 | -           |                              | 4                 | 204         |
| 7307.91-100                     |                   | KG                |                    | -                 | -           |                              | 126               | 226         |
| 7307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 126               | 226         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 126               | 226         |
| 8205.59-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 610         |
| 8205.90-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 1500        |
| 8205 4-ST                       | **                | KG                |                    | -                 | -           |                              | 34                | 2110        |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 34                | 2110        |
| 8411.91-000                     |                   | KG                |                    | -                 | -           |                              | 27                | 4245        |
| 8411 4-ST                       | **                | KG                |                    | -                 | -           |                              | 27                | 4245        |
| 8471.50-000                     |                   | NO                | 4                  |                   | 547         |                              | 4                 | 547         |
| 8471.70-900                     |                   | NO                | -                  |                   | -           |                              | 1                 | 585         |
| 8471 4-ST                       | **                | NO                | 4                  |                   | 547         |                              | 5                 | 1132        |
| 8473.30-000                     |                   | KG                | -                  |                   | -           |                              | 65                | 339         |
| 8473 4-ST                       | **                | KG                | -                  |                   | -           |                              | 65                | 339         |
| 8475.29-000                     |                   | NO                | -                  |                   | -           |                              | 85                | 73525       |
| 8475 4-ST                       | **                | NO                | -                  |                   | -           |                              | 85                | 73525       |
| 8479.90-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 1330        |
| 8479 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 1330        |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 4                 | 1145        |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 1145        |
| 8483.50-000                     | NO                | KG                | -                  | -                 | -           | 27200                        | 144               | 695         |
| 8483 4-ST                       | NO                | KG                | -                  | -                 | -           | 27200                        | 144               | 695         |
| 84 2-ST                         |                   |                   |                    |                   | 547         |                              |                   | 82411       |
| 8501.31-191                     | NO                | KG                | -                  | -                 | -           | 21                           | 10                | 1440        |



101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 129 MACAO                       |                   |                   |                    |                   |             |                              |                   |             |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 21                           | 10                | 1440        |
| 8525.20-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 2201        |
| 8525.30-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 190               | 9800        |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 201               | 12001       |
| 8527.90-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 1864        |
| 8527 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 1864        |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 12                | 398         |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 398         |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 1000                         | 2                 | 442         |
| 8533 4-ST                       | NO                | KG                | -                  | -                 | -           | 1000                         | 2                 | 442         |
| 8539.39-000                     | NO                | KG                | -                  | -                 | -           | 5000                         | 195               | 2750        |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 5000                         | 195               | 2750        |
| 8540.81-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 8                 | 620         |
| 8540 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 8                 | 620         |
| 8541.10-920                     |                   | NO                |                    | -                 | -           |                              | 224000            | 2464        |
| 8541.30-900                     |                   | NO                |                    | -                 | -           |                              | 322000            | 10826       |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 546000            | 13290       |
| 8542.30-900                     |                   | NO                |                    | -                 | -           |                              | 9000              | 419         |
| 8542 4-ST                       | **                | NO                |                    | -                 | -           |                              | 9000              | 419         |
| 8543.89-000                     |                   | NO                |                    | -                 | -           |                              | 4                 | 1843        |
| 8543 4-ST                       | **                | NO                |                    | -                 | -           |                              | 4                 | 1843        |
| 8544.20-000                     |                   | KG                |                    | -                 | -           |                              | 54                | 240         |
| 8544.49-910                     |                   | KG                |                    | -                 | -           |                              | 22                | 350         |
| 8544.70-990                     |                   | KG                |                    | -                 | -           |                              | 1501              | 48637       |
| 8544 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1577              | 49227       |
| 85 2-ST                         |                   |                   |                    | -                 | -           |                              |                   | 84294       |
| 8711.30-920                     |                   | NO                |                    | -                 | -           |                              | 2                 | 1600        |
| 8711 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2                 | 1600        |
| 8714.19-000                     |                   | KG                |                    | -                 | -           |                              | 95                | 1312        |
| 8714 4-ST                       | **                | KG                |                    | -                 | -           |                              | 95                | 1312        |
| 87 2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 2912        |
| 9010.50-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 2100        |
| 9010 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 2100        |
| 9013.90-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 131649      |
| 9013 4-ST                       | **                | KG                |                    | -                 | -           |                              | 0                 | 131649      |
| 9018.12-000                     |                   | NO                |                    | -                 | -           |                              | 5                 | 6530        |
| 9018 4-ST                       | **                | NO                |                    | -                 | -           |                              | 5                 | 6530        |
| 9026.10-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 6                 | 302         |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 104               | 1472        |
| 9026 4-ST                       |                   | KG                |                    | -                 | -           |                              | 110               | 1774        |
| 9030.90-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 609         |
| 9030 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 609         |
| 9032.89-190                     | NO                | KG                | -                  | -                 | -           | 3                            | 94                | 480         |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 94                | 480         |
| 90 2-ST                         |                   |                   |                    | -                 | -           |                              |                   | 143142      |
| 9503.90-300                     | NO                | KG                | 910                | 844               | 4016        | 2954                         | 3530              | 16548       |
| 9503.90-900                     | NO                | KG                | -                  | -                 | -           | 40                           | 84                | 979         |
| 9503 4-ST                       | NO                | KG                | 910                | 844               | 4016        | 2994                         | 3614              | 17527       |
| 9506.62-000                     |                   | NO                |                    | -                 | -           |                              | 120               | 395         |
| 9506 4-ST                       | **                | NO                |                    | -                 | -           |                              | 120               | 395         |
| 95 2-ST                         |                   |                   |                    | -                 | 4016        |                              |                   | 17922       |
| 9606.10-100                     | GS                | KG                | -                  | -                 | -           | 358                          | 72                | 288         |
| 9606.21-000                     | GS                | KG                | -                  | -                 | -           | 128                          | 69                | 271         |
| 9606 4-ST                       | GS                | KG                | -                  | -                 | -           | 486                          | 141               | 559         |
| 9607.11-000                     |                   | KG                |                    | -                 | -           |                              | 55                | 214         |
| 9607 4-ST                       | **                | KG                |                    | -                 | -           |                              | 55                | 214         |
| 96 2-ST                         |                   | KG                |                    | -                 | -           |                              | 196               | 773         |
| TOTAL                           |                   |                   |                    |                   | 12327       |                              |                   | 1204694     |
| 131 NEPAL                       |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | -                 | -           |                              | 343               | 1076        |
| 0000 4-ST                       | **                | KG                |                    | -                 | -           |                              | 343               | 1076        |
| 00 2-ST                         | **                | KG                |                    | -                 | -           |                              | 343               | 1076        |
| 1209.91-000                     |                   | KG                |                    | -                 | -           |                              | 105               | 1982        |
| 1209 4-ST                       | **                | KG                |                    | -                 | -           |                              | 105               | 1982        |
| 12 2-ST                         | **                | KG                |                    | -                 | -           |                              | 105               | 1982        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 131 NEPAL                       |                   |                   |                    |                   |             |                              |                   |             |
| 2712.20-000                     |                   | KG                |                    | -                 | -           |                              | 224               | 442         |
| 2712 4-ST                       | **                | KG                |                    | -                 | -           |                              | 224               | 442         |
| 27 2-ST                         | **                | KG                |                    | -                 | -           |                              | 224               | 442         |
| 2932.11-000                     |                   | KG                |                    | -                 | -           |                              | 354               | 743         |
| 2932 4-ST                       | **                | KG                |                    | -                 | -           |                              | 354               | 743         |
| 2934.90-000                     |                   | KG                |                    | -                 | -           |                              | 400               | 713         |
| 2934 4-ST                       | **                | KG                |                    | -                 | -           |                              | 400               | 713         |
| 29 2-ST                         | **                | KG                |                    | -                 | -           |                              | 754               | 1456        |
| 3208.90-900                     |                   | KG                |                    | -                 | -           |                              | 160               | 560         |
| 3208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 160               | 560         |
| 3215.19-000                     |                   | KG                |                    | -                 | -           |                              | 500               | 827         |
| 3215.90-000                     |                   | KG                |                    | -                 | -           |                              | 1108              | 1720        |
| 3215 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1608              | 2547        |
| 32 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1768              | 3107        |
| 4420.90-100                     |                   | KG                |                    | 25                | 271         |                              | 25                | 271         |
| 4420 4-ST                       | **                | KG                |                    | 25                | 271         |                              | 25                | 271         |
| 44 2-ST                         | **                | KG                |                    | 25                | 271         |                              | 25                | 271         |
| 4901.91-000                     | NO                | KG                | -                  | -                 | -           | 110                          | 78                | 304         |
| 4901 4-ST                       | NO                | KG                | -                  | -                 | -           | 110                          | 78                | 304         |
| 4911.10-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 538         |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 120               | 538         |
| 49 2-ST                         |                   | KG                |                    | -                 | -           |                              | 198               | 842         |
| 7006.00-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 315         |
| 7006 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 315         |
| 7013.91-000                     |                   | KG                |                    | -                 | -           |                              | 85                | 315         |
| 7013 4-ST                       | **                | KG                |                    | -                 | -           |                              | 85                | 315         |
| 7017.90-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 347         |
| 7017 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 347         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 124               | 977         |
| 7320.10-100                     |                   | KG                |                    | -                 | -           |                              | 30                | 222         |
| 7320.90-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 316         |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 46                | 538         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 46                | 538         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 83                | 376         |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 83                | 376         |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 83                | 376         |
| 8409.91-100                     |                   | KG                |                    | -                 | -           |                              | 56                | 957         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 379               | 1181        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 155               | 727         |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 590               | 2865        |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 16                | 325         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 16                | 325         |
| 8413.60-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 529         |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 30                           | 200               | 1552        |
| 8413 4-ST                       | NO                | KG                | -                  | -                 | -           | 31                           | 211               | 2081        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 55                | 431         |
| 8414 4-ST                       | **                | KG                |                    | -                 | -           |                              | 55                | 431         |
| 8418.99-100                     |                   | KG                |                    | -                 | -           |                              | 64                | 554         |
| 8418 4-ST                       | **                | KG                |                    | -                 | -           |                              | 64                | 554         |
| 8419.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 55                | 375         |
| 8419 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 55                | 375         |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 48                           | 30                | 1379        |
| 8421.39-000                     | NO                | KG                | -                  | -                 | -           | 25                           | 437               | 4617        |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 93                | 890         |
| 8421 4-ST                       |                   | KG                |                    | -                 | -           |                              | 560               | 6886        |
| 8422.90-000                     |                   | KG                |                    | -                 | -           |                              | 77                | 1476        |
| 8422 4-ST                       | **                | KG                |                    | -                 | -           |                              | 77                | 1476        |
| 8430.49-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 60                | 478         |
| 8430 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 60                | 478         |
| 8431.42-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 244         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 105               | 482         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 225               | 726         |
| 8443.59-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 515         |
| 8443 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 515         |
| 8467.89-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 80                | 304         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 131 NEPAL                       |                   |                   |                    |                   |             |                              |                   |             |
| 8467 4-ST                       | NO                | KG                | -                  | -                 | -           | 13                           | 80                | 304         |
| 8471.50-000                     |                   | NO                | -                  | -                 | -           |                              | 1                 | 245         |
| 8471 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 1                 | 245         |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 55                | 395         |
| 8479 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 55                | 395         |
| 8481.80-190                     |                   | KG                | -                  | -                 | -           |                              | 17                | 417         |
| 8481 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 17                | 417         |
| 8482.30-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 24                | 267         |
| 8482.40-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 40                | 210         |
| 8482.50-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 580               | 4103        |
| 8482 4-ST                       | NO                | KG                | -                  | -                 | -           | 16                           | 644               | 4580        |
| 8483.40-200                     | NO                | KG                | -                  | -                 | -           | 19                           | 265               | 1205        |
| 8483.90-300                     |                   | KG                | -                  | -                 | -           |                              | 20                | 234         |
| 8483 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 285               | 1439        |
| 8484.10-000                     |                   | KG                | -                  | -                 | -           |                              | 43                | 201         |
| 8484 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 43                | 201         |
| 84 2-ST                         |                   |                   | -                  | -                 | -           |                              |                   | 24293       |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 310         |
| 8504 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 310         |
| 8520.32-000                     |                   | NO                | -                  | -                 | -           |                              | 2                 | 518         |
| 8520 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 2                 | 518         |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 18                           | 841               | 48997       |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 18                           | 841               | 48997       |
| 8529.10-100                     | NO                | KG                | -                  | -                 | -           | 18                           | 367               | 21391       |
| 8529.10-900                     |                   | KG                | -                  | -                 | -           |                              | 409               | 1050        |
| 8529.90-900                     |                   | KG                | -                  | -                 | -           |                              | 892               | 51945       |
| 8529 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 1668              | 74386       |
| 8536.20-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 240               | 4448        |
| 8536 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 240               | 4448        |
| 8539.49-000                     |                   | NO                | -                  | -                 | -           |                              | 34                | 1848        |
| 8539 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 34                | 1848        |
| 85 2-ST                         |                   |                   | -                  | -                 | -           |                              |                   | 130507      |
| 8708.50-000                     |                   | KG                | -                  | -                 | -           |                              | 92                | 316         |
| 8708.91-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 50                | 269         |
| 8708.99-900                     |                   | KG                | -                  | -                 | -           |                              | 40                | 205         |
| 8708 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 182               | 790         |
| 87 2-ST                         |                   | KG                | -                  | -                 | -           |                              | 182               | 790         |
| 9002.11-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 4                 | 484         |
| 9002 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 4                 | 484         |
| 9005.10-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 70                | 491         |
| 9005 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 70                | 491         |
| 9006.51-000                     |                   | NO                | -                  | -                 | -           |                              | 2                 | 232         |
| 9006 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 2                 | 232         |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 15                           | 114               | 1265        |
| 9011.80-900                     | NO                | KG                | -                  | -                 | -           | 31                           | 374               | 10753       |
| 9011.90-000                     |                   | KG                | -                  | -                 | -           |                              | 10                | 274         |
| 9011 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 498               | 12292       |
| 9015.20-000                     | NO                | KG                | 4                  | 23                | 1007        | 11                           | 114               | 4006        |
| 9015.30-000                     | NO                | KG                | -                  | -                 | -           | 50                           | 21                | 297         |
| 9015 4-ST                       | NO                | KG                | 4                  | 23                | 1007        | 61                           | 135               | 4303        |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -           | 3                            | 13                | 237         |
| 9018.12-000                     |                   | NO                | -                  | -                 | -           |                              | 10                | 12635       |
| 9018.19-210                     | NO                | KG                | 1                  | 50                | 664         | 1                            | 50                | 664         |
| 9018.19-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 70                | 1677        |
| 9018.50-900                     |                   | KG                | -                  | -                 | -           |                              | 228               | 3654        |
| 9018.90-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 65                | 657         |
| 9018.90-390                     | NO                | KG                | -                  | -                 | -           | 5                            | 77                | 1268        |
| 9018 4-ST                       |                   |                   | -                  | -                 | 664         |                              |                   | 20792       |
| 9019.10-000                     |                   | KG                | -                  | -                 | -           |                              | 78                | 1936        |
| 9019.20-000                     |                   | KG                | -                  | -                 | -           |                              | 80                | 2382        |
| 9019 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 158               | 4318        |
| 9020.00-000                     |                   | KG                | -                  | -                 | -           |                              | 49                | 998         |
| 9020 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 49                | 998         |
| 9022.30-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 90                | 2334        |
| 9022.90-910                     |                   | KG                | -                  | -                 | -           |                              | 3                 | 484         |
| 9022 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 93                | 2818        |
| 9025.80-900                     | NO                | KG                | -                  | -                 | -           | 500                          | 60                | 918         |
| 9025 4-ST                       | NO                | KG                | -                  | -                 | -           | 500                          | 60                | 918         |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 23                | 1308        |
| 9027.80-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 414               | 8691        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 131 NEPAL                       |                   |                   |                    |                   |             |                              |                   |             |
| 9027.80-190                     | NO                | KG                | -                  | -                 | -           | 10                           | 40                | 498         |
| 9027.90-100                     |                   | KG                |                    | 4                 | 550         |                              | 4                 | 550         |
| 9027 4-ST                       |                   | KG                |                    | 4                 | 550         |                              | 481               | 11047       |
| 90 2-ST                         |                   |                   |                    |                   | 2221        |                              |                   | 58693       |
| 9108.11-000                     |                   | NO                |                    | 61610             | 13184       |                              | 558530            | 125915      |
| 9108 4-ST                       | **                | NO                |                    | 61610             | 13184       |                              | 558530            | 125915      |
| 9110.11-000                     | NO                | KG                | -                  | -                 | -           | 60600                        | 249               | 13998       |
| 9110 4-ST                       | NO                | KG                | -                  | -                 | -           | 60600                        | 249               | 13998       |
| 91 2-ST                         |                   |                   |                    |                   | 13184       |                              |                   | 139913      |
| 9402.90-000                     |                   | KG                |                    | -                 | -           |                              | 110               | 297         |
| 9402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 110               | 297         |
| 94 2-ST                         | **                | KG                |                    | -                 | -           |                              | 110               | 297         |
| 9603.50-000                     | NO                | KG                | -                  | -                 | -           | 21                           | 21                | 530         |
| 9603 4-ST                       | NO                | KG                | -                  | -                 | -           | 21                           | 21                | 530         |
| 9606.30-000                     |                   | KG                |                    | -                 | -           |                              | 69                | 476         |
| 9606 4-ST                       | **                | KG                |                    | -                 | -           |                              | 69                | 476         |
| 9607.11-000                     |                   | KG                |                    | -                 | -           |                              | 167               | 796         |
| 9607 4-ST                       | **                | KG                |                    | -                 | -           |                              | 167               | 796         |
| 96 2-ST                         |                   | KG                |                    | -                 | -           |                              | 257               | 1802        |
| TOTAL                           |                   |                   |                    |                   | 15676       |                              |                   | 367362      |
| 132 BHUTAN                      |                   |                   |                    |                   |             |                              |                   |             |
| 8525.20-910                     | NO                | KG                | -                  | -                 | -           | 5                            | 15                | 430         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 15                | 430         |
| 85 2-ST                         | NO                | KG                | -                  | -                 | -           | 5                            | 15                | 430         |
| 9016.00-100                     |                   | KG                |                    | -                 | -           |                              | 15                | 205         |
| 9016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 205         |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 630         |
| 9018 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 630         |
| 90 2-ST                         |                   | KG                |                    | -                 | -           |                              | 21                | 835         |
| TOTAL                           |                   | KG                |                    | -                 | -           |                              | 36                | 1265        |
| 133 IRAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 1570              | 9273        |                              | 4400              | 36097       |
| 0000 4-ST                       | **                | KG                |                    | 1570              | 9273        |                              | 4400              | 36097       |
| 00 2-ST                         | **                | KG                |                    | 1570              | 9273        |                              | 4400              | 36097       |
| 1209.91-000                     |                   | KG                |                    | -                 | -           |                              | 780               | 7393        |
| 1209 4-ST                       | **                | KG                |                    | -                 | -           |                              | 780               | 7393        |
| 12 2-ST                         | **                | KG                |                    | -                 | -           |                              | 780               | 7393        |
| 2823.00-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 203         |
| 2823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 203         |
| 28 2-ST                         | **                | KG                |                    | -                 | -           |                              | 3                 | 203         |
| 2906.11-000                     |                   | KG                |                    | -                 | -           |                              | 160               | 480         |
| 2906.13-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 223         |
| 2906 4-ST                       | **                | KG                |                    | -                 | -           |                              | 260               | 703         |
| 2914.69-000                     |                   | KG                |                    | 100               | 201         |                              | 100               | 201         |
| 2914 4-ST                       | **                | KG                |                    | 100               | 201         |                              | 100               | 201         |
| 2922.50-000                     |                   | KG                |                    | -                 | -           |                              | 400               | 10800       |
| 2922 4-ST                       | **                | KG                |                    | -                 | -           |                              | 400               | 10800       |
| 2924.10-000                     |                   | KG                |                    | -                 | -           |                              | 5000              | 2127        |
| 2924 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5000              | 2127        |
| 2933.39-000                     |                   | KG                |                    | 100               | 750         |                              | 650               | 4262        |
| 2933.90-000                     |                   | KG                |                    | 30                | 12600       |                              | 490               | 46424       |
| 2933 4-ST                       | **                | KG                |                    | 130               | 13350       |                              | 1140              | 50686       |
| 2934.90-000                     |                   | KG                |                    | 125               | 8700        |                              | 2765              | 224480      |
| 2934 4-ST                       | **                | KG                |                    | 125               | 8700        |                              | 2765              | 224480      |
| 2941.90-000                     |                   | KG                |                    | 869               | 114431      |                              | 5348              | 694560      |
| 2941 4-ST                       | **                | KG                |                    | 869               | 114431      |                              | 5348              | 694560      |
| 29 2-ST                         | **                | KG                |                    | 1224              | 136682      |                              | 15013             | 983557      |
| 3004.90-900                     |                   | KG                |                    | -                 | -           |                              | 44                | 7840        |
| 3004 4-ST                       | **                | KG                |                    | -                 | -           |                              | 44                | 7840        |
| 3006.40-100                     |                   | KG                |                    | -                 | -           |                              | 35                | 966         |
| 3006 4-ST                       | **                | KG                |                    | -                 | -           |                              | 35                | 966         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 133 IRAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 30 2-ST                         | **                | KG                |                    | -                 | -           |                              | 79                | 8806        |
| 3214.10-000                     |                   | KG                |                    | -                 | -           |                              | 200               | 220         |
| 3214 4-ST                       | **                | KG                |                    | -                 | -           |                              | 200               | 220         |
| 32 2-ST                         | **                | KG                |                    | -                 | -           |                              | 200               | 220         |
| 3302.90-000                     |                   | KG                |                    | -                 | -           |                              | 500               | 2163        |
| 3302 4-ST                       | **                | KG                |                    | -                 | -           |                              | 500               | 2163        |
| 33 2-ST                         | **                | KG                |                    | -                 | -           |                              | 500               | 2163        |
| 3506.91-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 220         |
| 3506 4-ST                       | **                | KG                |                    | -                 | -           |                              | 22                | 220         |
| 35 2-ST                         | **                | KG                |                    | -                 | -           |                              | 22                | 220         |
| 3707.90-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 702         |
| 3707 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 702         |
| 37 2-ST                         | **                | KG                |                    | -                 | -           |                              | 60                | 702         |
| 3812.30-000                     |                   | KG                |                    | -                 | -           |                              | 200               | 414         |
| 3812 4-ST                       | **                | KG                |                    | -                 | -           |                              | 200               | 414         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 200               | 414         |
| 3912.39-000                     |                   | KG                |                    | -                 | -           |                              | 160               | 656         |
| 3912 4-ST                       | **                | KG                |                    | -                 | -           |                              | 160               | 656         |
| 3917.29-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 685         |
| 3917 4-ST                       | **                | KG                |                    | -                 | -           |                              | 22                | 685         |
| 3919.10-300                     |                   | KG                |                    | -                 | -           |                              | 7874              | 24299       |
| 3919 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7874              | 24299       |
| 3920.99-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 18256       |
| 3920 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 18256       |
| 3926.90-000                     |                   | KG                |                    | 10                | 1920        |                              | 201               | 4908        |
| 3926 4-ST                       | **                | KG                |                    | 10                | 1920        |                              | 201               | 4908        |
| 39 2-ST                         | **                | KG                |                    | 10                | 1920        |                              | 8357              | 48804       |
| 4008.11-000                     |                   | KG                |                    | 50                | 493         |                              | 71                | 709         |
| 4008 4-ST                       | **                | KG                |                    | 50                | 493         |                              | 71                | 709         |
| 4009.10-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 646         |
| 4009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6                 | 646         |
| 4010.29-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 209         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 209         |
| 4016.92-000                     |                   | KG                |                    | -                 | -           |                              | 99                | 225         |
| 4016.93-000                     |                   | KG                |                    | 9                 | 826         |                              | 128               | 7071        |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 1140              | 11913       |
| 4016 4-ST                       | **                | KG                |                    | 9                 | 826         |                              | 1367              | 19209       |
| 40 2-ST                         | **                | KG                |                    | 59                | 1319        |                              | 1454              | 20773       |
| 4823.40-000                     |                   | KG                |                    | -                 | -           |                              | 900               | 1150        |
| 4823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 900               | 1150        |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 900               | 1150        |
| 5808.90-000                     |                   | KG                |                    | -                 | -           |                              | 125               | 24399       |
| 5808 4-ST                       | **                | KG                |                    | -                 | -           |                              | 125               | 24399       |
| 58 2-ST                         | **                | KG                |                    | -                 | -           |                              | 125               | 24399       |
| 5911.90-000                     |                   | KG                |                    | -                 | -           |                              | 80                | 907         |
| 5911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 80                | 907         |
| 59 2-ST                         | **                | KG                |                    | -                 | -           |                              | 80                | 907         |
| 6804.21-200                     |                   | KG                |                    | -                 | -           |                              | 4                 | 412         |
| 6804 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 412         |
| 6812.70-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 516         |
| 6812 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7                 | 516         |
| 6813.10-900                     |                   | KG                |                    | -                 | -           |                              | 29                | 302         |
| 6813 4-ST                       | **                | KG                |                    | -                 | -           |                              | 29                | 302         |
| 6814.90-000                     |                   | KG                |                    | 0                 | 666         |                              | 0                 | 666         |
| 6814 4-ST                       | **                | KG                |                    | 0                 | 666         |                              | 0                 | 666         |
| 6815.10-900                     |                   | KG                |                    | -                 | -           |                              | 97                | 3019        |
| 6815 4-ST                       | **                | KG                |                    | -                 | -           |                              | 97                | 3019        |
| 68 2-ST                         | **                | KG                |                    | 0                 | 666         |                              | 137               | 4915        |
| 6909.19-000                     |                   | KG                |                    | -                 | -           |                              | 40                | 2160        |
| 6909.90-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 756         |
| 6909 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 2916        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 133 IRAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 6911.10-191                     | DZ                | KG                | -                  | -                 | -           | 14                           | 72                | 308         |
| 6911 4-ST                       | DZ                | KG                | -                  | -                 | -           | 14                           | 72                | 308         |
| 69 2-ST                         |                   | KG                |                    | -                 | -           |                              | 120               | 3224        |
| 7006.00-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 770         |
| 7006 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 770         |
| 7014.00-000                     |                   | KG                |                    | -                 | -           |                              | 279               | 2823        |
| 7014 4-ST                       | **                | KG                |                    | -                 | -           |                              | 279               | 2823        |
| 7016.90-000                     |                   | KG                |                    | -                 | -           |                              | 5                 | 377         |
| 7016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5                 | 377         |
| 7017.90-000                     |                   | KG                |                    | -                 | -           |                              | 95                | 2161        |
| 7017 4-ST                       | **                | KG                |                    | -                 | -           |                              | 95                | 2161        |
| 7020.00-000                     |                   | KG                |                    | -                 | -           |                              | 33                | 1208        |
| 7020 4-ST                       | **                | KG                |                    | -                 | -           |                              | 33                | 1208        |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 440               | 7339        |
| 7304.49-900                     |                   | KG                |                    | -                 | -           |                              | 512               | 651         |
| 7304.59-900                     |                   | KG                |                    | -                 | -           |                              | 150               | 452         |
| 7304 4-ST                       | **                | KG                |                    | -                 | -           |                              | 662               | 1103        |
| 7307.21-000                     |                   | KG                |                    | -                 | -           |                              | 125               | 1740        |
| 7307.22-000                     |                   | KG                |                    | -                 | -           |                              | 721               | 25809       |
| 7307.29-000                     |                   | KG                |                    | -                 | -           |                              | 80                | 1820        |
| 7307.91-900                     |                   | KG                |                    | -                 | -           |                              | 232               | 4861        |
| 7307.99-900                     |                   | KG                |                    | -                 | -           |                              | 15                | 678         |
| 7307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1173              | 34908       |
| 7314.49-000                     |                   | KG                |                    | -                 | -           |                              | 42                | 800         |
| 7314 4-ST                       | **                | KG                |                    | -                 | -           |                              | 42                | 800         |
| 7318.15-110                     |                   | KG                |                    | -                 | -           |                              | 418               | 6575        |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 402               | 1131        |
| 7318.15-900                     |                   | KG                |                    | -                 | -           |                              | 30                | 904         |
| 7318.16-100                     |                   | KG                |                    | -                 | -           |                              | 158               | 5722        |
| 7318.24-000                     |                   | KG                |                    | -                 | -           |                              | 43                | 375         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1051              | 14707       |
| 7320.10-900                     |                   | KG                |                    | -                 | -           |                              | 18                | 314         |
| 7320.20-000                     |                   | KG                |                    | -                 | -           |                              | 32                | 590         |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 904         |
| 7326.90-000                     |                   | KG                |                    | -                 | -           |                              | 286               | 4444        |
| 7326 4-ST                       | **                | KG                |                    | -                 | -           |                              | 286               | 4444        |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 3264              | 56866       |
| 8108.90-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 1123        |
| 8108 4-ST                       | **                | KG                |                    | -                 | -           |                              | 24                | 1123        |
| 81 2-ST                         | **                | KG                |                    | -                 | -           |                              | 24                | 1123        |
| 8204.11-000                     | NO                | KG                | 15                 | 22                | 340         | 15                           | 22                | 340         |
| 8204 4-ST                       | NO                | KG                | 15                 | 22                | 340         | 15                           | 22                | 340         |
| 8205.59-000                     |                   | KG                |                    | -                 | -           |                              | 153               | 1583        |
| 8205 4-ST                       | **                | KG                |                    | -                 | -           |                              | 153               | 1583        |
| 8207.30-900                     |                   | KG                |                    | -                 | -           |                              | 1252              | 4110        |
| 8207.70-200                     |                   | KG                |                    | -                 | -           |                              | 553               | 7122        |
| 8207.90-900                     |                   | KG                |                    | 20                | 2000        |                              | 20                | 2000        |
| 8207 4-ST                       | **                | KG                |                    | 20                | 2000        |                              | 1825              | 13232       |
| 8208.10-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 1458        |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 39                | 4178        |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 46                | 5636        |
| 82 2-ST                         |                   | KG                |                    | 42                | 2340        |                              | 2046              | 20791       |
| 8311.10-190                     |                   | KG                |                    | -                 | -           |                              | 60                | 215         |
| 8311 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 215         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 60                | 215         |
| 8402.90-900                     |                   | KG                |                    | -                 | -           |                              | 30                | 1501        |
| 8402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 1501        |
| 8406.90-000                     |                   | KG                |                    | -                 | -           |                              | 1870              | 75017       |
| 8406 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1870              | 75017       |
| 8409.91-100                     |                   | KG                |                    | 24                | 3407        |                              | 531               | 4743        |
| 8409.91-900                     |                   | KG                |                    | -                 | -           |                              | 81                | 2790        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 64                | 1444        |
| 8409 4-ST                       | **                | KG                |                    | 24                | 3407        |                              | 676               | 8977        |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 56                | 1830        |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 41                           | 128               | 2675        |
| 8412.90-000                     |                   | KG                |                    | -                 | -           |                              | 267               | 10722       |
| 8412 4-ST                       |                   | KG                |                    | -                 | -           |                              | 451               | 15227       |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 133 IRAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 8413.30-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 120               | 881         |
| 8413.60-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 28                | 1122        |
| 8413.70-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 90                | 523         |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 50                | 633         |
| 8413.91-000                     |                   | KG                |                    | 87                | 768         |                              | 4613              | 184614      |
| 8413 4-ST                       |                   | KG                |                    | 87                | 768         |                              | 4901              | 187773      |
| 8414.90-100                     |                   | KG                |                    | 10                | 5196        |                              | 946               | 48369       |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 130               | 8294        |
| 8414 4-ST                       | **                | KG                |                    | 10                | 5196        |                              | 1076              | 56663       |
| 8418.99-100                     |                   | KG                |                    | -                 | -           |                              | 46                | 2175        |
| 8418 4-ST                       | **                | KG                |                    | -                 | -           |                              | 46                | 2175        |
| 8419.89-000                     | NO                | KG                | -                  | -                 | -           | 46                           | 14                | 502         |
| 8419.90-000                     |                   | KG                |                    | 46                | 830         |                              | 1282              | 13200       |
| 8419 4-ST                       |                   | KG                |                    | 46                | 830         |                              | 1296              | 13702       |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 47                | 556         |
| 8421.39-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 43                | 681         |
| 8421.91-000                     |                   | KG                |                    | -                 | -           |                              | 55                | 594         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 509               | 9390        |
| 8421 4-ST                       |                   | KG                |                    | -                 | -           |                              | 654               | 11221       |
| 8422.90-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 311         |
| 8422 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 311         |
| 8423.90-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 406         |
| 8423 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7                 | 406         |
| 8431.10-000                     |                   | KG                |                    | -                 | -           |                              | 74                | 2120        |
| 8431.20-000                     |                   | KG                |                    | -                 | -           |                              | 652               | 2158        |
| 8431.39-200                     |                   | KG                |                    | -                 | -           |                              | 147               | 823         |
| 8431.39-900                     |                   | KG                |                    | 160               | 1056        |                              | 160               | 1056        |
| 8431.49-110                     |                   | KG                |                    | -                 | -           |                              | 79                | 1251        |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 37                | 317         |
| 8431 4-ST                       | **                | KG                |                    | 160               | 1056        |                              | 1149              | 7725        |
| 8448.11-900                     | NO                | KG                | 5                  | 816               | 30000       | 13                           | 2279              | 92270       |
| 8448.19-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 690               | 33700       |
| 8448.39-900                     |                   | KG                |                    | -                 | -           |                              | 41                | 4741        |
| 8448 4-ST                       |                   | KG                |                    | 816               | 30000       |                              | 3010              | 130711      |
| 8456.20-000                     | NO                | KG                | 1                  | 5                 | 397         | 2                            | 10                | 744         |
| 8456 4-ST                       | NO                | KG                | 1                  | 5                 | 397         | 2                            | 10                | 744         |
| 8464.20-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 5                 | 590         |
| 8464 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 5                 | 590         |
| 8466.94-000                     |                   | KG                |                    | -                 | -           |                              | 179               | 2608        |
| 8466 4-ST                       | **                | KG                |                    | -                 | -           |                              | 179               | 2608        |
| 8467.11-000                     | NO                | KG                | -                  | -                 | -           | 173                          | 242               | 4727        |
| 8467.92-000                     |                   | KG                |                    | 40                | 2355        |                              | 40                | 2355        |
| 8467 4-ST                       |                   | KG                |                    | 40                | 2355        |                              | 282               | 7082        |
| 8471.60-110                     |                   | NO                |                    | -                 | -           |                              | 2                 | 366         |
| 8471.60-220                     |                   | NO                |                    | -                 | -           |                              | 4                 | 588         |
| 8471.70-900                     |                   | NO                |                    | -                 | -           |                              | 2                 | 990         |
| 8471 4-ST                       | **                | NO                |                    | -                 | -           |                              | 8                 | 1944        |
| 8472.90-000                     | NO                | KG                | 20                 | 60                | 3730        | 25                           | 70                | 4592        |
| 8472 4-ST                       | NO                | KG                | 20                 | 60                | 3730        | 25                           | 70                | 4592        |
| 8475.29-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 741         |
| 8475 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 741         |
| 8477.90-100                     |                   | KG                |                    | -                 | -           |                              | 785               | 6777        |
| 8477.90-900                     |                   | KG                |                    | -                 | -           |                              | 128               | 460         |
| 8477 4-ST                       | **                | KG                |                    | -                 | -           |                              | 913               | 7237        |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 7                            | 68                | 4364        |
| 8479.90-000                     |                   | KG                |                    | 218               | 3356        |                              | 1235              | 16494       |
| 8479 4-ST                       |                   | KG                |                    | 218               | 3356        |                              | 1303              | 20858       |
| 8480.71-000                     |                   | KG                |                    | -                 | -           |                              | 4338              | 29950       |
| 8480 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4338              | 29950       |
| 8481.10-000                     |                   | KG                |                    | -                 | -           |                              | 506               | 4910        |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 762               | 3925        |
| 8481.40-000                     |                   | KG                |                    | 48                | 1417        |                              | 88                | 2101        |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 183               | 1211        |
| 8481.80-190                     |                   | KG                |                    | 9                 | 757         |                              | 822               | 12406       |
| 8481.80-900                     |                   | KG                |                    | -                 | -           |                              | 206               | 588         |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 307               | 15026       |
| 8481 4-ST                       | **                | KG                |                    | 57                | 2174        |                              | 2874              | 40167       |
| 8482.10-000                     | NO                | KG                | 54                 | 212               | 781         | 43489                        | 871               | 8246        |
| 8482.20-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 23                | 250         |
| 8482.40-000                     | NO                | KG                | 15000              | 57                | 650         | 42949                        | 1063              | 5300        |
| 8482.50-000                     | NO                | KG                | 1500               | 27                | 219         | 1502                         | 403               | 804         |
| 8482.80-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 29                | 1911        |
| 8482.91-900                     |                   | KG                |                    | -                 | -           |                              | 53                | 256         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 133 IRAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 8482.99-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 3200        |
| 8482.4-ST                       |                   | KG                |                    | 296               | 1650        |                              | 2467              | 19967       |
| 8483.10-000                     | NO                | KG                | 6                  | 108               | 687         | 105                          | 1668              | 39182       |
| 8483.20-000                     | NO                | KG                | 16                 | 99                | 218         | 16                           | 99                | 218         |
| 8483.30-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 36                | 900         |
| 8483.30-200                     | NO                | KG                | 6                  | 21                | 2156        | 400221                       | 2720              | 47630       |
| 8483.40-200                     | NO                | KG                | 3                  | 5                 | 956         | 121                          | 586               | 15947       |
| 8483.40-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 509               | 1984        |
| 8483.50-000                     | NO                | KG                | -                  | -                 | -           | 18                           | 45                | 467         |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 8092                         | 1419              | 20709       |
| 8483.90-200                     |                   | KG                |                    | -                 | -           |                              | 200               | 1683        |
| 8483.90-300                     |                   | KG                |                    | -                 | -           |                              | 228               | 735         |
| 8483.90-400                     |                   | KG                |                    | -                 | -           |                              | 26                | 734         |
| 8483.90-900                     |                   | KG                |                    | 24                | 563         |                              | 209               | 5744        |
| 8483.4-ST                       |                   | KG                |                    | 257               | 4580        |                              | 7745              | 135933      |
| 8484.10-000                     |                   | KG                |                    | -                 | -           |                              | 166               | 7711        |
| 8484.20-000                     |                   | KG                |                    | -                 | -           |                              | 163               | 48552       |
| 8484.4-ST                       | **                | KG                |                    | -                 | -           |                              | 329               | 56263       |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 62                | 1532        |
| 8485.4-ST                       | **                | KG                |                    | -                 | -           |                              | 62                | 1532        |
| 84.2-ST                         |                   |                   |                    |                   | 59499       |                              |                   | 841617      |
| 8501.10-191                     | NO                | KG                | -                  | -                 | -           | 5980                         | 1420              | 11574       |
| 8501.10-192                     | NO                | KG                | -                  | -                 | -           | 3070                         | 778               | 6297        |
| 8501.51-000                     | NO                | KG                | -                  | -                 | -           | 7                            | 39                | 647         |
| 8501.52-100                     | NO                | KG                | -                  | -                 | -           | 5                            | 137               | 833         |
| 8501.53-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 3020              | 5788        |
| 8501.4-ST                       | NO                | KG                | -                  | -                 | -           | 9063                         | 5394              | 25139       |
| 8503.00-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 382         |
| 8503.4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 382         |
| 8504.31-910                     | NO                | KG                | -                  | -                 | -           | 4                            | 40                | 339         |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 10                           | 38                | 712         |
| 8504.40-900                     | NO                | KG                | -                  | -                 | -           | 16                           | 240               | 922         |
| 8504.90-000                     |                   | KG                |                    | -                 | -           |                              | 67                | 1307        |
| 8504.4-ST                       |                   | KG                |                    | -                 | -           |                              | 385               | 3280        |
| 8505.20-000                     |                   | KG                |                    | -                 | -           |                              | 68                | 703         |
| 8505.90-100                     | NO                | KG                | 3000               | 660               | 691         | 3002                         | 661               | 961         |
| 8505.4-ST                       |                   | KG                |                    | 660               | 691         |                              | 729               | 1664        |
| 8507.30-000                     | NO                | KG                | -                  | -                 | -           | 4800                         | 2192              | 5288        |
| 8507.80-100                     | NO                | KG                | -                  | -                 | -           | 1000                         | 205               | 5000        |
| 8507.4-ST                       | NO                | KG                | -                  | -                 | -           | 5800                         | 2397              | 10288       |
| 8514.90-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 639         |
| 8514.4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 639         |
| 8516.80-000                     | NO                | KG                | -                  | -                 | -           | 32                           | 92                | 3870        |
| 8516.4-ST                       | NO                | KG                | -                  | -                 | -           | 32                           | 92                | 3870        |
| 8517.50-000                     |                   | NO                |                    | -                 | -           |                              | 8                 | 886         |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 10243             | 107906      |
| 8517.4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 108792      |
| 8524.31-000                     |                   | NO                |                    | -                 | -           |                              | 2                 | 585         |
| 8524.91-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 295         |
| 8524.4-ST                       | **                | NO                |                    | -                 | -           |                              | 3                 | 880         |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 50                           | 1175              | 13087       |
| 8525.20-990                     | NO                | KG                | -                  | -                 | -           | 8                            | 168               | 2256        |
| 8525.30-190                     | NO                | KG                | 1                  | 10                | 1278        | 11                           | 109               | 3899        |
| 8525.4-ST                       | NO                | KG                | 1                  | 10                | 1278        | 69                           | 1452              | 19242       |
| 8527.39-990                     |                   | NO                |                    | -                 | -           |                              | 5                 | 3231        |
| 8527.4-ST                       | **                | NO                |                    | -                 | -           |                              | 5                 | 3231        |
| 8528.21-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 334         |
| 8528.4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 334         |
| 8529.90-900                     |                   | KG                |                    | 325               | 5913        |                              | 831               | 22248       |
| 8529.4-ST                       | **                | KG                |                    | 325               | 5913        |                              | 831               | 22248       |
| 8532.10-000                     | NO                | KG                | -                  | -                 | -           | 22                           | 44                | 2781        |
| 8532.23-000                     | TH                | KG                | -                  | -                 | -           | 3                            | 6                 | 286         |
| 8532.29-000                     | TH                | KG                | -                  | -                 | -           | 2                            | 2                 | 322         |
| 8532.4-ST                       |                   | KG                |                    | -                 | -           |                              | 52                | 3389        |
| 8533.21-000                     | TH                | KG                | 50                 | 5                 | 297         | 50                           | 5                 | 297         |
| 8533.29-000                     | TH                | KG                | -                  | -                 | -           | 22                           | 99                | 4972        |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 2130                         | 9                 | 602         |
| 8533.4-ST                       |                   | KG                |                    | 5                 | 297         |                              | 113               | 5871        |
| 8536.10-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 2795        |
| 8536.20-000                     | NO                | KG                | -                  | -                 | -           | 78                           | 169               | 5273        |
| 8536.30-000                     |                   | KG                |                    | -                 | -           |                              | 54                | 908         |
| 8536.41-000                     |                   | KG                |                    | -                 | -           |                              | 69                | 3421        |



101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 133 IRAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 8536.49-000                     |                   | KG                |                    | -                 | -           |                              | 47                | 1412        |
| 8536.50-900                     | NO                | KG                | 1000               | 38                | 531         | 13549                        | 215               | 4225        |
| 8536.69-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 1110        |
| 8536.90-100                     |                   | KG                |                    | -                 | -           |                              | 57                | 1508        |
| 8536.90-210                     |                   | KG                |                    | -                 | -           |                              | 116               | 2662        |
| 8536.90-290                     |                   | KG                |                    | -                 | -           |                              | 21                | 1013        |
| 8536.4-ST                       |                   | KG                |                    | 38                | 531         |                              | 868               | 24327       |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 9                            | 202               | 2052        |
| 8537.4-ST                       | NO                | KG                | -                  | -                 | -           | 9                            | 202               | 2052        |
| 8538.90-900                     |                   | KG                |                    | -                 | -           |                              | 673               | 29644       |
| 8538.4-ST                       | **                | KG                |                    | -                 | -           |                              | 673               | 29644       |
| 8539.39-000                     | NO                | KG                | -                  | -                 | -           | 16                           | 8                 | 801         |
| 8539.4-ST                       | NO                | KG                | -                  | -                 | -           | 16                           | 8                 | 801         |
| 8541.40-910                     |                   | NO                |                    | -                 | -           |                              | 13200             | 978         |
| 8541.40-990                     |                   | NO                |                    | -                 | -           |                              | 23600             | 1665        |
| 8541.60-900                     |                   | NO                |                    | -                 | -           |                              | 320000            | 960         |
| 8541.4-ST                       | **                | NO                |                    | -                 | -           |                              | 356800            | 3603        |
| 8542.13-320                     |                   | NO                |                    | -                 | -           |                              | 1100              | 492         |
| 8542.13-900                     |                   | NO                |                    | -                 | -           |                              | 25880             | 2487        |
| 8542.30-900                     |                   | NO                |                    | -                 | -           |                              | 1500              | 279         |
| 8542.4-ST                       | **                | NO                |                    | -                 | -           |                              | 28480             | 3258        |
| 8543.20-000                     |                   | NO                |                    | -                 | -           |                              | 2                 | 400         |
| 8543.89-000                     |                   | NO                |                    | -                 | -           |                              | 2590              | 79166       |
| 8543.4-ST                       | **                | NO                |                    | -                 | -           |                              | 2592              | 79566       |
| 8544.20-000                     |                   | KG                |                    | -                 | -           |                              | 2453              | 7206        |
| 8544.41-110                     |                   | KG                |                    | -                 | -           |                              | 56                | 384         |
| 8544.41-910                     |                   | KG                |                    | -                 | -           |                              | 221               | 2718        |
| 8544.41-990                     |                   | KG                |                    | -                 | -           |                              | 3                 | 258         |
| 8544.49-910                     |                   | KG                |                    | -                 | -           |                              | 556               | 2513        |
| 8544.49-990                     |                   | KG                |                    | -                 | -           |                              | 28                | 337         |
| 8544.51-910                     |                   | KG                |                    | -                 | -           |                              | 41                | 295         |
| 8544.70-100                     |                   | KG                |                    | -                 | -           |                              | 1259              | 142842      |
| 8544.4-ST                       | **                | KG                |                    | -                 | -           |                              | 4617              | 156553      |
| 85.2-ST                         |                   |                   |                    |                   | 8710        |                              |                   | 509053      |
| 8708.99-900                     |                   | KG                |                    | 195               | 1044        |                              | 195               | 1044        |
| 8708.4-ST                       | **                | KG                |                    | 195               | 1044        |                              | 195               | 1044        |
| 87.2-ST                         | **                | KG                |                    | 195               | 1044        |                              | 195               | 1044        |
| 9001.90-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 9624        |
| 9001.4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 9624        |
| 9002.19-000                     |                   | KG                |                    | 3                 | 946         |                              | 140               | 6896        |
| 9002.20-000                     | DZ                | KG                | -                  | -                 | -           | 46                           | 43                | 1687        |
| 9002.90-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 620         |
| 9002.4-ST                       |                   | KG                |                    | 3                 | 946         |                              | 199               | 9203        |
| 9005.90-000                     |                   | KG                |                    | 338               | 6400        |                              | 338               | 6400        |
| 9005.4-ST                       | **                | KG                |                    | 338               | 6400        |                              | 338               | 6400        |
| 9006.51-000                     |                   | NO                |                    | -                 | -           |                              | 150               | 2507        |
| 9006.53-900                     |                   | NO                |                    | -                 | -           |                              | 801               | 12005       |
| 9006.4-ST                       | **                | NO                |                    | -                 | -           |                              | 951               | 14512       |
| 9010.50-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 202         |
| 9010.90-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 439         |
| 9010.4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 641         |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 29                           | 133               | 4688        |
| 9011.80-100                     | NO                | KG                | 1                  | 10                | 236         | 2                            | 17                | 867         |
| 9011.80-900                     | NO                | KG                | -                  | -                 | -           | 27                           | 348               | 7087        |
| 9011.90-000                     |                   | KG                |                    | -                 | -           |                              | 76                | 3880        |
| 9011.4-ST                       |                   | KG                |                    | 10                | 236         |                              | 574               | 16522       |
| 9013.80-000                     | NO                | KG                | -                  | -                 | -           | 690                          | 184               | 2712        |
| 9013.90-000                     |                   | KG                |                    | -                 | -           |                              | 34                | 1330        |
| 9013.4-ST                       |                   | KG                |                    | -                 | -           |                              | 218               | 4042        |
| 9015.20-000                     | NO                | KG                | 2                  | 10                | 855         | 205                          | 854               | 46826       |
| 9015.30-000                     | NO                | KG                | -                  | -                 | -           | 274                          | 716               | 8832        |
| 9015.40-000                     | NO                | KG                | 5                  | 39                | 692         | 54                           | 450               | 5634        |
| 9015.4-ST                       | NO                | KG                | 7                  | 49                | 1547        | 533                          | 2020              | 61292       |
| 9016.00-100                     |                   | KG                |                    | -                 | -           |                              | 118               | 2342        |
| 9016.4-ST                       | **                | KG                |                    | -                 | -           |                              | 118               | 2342        |
| 9017.30-100                     | NO                | KG                | -                  | -                 | -           | 40                           | 82                | 2803        |
| 9017.30-910                     | NO                | KG                | 2                  | 30                | 322         | 16                           | 41                | 1295        |
| 9017.30-920                     | NO                | KG                | -                  | -                 | -           | 90                           | 12                | 287         |
| 9017.30-990                     | NO                | KG                | -                  | -                 | -           | 224                          | 110               | 1312        |
| 9017.90-100                     |                   | KG                |                    | 30                | 468         |                              | 30                | 468         |
| 9017.4-ST                       |                   | KG                |                    | 60                | 790         |                              | 275               | 6165        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 133 IRAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -           | 34                           | 155               | 2979        |
| 9018.11-900                     | NO                | KG                | -                  | -                 | -           | 62                           | 42                | 1788        |
| 9018.12-000                     |                   | NO                | -                  | -                 | -           |                              | 41                | 52388       |
| 9018.19-100                     | NO                | KG                | -                  | -                 | -           | 4                            | 72                | 4274        |
| 9018.19-900                     | NO                | KG                | -                  | -                 | -           | 73                           | 956               | 29657       |
| 9018.32-900                     |                   | KG                |                    | -                 | -           |                              | 20                | 4943        |
| 9018.39-000                     | NO                | KG                | 90                 | 2                 | 617         | 210                          | 16                | 3088        |
| 9018.50-900                     |                   | KG                |                    | 24                | 273         |                              | 194               | 3211        |
| 9018.90-390                     | NO                | KG                | -                  | -                 | -           | 45                           | 170               | 3230        |
| 9018 4-ST                       |                   |                   |                    |                   | 890         |                              |                   | 105558      |
| 9019.10-000                     |                   | KG                |                    | -                 | -           |                              | 400               | 4735        |
| 9019 4-ST                       | **                | KG                |                    | -                 | -           |                              | 400               | 4735        |
| 9022.14-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 3300        |
| 9022.90-100                     |                   | KG                |                    | -                 | -           |                              | 65                | 1398        |
| 9022 4-ST                       | **                |                   |                    |                   | -           |                              |                   | 4698        |
| 9023.00-000                     |                   | KG                |                    | 40                | 1021        |                              | 468               | 9376        |
| 9023 4-ST                       | **                | KG                |                    | 40                | 1021        |                              | 468               | 9376        |
| 9024.80-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 107               | 12723       |
| 9024 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 107               | 12723       |
| 9025.19-900                     | NO                | KG                | -                  | -                 | -           | 30                           | 30                | 1120        |
| 9025.90-000                     |                   | KG                |                    | 174               | 4362        |                              | 174               | 4362        |
| 9025 4-ST                       |                   | KG                |                    | 174               | 4362        |                              | 204               | 5482        |
| 9026.10-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 63                | 2619        |
| 9026.10-190                     | NO                | KG                | 9                  | 177               | 7907        | 14                           | 316               | 9040        |
| 9026.10-900                     | NO                | KG                | -                  | -                 | -           | 24                           | 228               | 2291        |
| 9026.20-110                     | NO                | KG                | 1                  | 6                 | 722         | 3                            | 12                | 1995        |
| 9026.20-190                     | NO                | KG                | -                  | -                 | -           | 10                           | 110               | 3705        |
| 9026.90-000                     |                   | KG                |                    | 17                | 265         |                              | 1041              | 13671       |
| 9026 4-ST                       |                   | KG                |                    | 200               | 8894        |                              | 1770              | 33321       |
| 9027.10-000                     | NO                | KG                | -                  | -                 | -           | 9                            | 48                | 4267        |
| 9027.20-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 210               | 11943       |
| 9027.30-100                     | NO                | KG                | -                  | -                 | -           | 69                           | 1933              | 39725       |
| 9027.50-000                     | NO                | KG                | 1                  | 13                | 332         | 236                          | 618               | 23954       |
| 9027.80-110                     | NO                | KG                | -                  | -                 | -           | 9                            | 33                | 1188        |
| 9027.80-190                     | NO                | KG                | -                  | -                 | -           | 9                            | 96                | 3392        |
| 9027.80-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 460         |
| 9027.90-100                     |                   | KG                |                    | 0                 | 257         |                              | 68                | 7065        |
| 9027 4-ST                       |                   | KG                |                    | 13                | 589         |                              | 3021              | 91994       |
| 9029.10-900                     | NO                | KG                | -                  | -                 | -           | 2000                         | 136               | 1552        |
| 9029.20-100                     | NO                | KG                | -                  | -                 | -           | 35                           | 17                | 997         |
| 9029.90-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 686         |
| 9029 4-ST                       |                   | KG                |                    | -                 | -           |                              | 156               | 3235        |
| 9030.31-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 320         |
| 9030.39-100                     | NO                | KG                | -                  | -                 | -           | 4                            | 53                | 1169        |
| 9030.40-000                     | NO                | KG                | -                  | -                 | -           | 151                          | 4530              | 416188      |
| 9030.83-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 500         |
| 9030.89-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 2418        |
| 9030.89-910                     | NO                | KG                | -                  | -                 | -           | 44                           | 1114              | 76003       |
| 9030.89-990                     | NO                | KG                | -                  | -                 | -           | 20                           | 419               | 26173       |
| 9030.90-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 2470        |
| 9030 4-ST                       |                   |                   |                    |                   | -           |                              |                   | 525241      |
| 9031.30-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 123               | 1243        |
| 9031.49-000                     |                   | NO                |                    | -                 | -           |                              | 117               | 13617       |
| 9031.80-190                     | NO                | KG                | 5                  | 4                 | 744         | 41                           | 159               | 16093       |
| 9031.80-900                     | NO                | KG                | 40                 | 109               | 1680        | 166                          | 179               | 3518        |
| 9031.90-100                     |                   | KG                |                    | -                 | -           |                              | 718               | 10153       |
| 9031.90-900                     |                   | KG                |                    | -                 | -           |                              | 6                 | 308         |
| 9031 4-ST                       |                   |                   |                    |                   | 2424        |                              |                   | 44932       |
| 9032.20-000                     | NO                | KG                | -                  | -                 | -           | 500                          | 220               | 782         |
| 9032.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 213         |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 25                           | 68                | 1735        |
| 9032.89-119                     | NO                | KG                | 2                  | 13                | 1107        | 2                            | 13                | 1107        |
| 9032.90-000                     |                   | KG                |                    | 5                 | 273         |                              | 231               | 9479        |
| 9032 4-ST                       |                   | KG                |                    | 18                | 1380        |                              | 543               | 13316       |
| 9033.00-000                     |                   | KG                |                    | 36                | 995         |                              | 212               | 14972       |
| 9033 4-ST                       | **                | KG                |                    | 36                | 995         |                              | 212               | 14972       |
| 90 2-ST                         |                   |                   |                    |                   | 30474       |                              |                   | 1000326     |
| 9405.40-900                     |                   | KG                |                    | -                 | -           |                              | 51                | 1504        |
| 9405 4-ST                       | **                | KG                |                    | -                 | -           |                              | 51                | 1504        |
| 94 2-ST                         | **                | KG                |                    | -                 | -           |                              | 51                | 1504        |
| TOTAL                           |                   |                   |                    |                   | 251927      |                              |                   | 3583825     |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 134 IRAQ                        |                   |                   |                    |                   |             |                              |                   |             |
| 3004.20-000                     |                   | KG                |                    | 57                | 7662        |                              | 57                | 7662        |
| 3004.39-000                     |                   | KG                |                    | -                 | -           |                              | 12702             | 57903       |
| 3004.90-900                     |                   | KG                |                    | -                 | -           |                              | 8323              | 42841       |
| 3004 4-ST                       | **                | KG                |                    | 57                | 7662        |                              | 21082             | 108406      |
| 30 2-ST                         | **                | KG                |                    | 57                | 7662        |                              | 21082             | 108406      |
| 8208.90-000                     |                   | KG                |                    | 8                 | 602         |                              | 8                 | 602         |
| 8208 4-ST                       | **                | KG                |                    | 8                 | 602         |                              | 8                 | 602         |
| 82 2-ST                         | **                | KG                |                    | 8                 | 602         |                              | 8                 | 602         |
| 8452.90-910                     | NO                | KG                | 3000               | 29                | 759         | 3000                         | 29                | 759         |
| 8452.90-920                     | NO                | KG                | 250                | 13                | 1215        | 250                          | 13                | 1215        |
| 8452.90-990                     |                   | KG                |                    | 37                | 4147        |                              | 37                | 4147        |
| 8452 4-ST                       |                   | KG                |                    | 79                | 6121        |                              | 79                | 6121        |
| 84 2-ST                         |                   | KG                |                    | 79                | 6121        |                              | 79                | 6121        |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 17                | 616         |
| 9011.80-900                     | NO                | KG                | 25                 | 260               | 2592        | 149                          | 1781              | 28621       |
| 9011 4-ST                       | NO                | KG                | 25                 | 260               | 2592        | 150                          | 1798              | 29237       |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 14                | 215         |
| 9027.80-190                     | NO                | KG                | -                  | -                 | -           | 12                           | 42                | 615         |
| 9027 4-ST                       | NO                | KG                | -                  | -                 | -           | 16                           | 56                | 830         |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 8                            | 178               | 5460        |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 8                            | 178               | 5460        |
| 90 2-ST                         | NO                | KG                | 25                 | 260               | 2592        | 174                          | 2032              | 35527       |
| TOTAL                           |                   | KG                |                    | 404               | 16977       |                              | 23201             | 150656      |
| 135 BAHRAIN                     |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 6                 | 258         |                              | 517               | 11650       |
| 0000 4-ST                       | **                | KG                |                    | 6                 | 258         |                              | 517               | 11650       |
| 00 2-ST                         | **                | KG                |                    | 6                 | 258         |                              | 517               | 11650       |
| 0902.40-000                     |                   | KG                |                    | -                 | -           |                              | 450               | 655         |
| 0902 4-ST                       | **                | KG                |                    | -                 | -           |                              | 450               | 655         |
| 09 2-ST                         | **                | KG                |                    | -                 | -           |                              | 450               | 655         |
| 1504.10-000                     |                   | KG                |                    | -                 | -           |                              | 42                | 266         |
| 1504 4-ST                       | **                | KG                |                    | -                 | -           |                              | 42                | 266         |
| 15 2-ST                         | **                | KG                |                    | -                 | -           |                              | 42                | 266         |
| 1603.00-000                     |                   | KG                |                    | -                 | -           |                              | 51                | 335         |
| 1603 4-ST                       | **                | KG                |                    | -                 | -           |                              | 51                | 335         |
| 16 2-ST                         | **                | KG                |                    | -                 | -           |                              | 51                | 335         |
| 2309.90-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 277         |
| 2309 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 277         |
| 23 2-ST                         | **                | MT                |                    | -                 | -           |                              | 0                 | 277         |
| 3004.20-000                     |                   | KG                |                    | 7                 | 472         |                              | 7                 | 472         |
| 3004 4-ST                       | **                | KG                |                    | 7                 | 472         |                              | 7                 | 472         |
| 30 2-ST                         | **                | KG                |                    | 7                 | 472         |                              | 7                 | 472         |
| 3215.90-000                     |                   | KG                |                    | 91                | 245         |                              | 91                | 245         |
| 3215 4-ST                       | **                | KG                |                    | 91                | 245         |                              | 91                | 245         |
| 32 2-ST                         | **                | KG                |                    | 91                | 245         |                              | 91                | 245         |
| 3304.10-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 655         |
| 3304.20-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 241         |
| 3304.91-000                     |                   | KG                |                    | 29                | 554         |                              | 29                | 554         |
| 3304.99-100                     |                   | KG                |                    | 46                | 314         |                              | 46                | 314         |
| 3304.99-200                     |                   | KG                |                    | 43                | 293         |                              | 269               | 2273        |
| 3304.99-900                     |                   | KG                |                    | -                 | -           |                              | 215               | 1298        |
| 3304 4-ST                       | **                | KG                |                    | 118               | 1161        |                              | 589               | 5335        |
| 33 2-ST                         | **                | KG                |                    | 118               | 1161        |                              | 589               | 5335        |
| 3822.00-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 367         |
| 3822 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 367         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 15                | 367         |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 29                | 4833        |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 29                | 4833        |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 29                | 4833        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 135 BAHRAIN                     |                   |                   |                    |                   |             |                              |                   |             |
| 4010.21-000                     |                   | KG                |                    | -                 | -           |                              | 44                | 339         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 44                | 339         |
| 4011.10-000                     | NO                | KG                | -                  | -                 | -           | 120                          | 960               | 729         |
| 4011 4-ST                       | NO                | KG                | -                  | -                 | -           | 120                          | 960               | 729         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 286         |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 864         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 18                | 1150        |
| 40 2-ST                         |                   | KG                |                    | -                 | -           |                              | 1022              | 2218        |
| 6813.10-900                     |                   | KG                |                    | -                 | -           |                              | 30                | 349         |
| 6813 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 349         |
| 68 2-ST                         | **                | KG                |                    | -                 | -           |                              | 30                | 349         |
| 7006.00-000                     |                   | KG                |                    | -                 | -           |                              | 26                | 963         |
| 7006 4-ST                       | **                | KG                |                    | -                 | -           |                              | 26                | 963         |
| 7013.21-000                     |                   | KG                |                    | -                 | -           |                              | 111               | 482         |
| 7013 4-ST                       | **                | KG                |                    | -                 | -           |                              | 111               | 482         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 137               | 1445        |
| 7307.22-000                     |                   | KG                |                    | -                 | -           |                              | 27                | 228         |
| 7307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 27                | 228         |
| 7318.16-900                     |                   | KG                |                    | -                 | -           |                              | 61                | 348         |
| 7318.22-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 840         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 61                | 1188        |
| 7326.90-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 385         |
| 7326 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 385         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 96                | 1801        |
| 7419.99-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 204         |
| 7419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 204         |
| 74 2-ST                         | **                | KG                |                    | -                 | -           |                              | 12                | 204         |
| 7616.99-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 256         |
| 7616 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 256         |
| 76 2-ST                         | **                | KG                |                    | -                 | -           |                              | 3                 | 256         |
| 8207.30-900                     |                   | KG                |                    | -                 | -           |                              | 45                | 650         |
| 8207 4-ST                       | **                | KG                |                    | -                 | -           |                              | 45                | 650         |
| 8211.92-100                     | NO                | KG                | -                  | -                 | -           | 13008                        | 2630              | 16337       |
| 8211.94-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 741         |
| 8211 4-ST                       |                   | KG                |                    | -                 | -           |                              | 2750              | 17078       |
| 8214.90-000                     |                   | KG                |                    | -                 | -           |                              | 550               | 3238        |
| 8214 4-ST                       | **                | KG                |                    | -                 | -           |                              | 550               | 3238        |
| 82 2-ST                         |                   | KG                |                    | -                 | -           |                              | 3345              | 20966       |
| 8301.40-000                     |                   | KG                |                    | -                 | -           |                              | 37                | 369         |
| 8301 4-ST                       | **                | KG                |                    | -                 | -           |                              | 37                | 369         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 37                | 369         |
| 8412.29-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 60                | 305         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 60                | 305         |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 256               | 4532        |
| 8413 4-ST                       | **                | KG                |                    | -                 | -           |                              | 256               | 4532        |
| 8414.80-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 27                | 274         |
| 8414.80-220                     | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 210         |
| 8414.90-100                     |                   | KG                |                    | 24                | 336         |                              | 206               | 14503       |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 18                | 509         |
| 8414 4-ST                       |                   | KG                |                    | 24                | 336         |                              | 261               | 15496       |
| 8421.29-000                     | NO                | KG                | -                  | -                 | -           | 24                           | 31                | 697         |
| 8421.39-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 18                | 695         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 1159        |
| 8421 4-ST                       |                   | KG                |                    | -                 | -           |                              | 68                | 2551        |
| 8424.20-000                     | NO                | KG                | -                  | -                 | -           | 20                           | 19                | 226         |
| 8424 4-ST                       | NO                | KG                | -                  | -                 | -           | 20                           | 19                | 226         |
| 8454.30-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 400               | 2720        |
| 8454 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 400               | 2720        |
| 8467.11-000                     | NO                | KG                | 36                 | 54                | 998         | 36                           | 54                | 998         |
| 8467 4-ST                       | NO                | KG                | 36                 | 54                | 998         | 36                           | 54                | 998         |
| 8471.30-000                     |                   | NO                |                    | 13                | 221         |                              | 68                | 2692        |
| 8471.60-220                     |                   | NO                |                    | -                 | -           |                              | 5                 | 3249        |
| 8471.60-900                     |                   | NO                |                    | -                 | -           |                              | 1                 | 311         |
| 8471 4-ST                       | **                | NO                |                    | 13                | 221         |                              | 74                | 6252        |
| 8472.90-000                     | NO                | KG                | 24                 | 120               | 2492        | 24                           | 120               | 2492        |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 135 BAHRAIN                     |                   |                   |                    |                   |             |                              |                   |             |
| 8472 4-ST                       | NO                | KG                | 24                 | 120               | 2492        | 24                           | 120               | 2492        |
| 8473.30-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 340         |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 340         |
| 8479.89-900                     | NO                | KG                | 7                  | 7                 | 208         | 17                           | 164               | 4647        |
| 8479 4-ST                       | NO                | KG                | 7                  | 7                 | 208         | 17                           | 164               | 4647        |
| 8481.10-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 912         |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 427         |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 50                | 273         |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 538               | 6957        |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 999               | 45221       |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1707              | 53790       |
| 8482.10-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 25                | 956         |
| 8482 4-ST                       | NO                | KG                | -                  | -                 | -           | 10                           | 25                | 956         |
| 8483.10-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 8                 | 685         |
| 8483.30-200                     | NO                | KG                | -                  | -                 | -           | 18                           | 102               | 2783        |
| 8483 4-ST                       | NO                | KG                | -                  | -                 | -           | 22                           | 110               | 3468        |
| 8484.10-000                     |                   | KG                |                    | -                 | -           |                              | 5                 | 474         |
| 8484.20-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 351         |
| 8484.90-000                     |                   | KG                |                    | -                 | -           |                              | 40                | 2469        |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 46                | 3294        |
| 84 2-ST                         |                   |                   |                    |                   | 4255        |                              |                   | 102067      |
| 8501.32-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 66                | 500         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 66                | 500         |
| 8504.31-920                     | NO                | KG                | -                  | -                 | -           | 25                           | 165               | 385         |
| 8504.32-000                     | NO                | KG                | 2                  | 40                | 375         | 2                            | 40                | 375         |
| 8504 4-ST                       | NO                | KG                | 2                  | 40                | 375         | 27                           | 205               | 760         |
| 8505.90-900                     |                   | KG                |                    | -                 | -           |                              | 4                 | 221         |
| 8505 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 221         |
| 8509.90-000                     |                   | KG                |                    | -                 | -           |                              | 125               | 317         |
| 8509 4-ST                       | **                | KG                |                    | -                 | -           |                              | 125               | 317         |
| 8514.30-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 408               | 1947        |
| 8514 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 408               | 1947        |
| 8516.80-000                     | NO                | KG                | -                  | -                 | -           | 37                           | 10                | 219         |
| 8516 4-ST                       | NO                | KG                | -                  | -                 | -           | 37                           | 10                | 219         |
| 8517.21-000                     |                   | NO                |                    | 1                 | 230         |                              | 1                 | 230         |
| 8517 4-ST                       | **                | NO                |                    | 1                 | 230         |                              | 1                 | 230         |
| 8519.99-190                     |                   | NO                |                    | -                 | -           |                              | 10                | 291         |
| 8519 4-ST                       | **                | NO                |                    | -                 | -           |                              | 10                | 291         |
| 8520.10-000                     |                   | NO                |                    | -                 | -           |                              | 10                | 254         |
| 8520.90-100                     | NO                | KG                | 1                  | 25                | 890         | 1                            | 25                | 890         |
| 8520 4-ST                       |                   |                   |                    |                   | 890         |                              |                   | 1144        |
| 8521.90-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 180               | 416         |
| 8521 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 180               | 416         |
| 8524.53-000                     |                   | NO                |                    | -                 | -           |                              | 21                | 223         |
| 8524.99-900                     |                   | NO                |                    | -                 | -           |                              | 2                 | 351         |
| 8524 4-ST                       | **                | NO                |                    | -                 | -           |                              | 23                | 574         |
| 8525.40-000                     |                   | NO                |                    | 29                | 2044        |                              | 167               | 8909        |
| 8525 4-ST                       | **                | NO                |                    | 29                | 2044        |                              | 167               | 8909        |
| 8526.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 456               | 3444        |
| 8526.91-900                     | NO                | KG                | -                  | -                 | -           | 14                           | 35                | 615         |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 15                           | 491               | 4059        |
| 8528.12-900                     |                   | NO                |                    | -                 | -           |                              | 1                 | 415         |
| 8528.30-000                     |                   | NO                |                    | -                 | -           |                              | 7                 | 2977        |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 8                 | 3392        |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 218               | 2557        |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 218               | 2557        |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 0                 | 650         |
| 8533 4-ST                       | NO                | KG                | -                  | -                 | -           | 10                           | 0                 | 650         |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 231         |
| 8536.90-100                     |                   | KG                |                    | -                 | -           |                              | 8                 | 216         |
| 8536 4-ST                       |                   | KG                |                    | -                 | -           |                              | 19                | 447         |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 18                | 392         |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 18                | 392         |
| 8538.90-900                     |                   | KG                |                    | -                 | -           |                              | 27                | 2046        |
| 8538 4-ST                       | **                | KG                |                    | -                 | -           |                              | 27                | 2046        |
| 8543.89-000                     |                   | NO                |                    | -                 | -           |                              | 16                | 1731        |
| 8543 4-ST                       | **                | NO                |                    | -                 | -           |                              | 16                | 1731        |
| 8545.20-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 1112        |
| 8545 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 1112        |
| 85 2-ST                         |                   |                   |                    |                   | 3539        |                              |                   | 31914       |
| 8708.92-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 256         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 135 BAHRAIN                     |                   |                   |                    |                   |             |                              |                   |             |
| 8708 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 256         |
| 87 2-ST                         | **                | KG                |                    | -                 | -           |                              | 30                | 256         |
| 9001.40-000                     |                   | NO                |                    | -                 | -           |                              | 542               | 428         |
| 9001 4-ST                       | **                | NO                |                    | -                 | -           |                              | 542               | 428         |
| 9002.11-100                     | NO                | KG                | -                  | -                 | -           | 22                           | 16                | 911         |
| 9002 4-ST                       | NO                | KG                | -                  | -                 | -           | 22                           | 16                | 911         |
| 9006.51-000                     |                   | NO                |                    | 10                | 411         |                              | 57                | 2636        |
| 9006.53-900                     |                   | NO                |                    | -                 | -           |                              | 15                | 295         |
| 9006.59-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 7                 | 377         |
| 9006.61-000                     |                   | NO                |                    | -                 | -           |                              | 24                | 541         |
| 9006.91-900                     |                   | KG                |                    | -                 | -           |                              | 14                | 1010        |
| 9006 4-ST                       |                   |                   |                    |                   | 411         |                              |                   | 4859        |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 286         |
| 9009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 286         |
| 9011.10-000                     | NO                | KG                | 1                  | 14                | 1031        | 1                            | 14                | 1031        |
| 9011.80-900                     | NO                | KG                | 3                  | 59                | 1396        | 14                           | 160               | 3136        |
| 9011 4-ST                       | NO                | KG                | 4                  | 73                | 2427        | 15                           | 174               | 4167        |
| 9014.80-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 71                | 773         |
| 9014.80-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 269         |
| 9014 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 86                | 1042        |
| 9017.30-930                     | NO                | KG                | -                  | -                 | -           | 130                          | 18                | 279         |
| 9017 4-ST                       | NO                | KG                | -                  | -                 | -           | 130                          | 18                | 279         |
| 9018.12-000                     |                   | NO                |                    | 1                 | 6641        |                              | 1                 | 6641        |
| 9018.19-900                     | NO                | KG                | -                  | -                 | -           | 76                           | 165               | 3366        |
| 9018.50-100                     |                   | KG                |                    | -                 | -           |                              | 80                | 2543        |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 172               | 5023        |
| 9018 4-ST                       |                   |                   |                    |                   | 6641        |                              |                   | 17573       |
| 9019.10-000                     |                   | KG                |                    | 25                | 297         |                              | 108               | 1443        |
| 9019 4-ST                       | **                | KG                |                    | 25                | 297         |                              | 108               | 1443        |
| 9022.90-910                     |                   | KG                |                    | -                 | -           |                              | 25                | 522         |
| 9022 4-ST                       | **                | KG                |                    | -                 | -           |                              | 25                | 522         |
| 9023.00-000                     |                   | KG                |                    | -                 | -           |                              | 34                | 482         |
| 9023 4-ST                       | **                | KG                |                    | -                 | -           |                              | 34                | 482         |
| 9025.19-100                     | NO                | KG                | 5                  | 27                | 1354        | 5                            | 27                | 1354        |
| 9025.90-000                     |                   | KG                |                    | -                 | -           |                              | 39                | 211         |
| 9025 4-ST                       |                   | KG                |                    | 27                | 1354        |                              | 66                | 1565        |
| 9026.10-110                     | NO                | KG                | -                  | -                 | -           | 5                            | 111               | 1150        |
| 9026.20-110                     | NO                | KG                | -                  | -                 | -           | 21                           | 100               | 1657        |
| 9026.90-000                     |                   | KG                |                    | 70                | 1184        |                              | 574               | 12194       |
| 9026 4-ST                       |                   | KG                |                    | 70                | 1184        |                              | 785               | 15001       |
| 9027.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 353         |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 20                | 530         |
| 9027.90-100                     |                   | KG                |                    | -                 | -           |                              | 12                | 246         |
| 9027 4-ST                       |                   | KG                |                    | -                 | -           |                              | 38                | 1129        |
| 9028.30-000                     | NO                | KG                | -                  | -                 | -           | 480                          | 2016              | 4381        |
| 9028 4-ST                       | NO                | KG                | -                  | -                 | -           | 480                          | 2016              | 4381        |
| 9030.31-000                     | NO                | KG                | -                  | -                 | -           | 95                           | 32                | 357         |
| 9030.39-100                     | NO                | KG                | -                  | -                 | -           | 30                           | 20                | 243         |
| 9030.39-900                     | NO                | KG                | -                  | -                 | -           | 15                           | 20                | 223         |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -           | 140                          | 72                | 823         |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 5                            | 48                | 1064        |
| 9031 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 48                | 1064        |
| 9032.10-100                     | NO                | KG                | 1                  | 11                | 286         | 1                            | 11                | 286         |
| 9032.89-112                     | NO                | KG                | 2                  | 5                 | 236         | 5                            | 31                | 451         |
| 9032.90-000                     |                   | KG                |                    | 4                 | 224         |                              | 4                 | 224         |
| 9032 4-ST                       |                   | KG                |                    | 20                | 746         |                              | 46                | 961         |
| 9033.00-000                     |                   | KG                |                    | -                 | -           |                              | 139               | 5171        |
| 9033 4-ST                       | **                | KG                |                    | -                 | -           |                              | 139               | 5171        |
| 90 2-ST                         |                   |                   |                    |                   | 13060       |                              |                   | 62087       |
| 9102.11-000                     |                   | NO                |                    | 61                | 362         |                              | 1754              | 7721        |
| 9102.21-000                     |                   | NO                |                    | 810               | 3681        |                              | 3922              | 18514       |
| 9102 4-ST                       | **                | NO                |                    | 871               | 4043        |                              | 5676              | 26235       |
| 9105.91-000                     | NO                | KG                | 50                 | 86                | 250         | 50                           | 86                | 250         |
| 9105 4-ST                       | NO                | KG                | 50                 | 86                | 250         | 50                           | 86                | 250         |
| 9106.10-000                     | NO                | KG                | 20                 | 49                | 574         | 32                           | 99                | 905         |
| 9106 4-ST                       | NO                | KG                | 20                 | 49                | 574         | 32                           | 99                | 905         |
| 91 2-ST                         |                   |                   |                    |                   | 4867        |                              |                   | 27390       |
| 9613.20-200                     |                   | NO                |                    | -                 | -           |                              | 180               | 342         |
| 9613 4-ST                       | **                | NO                |                    | -                 | -           |                              | 180               | 342         |
| 96 2-ST                         | **                | NO                |                    | -                 | -           |                              | 180               | 342         |

單位：(1000YEN)

[illegible]