

12 年 齡 別 疾 病

1 計 (男女平均)

区 分	裸眼視力 の 1.0者	色 覚 異 常	難 聴	眼			耳・鼻・いん頭							
				トラ コー マ	結 膜 炎	そ の 他 の 異 常	中 耳 炎	そ の 他 の 異 常	慢性 副 鼻 炎	ア デ ノ イ ド	へんとう 肥大	鼻・いん 頭炎	喉 頭 炎	そ の 他 の 異 常
計	...	15.74	2.40	0.24	3.55	61.45	1.18	4.63	3.42	0.24	3.92	4.35	0.25	3.79
5 歳	4.49	51.69	...	3.30	1.10	...	13.19	2.20	...	6.59
6	...	11.33	2.04	63.27	...	4.92	2.46	0.82	9.43	9.84	...	3.28
7	1.94	58.91	0.38	6.46	6.08	1.14	6.08	11.03	0.38	6.08
8	0.35	3.55	64.18	0.69	5.56	6.94	1.39	9.03	7.64	...	4.51
9	...	13.98	4.91	58.28	0.30	6.08	4.86	0.61	9.12	5.78	...	5.17
10	0.55	4.12	60.44	0.57	7.71	4.29	...	6.57	6.57	...	2.29
11	3.88	62.79	1.01	6.82	4.55	0.51	6.57	5.30	0.51	5.81
12	...	16.25	1.34	...	5.51	57.39	2.99	4.48	5.22	0.50	5.72	5.22	...	5.22
13	3.33	59.42	1.31	3.70	4.79	0.22	4.58	7.41	0.44	4.14
14	0.19	3.10	63.76	1.58	5.92	4.14	...	5.52	4.73	...	3.35
15	...	17.71	4.07	0.17	3.72	60.98	1.25	4.27	3.20	0.18	3.20	4.27	...	3.20
16	4.49	63.40	1.00	2.01	3.51	0.17	3.18	3.34	0.33	4.01
17	0.50	4.64	62.25	1.06	3.53	3.18	...	2.12	3.18	0.53	3.00
18	0.70	3.66	57.84	0.90	4.67	1.26	...	1.44	2.51	0.36	3.23
19歳以上	0.30	2.75	62.78	1.46	4.21	2.17	0.04	1.02	2.08	0.35	3.24
計	29.50	2.12	...	0.27	4.45	4.02	0.81	3.96	2.12	0.23	4.81	4.71	0.07	3.03
5 歳	25.24	0.41	4.83	4.28	0.40	6.23	1.59	1.06	8.48	5.96	0.26	4.11
6	33.43	1.26	...	0.13	5.94	5.04	0.13	4.88	1.13	0.63	8.13	7.50	0.13	4.63
7	33.66	0.14	5.97	5.11	0.14	5.62	2.19	0.55	7.68	7.13	0.14	3.02
8	30.21	0.13	7.25	2.64	0.72	4.10	2.05	0.24	8.32	6.51	0.12	2.90
9	25.03	1.76	5.36	5.50	0.27	7.58	2.26	0.53	6.12	5.45	0.13	3.06
10	25.06	0.12	4.73	4.62	0.68	4.42	2.38	0.45	8.28	5.67	0.11	4.20
11	23.35	0.24	5.73	4.65	0.45	4.54	1.36	0.11	6.13	6.13	...	2.72
12	28.69	2.31	...	0.54	4.41	3.88	1.13	6.26	2.87	...	4.00	6.05	...	3.59
13	27.67	0.47	3.89	3.30	0.80	4.45	2.28	0.11	3.76	3.88	...	2.96
14	28.91	0.46	3.43	4.46	0.55	2.52	2.63	...	4.49	3.61	0.11	2.63
15	27.71	2.83	...	0.31	3.93	3.42	1.59	2.49	1.59	...	2.29	4.18	...	2.59
16	30.01	0.55	3.42	3.20	0.21	2.22	2.01	...	1.48	2.01	...	2.32
17	32.41	0.29	2.23	3.88	1.12	1.68	2.89	...	1.49	2.15	...	1.68
18	33.64	3.08	3.46	2.41	1.11	1.48	...	0.93	2.41	0.19	3.70
19歳以上	41.13	3.17	3.01	2.05	1.42	2.68	...	1.26	2.21	...	1.89
計	56.04	2.22	5.78	0.22	5.12	8.24	0.95	5.40	3.43	0.20	5.87	5.84	0.14	3.28
5 歳	48.39	1.89	8.49	1.01	9.09	2.02	...	11.11	6.06	...	7.07
6	60.53	2.09	2.98	0.15	6.13	8.81	0.93	8.65	2.59	0.83	9.84	8.65	0.05	4.30
7	57.69	0.14	6.09	8.53	0.65	6.93	2.77	0.37	7.86	9.15	0.09	4.30
8	54.34	0.27	6.04	8.38	0.83	6.85	3.84	0.52	8.08	7.84	0.24	3.05
9	54.29	2.01	...	0.07	6.30	8.89	0.95	5.94	3.41	0.15	8.58	7.23	0.15	3.82
10	53.69	0.25	5.56	8.00	0.80	5.16	3.05	0.11	7.19	6.65	0.22	3.60
11	56.58	0.21	4.83	8.98	0.80	5.52	3.88	0.18	6.53	6.31	0.22	3.05
12	54.57	2.30	6.39	0.33	5.01	7.95	1.11	5.20	4.30	0.20	5.81	5.81	0.17	2.95
13	53.14	0.16	4.80	7.82	1.03	4.66	4.37	0.10	5.60	4.33	0.06	3.10
14	51.88	0.30	4.64	7.19	1.11	4.36	3.85	0.06	4.15	4.81	0.12	2.98
15	58.01	2.44	6.71	0.28	4.91	7.91	0.77	4.11	2.77	0.08	2.89	4.07	0.16	3.30
16	58.74	0.20	4.12	7.99	1.13	4.72	2.90	0.05	2.16	3.88	0.10	2.36
17	60.58	0.17	3.36	7.13	1.10	3.59	3.07	...	2.90	2.90	0.12	2.84
18	65.96	0.14	4.41	9.82	0.98	5.02	2.93	...	2.65	3.63	0.14	3.07
19歳以上	67.89	0.54	3.95	12.57	1.75	4.36	1.40	...	2.62	2.62	...	2.62

異 常 被 患 率

(%)

歯				結 核	蛋 白 検 出 の 者	寄 生 虫 卵 保 有 者	栄 養 不 良	肥 満 傾 向	せ 胸 き 柱 郭 異 常	伝 染 性 皮 膚 疾 患	心 臓 疾 患 ・ 異 常	ぜ ん 息
う 歯			そ 及 疾 の 他 の 病 口・ 腔 異 疾 の 常									
計	処 了 置 者	未 処 置 者	ある の 者									
93.38	24.30	69.08	10.87	0.09	2.61	3.81	0.98	3.64	2.49	0.45	1.27	0.60
83.13	2.41	80.72	4.82	...	1.79	3.33	3.16	—	2.11	—	—	—
91.88	3.85	88.03	8.55	0.46	1.29	5.29	3.21	2.81	2.01	0.40	2.41	0.80
91.02	4.30	86.72	10.55	6.07	1.89	2.27	3.41	—	1.52	1.14
95.37	9.96	85.41	9.61	...	1.87	4.05	1.37	2.05	2.05	0.34	1.03	2.05
93.69	13.81	79.88	13.81	3.58	1.22	1.52	1.82	0.30	1.22	1.52
92.72	17.37	75.35	10.36	...	0.29	1.93	1.66	3.05	3.32	0.55	1.66	0.28
92.00	24.25	67.75	17.25	3.27	0.50	3.47	2.23	0.50	1.24	0.99
92.82	27.72	65.10	12.38	...	3.27	...	1.48	5.91	3.69	—	0.25	0.49
92.77	27.02	65.75	9.79	0.86	4.50	2.36	0.43	0.64	0.86
95.27	24.01	71.26	8.13	...	3.43	...	1.14	4.36	2.85	0.38	1.71	0.57
93.13	28.81	64.32	9.72	—	3.06	...	1.17	4.36	2.68	0.50	1.34	0.67
94.71	29.65	65.06	11.86	0.19	0.32	4.89	3.00	0.95	0.79	0.16
95.33	27.17	68.16	11.50	—	3.50	...	0.33	3.33	2.50	0.50	0.67	0.17
94.78	27.13	67.65	10.26	0.69	3.44	1.89	0.86	0.69	0.52
92.85	28.51	64.34	10.66	0.71	3.51	2.22	0.38	1.76	0.42
93.43	22.42	71.01	9.44	0.02	1.68	3.43	0.57	1.23	1.67	0.14	1.53	0.82
90.47	8.70	81.77	5.39	...	0.85	1.88	1.18	0.79	2.88	0.13	1.83	1.18
91.84	5.61	86.23	9.31	—	1.31	4.76	0.98	0.98	2.44	0.12	1.71	1.83
91.93	7.65	84.28	14.59	2.46	1.36	0.54	1.90	0.27	1.77	1.22
93.55	8.90	84.65	14.97	...	0.52	5.17	0.48	1.19	2.38	0.36	1.66	2.02
93.64	13.77	79.87	16.03	4.07	1.69	2.09	1.56	0.13	1.83	0.78
93.01	19.91	73.10	15.05	...	0.62	3.37	0.69	1.04	1.73	0.23	1.15	1.27
92.08	23.05	69.03	10.28	2.08	0.45	1.70	2.16	—	1.14	0.45
93.51	27.19	66.32	8.55	...	2.11	...	0.71	0.92	1.43	0.20	1.63	0.51
93.18	31.06	62.12	7.53	—	0.34	1.35	1.23	0.22	1.46	0.78
92.47	30.11	62.36	5.84	...	2.60	...	0.22	1.62	1.08	0.11	1.30	0.32
94.39	28.44	65.95	5.20	0.11	2.67	...	0.39	0.69	1.27	—	0.98	0.49
94.98	32.50	62.48	5.34	—	0.21	1.35	1.25	0.10	1.66	0.31
94.23	31.18	63.05	5.49	—	2.19	...	—	1.10	1.29	0.09	1.29	0.37
95.52	29.63	65.89	8.38	—	1.12	0.93	—	2.05	0.56
97.39	31.11	66.28	14.33	—	2.15	1.69	0.15	2.15	0.62
91.65	15.28	76.37	12.42	1.07	3.80	3.25	2.54	4.07	7.48	0.44	2.52	3.84
78.10	4.76	73.34	1.90	...	2.17	1.54	3.67	0.92	1.83	—	4.59	2.75
86.61	6.00	80.61	10.29	1.07	3.64	3.30	3.49	2.52	5.87	0.09	2.84	3.22
89.53	6.98	82.55	11.01	3.65	3.22	2.60	6.07	0.50	3.48	4.31
91.10	6.39	84.71	13.88	...	3.02	4.05	3.11	3.15	6.08	0.29	2.22	5.62
91.59	9.01	82.58	15.61	3.10	2.53	4.20	7.23	0.43	2.53	6.40
91.36	13.13	78.23	14.03	...	3.57	3.02	2.89	4.38	7.30	0.39	2.27	6.02
94.27	16.86	77.41	12.78	2.63	3.23	4.32	8.38	0.37	2.73	6.35
90.15	18.02	72.13	13.02	...	4.15	...	2.71	3.70	7.95	0.71	2.62	4.59
90.76	18.78	71.98	11.00	1.29	2.00	4.24	7.80	0.57	2.48	3.26
91.50	19.75	71.75	11.72	...	5.00	...	2.22	4.38	8.17	0.39	2.61	2.78
93.15	19.43	73.72	11.64	1.39	4.14	...	1.71	4.30	7.62	0.34	1.79	1.41
94.09	20.88	73.21	11.30	0.83	1.92	4.47	7.11	0.41	2.60	0.73
95.70	23.39	72.31	11.67	0.67	2.14	...	1.73	6.05	8.37	0.54	1.94	0.86
93.57	23.12	70.45	11.90	1.04	5.59	7.41	0.52	2.47	0.52
94.56	21.23	73.33	14.39	2.49	5.65	13.79	1.00	2.49	0.83

12 年 齡 別 疾 病 ・

1 計 (男女平均) (つづき)

(%)

区 分	腎 臓 疾 患	寄 生 虫 病	脳 性 小 児 麻 痺	運 動 機 能 障 害	身 体 虚 弱	言 語 障 害	精 神 障 害	進 行 性 筋 萎 縮 症	そ の 他 異 常	ツベルクリン反応検査		
										陽 性	疑 陽 性	陰 性
計	0.54	0.06	0.88	3.28	1.48	2.10	7.20	0.05	6.22	73.68	9.32	17.00
盲 学 校												
5 歳	—	—	2.11	6.32	5.26	3.16	9.47	—	3.16	—	—	—
6	0.40	—	2.41	6.43	1.20	7.23	12.05	—	5.62	57.73	8.18	34.09
7	0.38	0.38	1.52	4.17	3.41	7.20	16.29	—	8.33	—	—	—
8	0.34	0.34	1.03	3.42	2.40	5.48	13.70	—	9.59	—	—	—
9	—	0.61	1.82	3.34	2.74	3.65	10.94	—	6.08	—	—	—
10	—	—	1.66	4.71	2.77	3.88	17.73	—	5.82	—	—	—
11	0.50	—	1.49	3.22	2.23	3.71	8.42	—	6.44	—	—	—
12	0.25	—	0.49	2.96	1.48	0.99	10.59	0.49	4.68	—	—	—
13	—	—	0.86	2.14	1.50	2.36	8.57	—	5.35	84.41	10.09	5.50
14	0.19	—	0.19	1.52	1.71	2.09	7.78	—	4.36	—	—	—
15	0.50	0.17	0.67	3.02	1.68	1.68	7.20	0.17	5.19	—	—	—
16	0.47	—	0.32	2.84	0.47	0.79	5.21	—	5.36	—	—	—
17	0.50	—	—	1.16	0.83	0.67	5.49	—	5.66	—	—	—
18	1.03	—	0.69	2.75	0.86	1.20	4.48	—	3.96	—	—	—
19歳以上	0.92	—	0.92	4.02	1.00	0.96	3.14	0.04	7.82	—	—	—
聾 学 校												
計	0.30	0.02	0.85	1.70	0.71	31.70	4.36	—	2.22	71.32	13.48	15.20
5 歳	—	0.13	0.52	1.97	1.57	30.67	2.36	—	2.36	—	—	—
6	0.12	—	0.61	1.47	1.10	30.44	3.42	—	1.71	57.76	18.73	23.51
7	0.27	—	0.95	1.63	1.36	34.92	4.89	—	2.58	—	—	—
8	0.48	0.12	0.48	1.90	0.71	31.12	6.06	—	2.97	—	—	—
9	—	—	1.04	2.22	1.17	31.55	4.95	—	2.22	—	—	—
10	0.35	—	1.15	1.61	0.58	33.26	5.87	—	3.57	—	—	—
11	0.23	—	1.02	1.70	1.25	31.67	3.86	—	3.29	—	—	—
12	0.51	—	1.02	2.14	0.31	30.68	5.71	—	1.43	—	—	—
13	0.22	—	1.12	1.35	0.45	32.17	4.37	—	2.35	86.02	7.78	6.20
14	0.65	—	1.30	1.40	0.32	33.15	4.75	—	1.94	—	—	—
15	0.49	—	0.88	1.18	0.69	33.92	4.22	—	1.86	—	—	—
16	0.31	—	0.83	1.14	0.52	31.19	3.85	—	1.14	—	—	—
17	0.18	—	0.37	1.56	0.18	31.28	2.58	—	1.75	—	—	—
18	—	—	0.37	2.61	0.19	27.24	4.85	—	2.61	—	—	—
19歳以上	0.46	—	0.92	2.31	0.62	30.15	4.00	—	2.00	—	—	—
養 護 学 校												
計	2.83	0.05	35.46	44.32	4.43	37.73	51.63	3.39	20.48	62.56	12.54	24.90
5 歳	—	—	55.96	47.71	4.59	59.63	53.21	—	20.18	—	—	—
6	2.56	0.05	37.93	46.27	7.32	50.23	55.22	2.14	22.51	42.92	16.69	40.39
7	3.10	0.13	34.55	43.09	6.32	46.69	53.43	2.35	24.33	—	—	—
8	3.26	—	36.51	43.92	5.69	42.45	51.43	3.33	22.91	—	—	—
9	3.00	0.13	34.46	42.89	5.43	39.99	49.18	3.67	22.29	—	—	—
10	3.78	0.03	35.13	41.91	4.47	38.52	48.85	3.78	19.21	—	—	—
11	3.33	0.10	36.78	45.69	4.69	36.68	46.46	4.79	20.29	—	—	—
12	3.39	0.06	33.65	40.62	4.19	35.93	53.56	3.73	18.21	—	—	—
13	3.14	—	31.98	40.65	4.12	33.65	52.81	3.14	20.56	79.37	8.99	11.64
14	3.34	0.06	29.86	40.84	3.23	31.63	51.77	3.90	20.28	—	—	—
15	2.51	0.04	34.78	46.21	3.12	33.71	54.86	3.16	19.20	—	—	—
16	1.28	0.05	36.25	46.37	3.15	31.92	54.35	2.64	19.29	—	—	—
17	0.97	—	39.01	50.95	2.11	31.01	50.62	2.43	17.83	—	—	—
18	1.04	—	47.46	54.88	2.60	37.19	48.24	1.95	17.69	—	—	—
19歳以上	0.33	—	57.64	67.11	4.15	50.33	50.00	7.48	19.77	—	—	—

異 常 被 患 率 (つづき)

2 男

(%)

区 分	裸眼視力 視未 満の 1.0者	色 覚 異 常	難 聴	眼			耳 ・ 鼻 ・ い ん 頭							喉 頭 炎	そ の 他 異 常
				ト ラ コ ー マ	結 膜 炎	そ の 他 異 常	中 耳 炎	そ の 他 異 常	慢性 副 鼻 腔 炎	ア デ ノ イ ド	へ ん と う 肥 大	鼻 ・ い ん 頭 炎			
盲 学 校	計	...	16.10	1.98	0.18	3.64	62.46	1.36	4.52	3.37	0.29	4.04	4.54	0.21	4.21
	5 歳	8.33	60.42	...	4.17	2.08	...	20.83	4.17	...	6.25
	6	...	14.12	0.67	65.77	...	3.36	3.36	...	10.07	12.08	...	4.70
	7	1.42	59.57	...	6.90	3.45	0.69	6.90	11.72	0.69	4.14
	8	0.57	4.55	61.93	0.56	6.74	6.74	1.69	10.11	6.18	...	6.18
	9	...	12.88	3.83	59.02	0.54	7.57	5.95	1.08	12.97	8.11	...	5.41
	10	0.47	5.58	61.40	0.95	6.19	4.29	...	8.10	7.14	...	2.86
	11	1.78	65.78	0.87	7.83	5.22	0.87	6.96	5.65	0.43	5.65
	12	...	15.23	0.90	...	6.78	54.24	5.02	4.18	7.53	0.84	6.69	5.44	...	5.02
	13	3.35	58.16	2.09	3.35	5.02	0.42	5.44	6.69	0.84	5.44
校	14	3.74	65.65	1.38	6.90	4.83	...	4.48	4.83	...	4.83
	15	...	19.07	3.63	...	3.60	61.26	1.86	2.48	4.64	0.31	3.10	4.02	...	4.02
	16	5.21	64.93	1.12	1.97	2.81	0.28	3.37	3.09	0.28	3.93
	17	0.29	5.28	62.46	1.27	3.81	1.27	...	1.27	4.13	0.32	4.13
	18	0.86	3.72	60.17	0.58	4.37	1.75	...	1.17	2.62	...	3.50
	19歳以上	0.19	2.68	64.04	1.44	4.07	1.77	0.07	0.72	2.43	0.26	3.54
	聾 学 校	計	27.16	3.61	...	0.34	4.64	3.88	0.91	4.02	2.33	0.29	4.95	5.53	0.04
5 歳		22.37	0.49	4.41	3.68	...	5.85	1.41	1.41	8.90	6.79	0.47	4.45
6		32.08	2.03	...	0.24	5.78	5.06	0.23	3.95	0.93	0.93	8.14	9.53	...	4.88
7		30.33	0.28	5.51	4.68	...	5.28	2.64	0.26	7.65	8.71	...	2.64
8		26.79	0.23	7.23	2.33	0.64	4.51	1.72	0.43	8.37	7.08	...	2.58
9		21.12	2.71	5.54	5.29	0.24	7.26	2.18	0.73	7.02	6.30	...	4.36
10		20.78	5.01	4.56	1.06	4.24	3.39	0.42	8.90	6.57	...	4.24
11		20.68	0.24	4.26	4.49	0.66	4.81	1.53	0.22	5.25	5.91	...	3.50
12		26.70	4.17	...	0.20	4.26	4.46	1.53	7.07	3.06	...	4.21	7.27	...	4.59
13		25.73	0.44	3.76	3.76	1.26	3.79	1.89	0.21	3.79	4.42	...	3.79
校	14	25.56	0.43	4.08	5.15	0.20	2.85	3.05	...	5.70	4.89	...	3.87
	15	27.31	4.96	...	0.59	5.50	3.73	1.85	2.78	1.67	...	2.04	5.19	...	2.96
	16	27.03	1.00	4.40	3.40	0.19	2.66	2.28	...	1.33	2.28	...	2.66
	17	31.55	0.56	2.99	2.80	1.07	2.31	3.37	...	1.60	2.84	...	2.13
	18	33.11	3.58	2.15	2.37	1.02	2.37	...	0.68	2.37	0.34	3.73
	19歳以上	39.39	3.36	2.24	2.81	1.40	3.37	...	1.12	3.09	...	2.25
	養 護 学 校	計	53.28	3.16	5.63	0.16	4.99	7.81	1.05	5.57	3.63	0.20	6.07	6.46	0.14
5 歳		47.22	1.59	9.52	1.64	8.20	1.64	...	11.48	6.56	...	8.20
6		58.73	2.75	2.66	0.08	5.55	8.03	0.92	9.22	2.85	0.75	11.06	9.56	0.08	4.61
7		56.19	0.07	5.85	7.25	0.89	7.03	2.59	0.30	8.07	9.33	0.07	4.81
8		52.03	0.33	5.75	7.71	0.93	6.74	4.27	0.60	8.34	8.95	0.33	2.74
9		50.25	2.63	...	0.06	5.30	8.37	1.13	6.12	3.33	0.18	8.44	7.96	0.12	4.16
10		49.57	0.18	4.52	7.93	0.96	5.16	2.94	0.12	7.43	7.49	0.24	3.78
11		54.63	0.30	4.61	8.27	0.67	6.06	4.16	0.12	6.91	7.28	0.18	2.87
12		52.13	3.36	6.20	0.16	4.69	7.70	1.06	4.93	4.59	0.22	5.99	6.50	0.17	3.03
13		50.21	0.06	4.63	7.45	1.49	4.70	4.52	0.17	5.61	4.52	...	3.04
校	14	48.23	0.31	4.97	7.04	0.83	4.36	4.10	0.05	4.26	5.19	0.21	2.91
	15	56.13	3.77	6.85	0.22	5.54	7.27	1.01	4.75	3.24	0.07	2.88	4.32	0.14	3.38
	16	56.52	0.09	4.99	7.87	1.48	4.17	3.30	...	2.08	4.43	...	2.52
	17	59.03	3.32	7.38	1.36	3.87	3.66	...	2.09	3.04	...	3.46
	18	62.72	5.22	8.96	0.96	6.01	3.13	...	2.40	3.85	0.24	3.85
	19歳以上	62.83	0.29	4.97	12.28	1.41	5.35	1.41	...	2.54	2.54	...	2.54

12 年 齢 別 疾 病 ・

2 男 (つづき)

区 分	計	歯				結核	蛋白 検出 の者	寄 生 虫 卵 保 有 者	栄 養 不 良	肥 満 傾 向	せ 胸 き 柱 郭 異 常	伝 染 性 皮 膚 疾 患	心 臓 疾 患 ・ 異 常	ぜ ん 息
		う 歯			そ 及 疾 の 病 口 ・ 歯 腔 異 疾 の 常									
		計	処 完 了 置 者	未 の 処 置 者										
盲 学 校	計	92.38	25.31	67.07	11.11	0.16	2.59	4.62	1.19	3.37	2.66	0.67	1.21	0.67
	5 歳	80.00	2.22	77.78	6.67	...	3.45	6.45	6.00	—	4.00	—	—	—
	6	91.61	4.90	86.71	9.79	0.75	1.39	5.88	2.63	4.61	0.66	0.66	1.32	—
	7	91.91	5.15	86.76	10.29	4.88	2.13	2.13	3.55	—	2.13	1.42
	8	94.35	9.60	84.75	9.60	...	1.17	4.46	2.23	1.68	2.79	—	1.12	3.35
	9	94.74	12.63	82.11	12.11	4.64	1.06	2.13	0.53	—	1.06	2.66
	10	93.49	14.88	78.61	10.23	...	—	2.63	2.75	4.59	3.21	0.92	2.29	—
	11	92.64	25.97	66.67	19.48	5.31	0.42	3.81	1.69	0.85	—	1.27
	12	92.92	30.42	62.50	14.17	...	3.72	...	1.67	5.86	4.60	—	0.42	0.42
	13	91.57	26.91	64.66	9.24	—	1.22	5.71	3.27	0.41	0.41	1.22
校	14	94.46	25.73	68.73	9.45	...	2.88	...	1.65	3.30	3.30	0.66	1.32	0.66
	15	92.28	30.86	61.42	9.79	—	3.82	...	2.10	3.60	3.30	0.60	2.10	0.90
	16	93.80	31.54	62.26	11.59	0.30	—	3.48	3.48	1.60	1.07	0.27
	17	94.33	29.85	64.48	12.84	—	3.34	...	0.59	1.78	2.37	0.89	—	0.30
	18	91.98	27.79	64.19	10.03	0.85	2.83	1.70	1.42	0.57	0.57
	19 歳以上	91.15	28.92	62.23	10.57	0.75	3.24	2.49	0.56	1.68	0.25
	聾 学 校	計	92.82	21.78	71.04	9.77	0.04	1.59	3.42	0.52	1.05	2.09	0.16	1.48
5 歳		89.74	8.35	81.39	5.73	...	0.91	2.09	0.90	0.45	3.37	0.22	1.80	1.35
6		91.17	6.68	84.49	11.46	—	1.22	4.78	0.92	1.14	3.89	—	1.60	2.52
7		91.83	7.63	84.20	15.26	3.16	1.56	0.52	2.60	0.52	2.08	1.30
8		93.41	8.41	85.00	15.23	...	0.92	4.55	0.42	0.84	3.16	0.21	1.68	2.53
9		93.38	14.71	78.67	13.48	4.61	1.20	2.16	1.20	—	1.44	0.48
10		92.13	17.98	74.15	14.38	...	0.47	2.56	0.21	1.49	1.91	0.42	0.64	1.91
11		92.51	24.12	68.39	11.48	2.13	0.88	2.42	1.98	—	0.44	0.44
12		93.92	26.08	67.84	9.02	...	0.82	...	0.75	1.13	1.89	0.19	1.89	0.57
13		92.72	28.26	64.46	9.05	—	0.42	1.25	1.66	0.42	1.46	0.83
校	14	92.23	30.67	61.56	6.30	...	1.83	...	0.40	1.21	1.62	—	1.42	0.20
	15	92.56	27.10	65.46	5.92	0.22	3.82	...	—	0.37	1.86	—	1.11	0.93
	16	94.11	31.24	62.87	4.91	—	0.38	1.13	1.70	0.19	1.70	0.38
	17	92.42	29.57	62.85	5.18	—	2.20	...	—	0.35	1.42	0.18	1.06	0.18
	18	95.36	31.79	63.57	8.57	—	1.03	1.38	—	2.41	0.69
	19 歳以上	95.91	29.53	66.38	15.50	—	0.27	1.91	—	2.18	0.82
	養 護 学 校	計	91.08	14.90	76.18	13.02	0.92	3.86	3.37	3.03	3.44	8.07	0.52	2.52
5 歳		77.78	3.17	74.61	—	2.78	4.62	—	3.08	—	7.69	1.54
6		86.17	5.71	80.46	10.85	0.78	3.50	2.90	4.07	2.25	5.66	0.15	2.04	3.54
7		89.53	6.28	83.25	11.19	3.47	3.63	2.62	6.12	0.54	3.03	5.18
8		90.45	6.05	84.40	14.08	...	2.99	4.17	3.00	2.64	5.76	0.36	2.10	6.06
9		91.09	8.56	82.53	16.39	3.37	2.39	4.40	7.44	0.43	2.23	6.95
10		90.45	11.33	79.12	14.38	...	3.65	3.44	3.59	4.51	7.45	0.38	2.01	7.12
11		96.38	17.11	79.27	13.73	2.85	3.83	4.39	9.29	0.39	2.98	7.32
12		89.64	18.55	71.09	13.70	...	3.70	...	3.74	3.17	8.77	0.99	2.59	6.12
13		89.40	17.66	71.74	11.92	1.12	2.44	3.13	8.27	0.85	2.81	3.82
校	14	89.62	19.80	69.82	12.71	...	5.38	...	2.73	3.66	8.98	0.39	2.93	3.61
	15	91.99	20.47	71.52	12.19	1.10	4.53	...	2.16	2.77	8.43	0.47	1.75	1.69
	16	95.10	21.24	73.86	12.03	0.89	2.46	2.55	8.37	0.41	3.12	0.82
	17	94.37	23.95	70.42	11.77	0.67	2.67	...	2.39	5.08	9.87	0.50	2.39	1.10
	18	92.25	23.00	69.25	12.59	1.62	3.25	8.35	0.70	2.32	0.46
	19 歳以上	93.98	21.78	72.20	13.18	3.23	3.76	18.82	1.08	2.42	1.08

異 常 被 患 率 (つづき)

(%)

腎臓疾患	寄生虫病	脳性小児麻痺	運動機能障害	身体虚弱	言語障害	精神薄弱	進行性筋萎縮症	その他の異常	ツベルクリン反応検査		
									陽性	疑陽性	陰性
0.65	0.06	0.87	3.17	1.51	2.20	7.21	0.08	6.28	74.60	8.36	17.04
—	—	2.00	10.00	10.00	4.00	12.00	—	2.00
0.66	—	1.97	6.58	—	8.55	13.16	—	6.58	60.45	5.97	33.58
—	—	1.42	2.84	4.26	7.80	18.44	—	7.80
0.56	0.56	0.56	2.79	3.35	5.03	12.29	—	8.38
—	1.06	2.13	2.66	2.66	4.79	9.04	—	6.38
—	—	2.75	5.05	2.29	5.96	19.72	—	5.96
0.85	—	0.85	2.12	1.69	1.27	6.36	—	5.93
—	—	0.42	3.77	0.84	1.26	10.88	0.84	5.86
—	—	1.22	2.45	1.63	2.86	7.76	—	6.12	85.31	10.17	4.52
—	—	0.33	1.98	2.64	2.31	9.90	—	4.29
0.60	—	0.30	3.30	2.10	2.10	7.81	0.30	4.20
0.80	—	—	2.14	0.53	0.80	4.55	—	6.15
0.89	—	—	0.59	1.19	0.89	6.53	—	6.23
1.13	—	0.85	3.12	0.57	1.42	5.67	—	3.12
1.00	—	0.93	3.67	0.93	0.87	2.99	0.06	7.72
0.35	0.03	1.06	1.72	0.63	32.29	4.57	—	2.34	71.48	13.80	14.72
—	0.22	0.45	1.80	1.57	30.34	2.02	—	2.02
0.23	—	0.69	1.37	1.60	29.98	3.89	—	2.06	57.57	18.69	23.74
0.52	—	1.56	1.82	1.82	35.68	5.99	—	2.86
0.63	0.21	0.84	2.74	0.42	30.95	6.53	—	3.79
—	—	0.96	1.44	0.72	31.89	3.60	—	2.88
—	—	1.06	1.06	0.21	32.06	5.52	—	2.97
—	—	1.10	1.32	1.32	29.96	4.63	—	4.19
0.57	—	1.51	2.08	—	29.43	6.98	—	1.89
0.42	—	1.04	1.25	0.42	31.81	3.12	—	2.29	86.68	8.49	4.93
0.40	—	1.62	1.82	0.40	36.44	5.87	—	2.23
0.56	—	1.30	1.67	0.37	33.77	3.53	—	2.04
0.57	—	1.13	1.32	0.38	33.65	5.10	—	0.57
0.35	—	0.53	1.77	—	33.45	2.65	—	1.59
—	—	0.69	3.45	—	31.38	4.83	—	2.76
0.82	—	1.36	1.36	0.54	33.24	4.36	—	1.63
2.93	0.05	34.37	43.06	4.69	39.26	51.73	4.98	19.79	61.37	12.98	25.65
—	—	56.92	46.15	3.08	58.46	58.46	—	18.46
2.79	0.08	34.24	42.31	7.24	52.11	57.24	2.49	23.53	44.73	15.94	39.33
2.76	0.20	31.63	39.37	6.12	48.72	54.64	3.23	25.10
3.24	—	33.83	41.87	5.46	42.71	50.93	4.62	22.14
3.37	0.11	33.51	42.48	5.21	41.28	48.61	5.38	21.94
3.97	0.05	33.66	39.64	4.84	40.35	48.50	5.33	17.67
3.66	0.06	35.90	43.61	5.01	37.65	46.43	7.15	17.73
3.37	—	32.28	38.92	4.93	37.26	53.45	5.66	17.07
3.08	—	30.81	41.15	4.77	36.00	53.39	4.98	19.94	76.95	10.20	12.85
3.61	0.05	29.35	39.89	3.32	31.84	51.27	6.10	19.29
2.56	0.07	35.56	44.87	3.04	35.90	55.06	4.45	17.68
0.90	0.08	37.27	48.19	3.78	33.17	54.52	4.19	20.28
1.20	—	37.69	49.95	2.19	32.10	52.04	3.79	18.05
1.16	—	51.28	58.24	4.18	39.21	46.17	2.32	16.01
0.27	—	58.60	70.70	4.57	49.73	48.12	10.75	16.67

12 年 齢 別 疾 病

3 女

区 分	裸眼視力 視力 1.0者	色 覚 異 常	難 聴	眼			耳・鼻・いん頭							
				ト ラ コ ー マ	結 膜 炎	そ の 他 の 異 常	中 耳 炎	そ の 他 の 異 常	慢 性 副 鼻 腔 炎	ア デ ノ イ ド	へ ん と う 肥 大	鼻 ・ い ん 頭 炎	喉 頭 炎	そ の 他 の 異 常
盲 学 校	計	15.26	2.99	0.31	3.43	59.89	0.91	4.79	3.49	0.16	3.72	4.04	0.32	3.14
	5 歳	41.46	...	2.33	4.65	6.98
	6	7.69	4.17	59.38	...	7.37	1.05	2.11	8.42	6.32	...	1.05
	7	2.56	58.12	0.85	5.93	9.32	1.69	5.08	10.17	...	8.47
	8	1.89	67.92	0.91	3.64	7.27	0.91	7.27	10.00	...	1.82
	9	15.38	6.29	57.34	...	4.17	3.47	...	4.17	2.78	...	4.86
	10	0.67	2.01	59.06	...	10.00	4.29	...	4.29	5.71	...	1.43
	11	6.79	58.64	1.20	5.42	3.61	...	6.02	4.82	0.60	6.02
	12	17.89	2.00	...	3.68	61.96	...	4.91	1.84	...	4.29	4.91	...	5.52
	13	3.30	60.85	0.45	4.09	4.55	...	3.64	8.18	...	2.73
養 護 学 校	計	16.02	4.64	0.39	3.86	60.62	0.42	6.69	1.26	...	3.35	4.60	...	2.09
	5 歳	3.49	61.24	0.83	2.07	4.55	...	2.89	3.72	0.41	4.13
	6	0.76	61.98	0.80	3.19	5.58	...	3.19	1.99	0.80	1.59
	7	0.44	54.22	1.40	5.14	0.47	...	1.37	2.34	0.93	2.80
	8	0.52	2.88	60.13	1.51	4.52	3.01	...	1.64	1.37	0.55	2.60
	9	32.21	0.38	...	0.20	4.22	4.19	0.69	3.90	1.87	0.16	4.66	3.74	0.10
	10	29.09	0.32	5.36	5.05	0.91	6.71	1.83	0.61	7.93	4.88	...
	11	34.94	0.31	6.13	5.01	...	5.95	1.35	0.27	8.11	5.14	0.27
	12	37.24	6.45	5.57	0.29	6.00	1.71	0.86	7.71	5.43	0.29
	13	34.56	7.27	3.03	0.83	3.58	2.48	...	8.26	5.79	0.28
養 護 学 校	計	29.74	0.60	5.15	5.76	0.29	7.96	2.36	0.29	5.01	4.42	0.29
	5 歳	29.95	0.25	4.43	4.68	0.24	4.63	1.22	0.49	7.56	4.63	0.24
	6	26.12	0.24	7.23	4.82	0.24	4.25	1.18	...	7.08	6.37	...
	7	30.95	0.22	...	0.92	4.59	3.21	0.66	5.31	2.65	...	3.75	4.65	...
	8	29.93	0.51	4.04	2.78	0.25	5.22	2.74	...	3.73	3.23	...
	9	32.71	0.49	2.70	3.68	0.95	2.13	2.13	...	3.08	2.13	0.24
	10	28.16	0.43	2.19	3.06	1.29	2.16	1.51	...	2.59	3.02	...
	11	33.64	2.21	2.95	0.24	1.66	1.66	...	1.66	1.66	...
	12	33.33	1.41	5.05	1.18	0.98	2.36	...	1.38	1.38	...
	13	34.29	2.49	4.98	2.45	1.22	0.41	...	1.22	2.45	...

異 常 被 患 率 (つづき)

計	歯			結 核	蛋 白 検 出 の 者	寄 生 虫 卵 保 有 者	栄 養 不 良	肥 満 傾 向	せ 胸 き 柱 郭 異 常	伝 染 性 皮 膚 疾 患	心 臓 疾 患 ・ 異 常	ぜ ん 息
	う	歯 完 了 置 者	未 の 置 者									
94.91	22.74	72.17	10.49	...	2.65	2.58	0.65	4.04	2.22	0.12	1.36	0.49
86.84	2.63	84.21	2.63
92.31	2.20	90.11	6.59	...	1.14	4.17	4.12	...	4.12	...	4.12	2.06
90.00	3.33	86.67	10.83	7.69	1.63	2.44	3.25	...	0.81	0.81
97.12	10.58	86.54	9.62	...	3.09	3.33	...	2.65	0.88	0.88	0.88	...
92.31	15.38	76.93	16.08	2.34	1.42	0.71	3.55	0.71	1.42	...
91.55	21.13	70.42	10.56	...	0.76	0.83	...	0.70	3.50	...	0.70	0.70
91.12	21.89	69.23	14.20	0.60	2.98	2.98	...	2.98	0.60
92.68	23.78	68.90	9.76	...	2.63	...	1.20	5.99	2.40	0.60
94.12	27.15	66.97	10.41	0.45	3.15	1.35	0.45	0.90	0.45
96.40	21.62	74.78	6.31	...	4.13	...	0.45	5.80	2.23	...	2.23	0.45
94.23	26.15	68.08	9.62	...	2.07	5.30	1.89	0.38	0.38	0.38
96.05	26.88	69.17	12.25	0.77	6.92	2.31	...	0.38	...
96.60	23.77	72.83	9.81	...	3.72	5.30	2.65	...	1.52	...
99.12	26.11	73.01	10.62	0.44	4.39	2.19	...	0.88	0.44
96.34	27.68	68.66	10.84	0.64	4.08	1.66	...	1.91	0.77
94.14	23.15	70.99	9.06	...	1.80	3.45	0.62	1.44	1.16	0.12	1.59	0.63
91.48	9.18	82.30	4.92	...	0.76	1.61	1.57	1.26	2.20	...	1.89	0.94
92.60	4.38	88.22	6.85	...	1.41	4.75	1.05	0.79	0.79	0.26	1.84	1.05
92.04	7.67	84.37	13.86	1.70	1.14	0.57	1.14	...	1.42	1.14
93.73	9.55	84.18	14.63	6.00	0.54	1.63	1.36	0.54	1.63	1.36
93.95	12.68	81.27	19.02	3.42	2.29	2.00	2.00	0.29	2.29	1.14
93.98	22.06	71.92	15.79	...	0.81	4.27	1.26	0.50	1.51	...	1.76	0.50
91.65	21.96	69.69	9.07	2.02	...	0.94	2.34	...	1.87	0.47
93.06	28.42	64.64	8.03	...	3.67	...	0.67	0.67	0.89	0.22	1.33	0.44
93.70	34.26	59.44	5.79	0.24	1.46	0.73	...	1.46	0.73
92.75	29.47	63.28	5.31	...	3.50	2.08	0.46	0.23	1.16	0.46
96.50	29.98	66.52	4.38	...	1.37	...	0.83	1.04	0.62	...	0.83	...
96.08	34.07	62.01	5.88	1.62	0.69	...	1.62	0.23
96.18	32.93	63.25	5.82	...	2.17	1.92	1.15	...	1.53	0.57
95.71	27.04	68.67	8.15	1.22	0.41	...	1.63	0.41
99.26	33.09	66.17	12.87	4.59	1.41	0.35	2.12	0.35
92.47	15.83	76.64	11.57	1.27	3.70	3.07	1.83	4.97	6.65	0.33	2.52	2.81
78.57	7.14	71.43	4.76	...	5.26	...	2.27	2.27	4.55
87.32	6.47	80.85	9.38	1.56	3.88	3.92	2.56	2.93	6.22	...	4.15	2.68
89.53	8.12	81.41	10.71	3.97	2.55	2.55	5.99	0.44	4.21	2.88
92.07	6.89	85.18	13.60	...	3.07	3.86	3.28	3.90	6.57	0.18	2.40	4.97
92.37	9.72	82.65	14.35	2.66	2.76	3.88	6.90	0.43	3.02	5.52
92.73	15.84	76.89	13.51	...	3.45	2.38	1.83	4.16	7.08	0.42	2.66	4.33
91.28	16.51	74.77	11.43	2.32	2.36	4.23	7.07	0.33	2.36	4.96
90.90	17.25	73.65	12.03	...	4.82	1.21	4.48	6.75	2.66	2.35
92.50	20.23	72.27	9.83	1.51	1.44	5.68	7.19	0.21	2.05	2.53
94.08	19.69	74.39	10.37	...	4.48	...	1.52	5.36	7.08	0.40	2.18	1.65
94.67	18.08	76.59	10.94	1.76	3.66	...	1.14	6.30	6.56	0.17	1.84	1.05
92.80	20.42	72.38	10.37	0.76	1.23	6.87	5.54	0.41	1.95	0.62
97.30	22.73	74.57	11.55	0.67	1.49	...	0.94	7.19	6.60	0.59	1.42	0.59
95.28	23.27	72.01	11.01	0.30	8.58	6.21	0.30	2.66	0.59
95.48	20.36	75.12	16.29	1.30	8.70	5.65	0.87	2.61	0.43

12 年齢別 疾病・異常被患率 (つづき)

3 女 (つづき)

(%)

区 分	腎 臓 疾 患	寄 生 虫 病	脳 性 小 児 麻 痺	運 動 機 能 障 害	身 体 虚 弱	言 語 障 害	精 神 薄 弱	進 行 性 筋 萎 縮 症	そ 疾 病 の 他 異 の 常	ツベルクリン反応検査			
										陽	疑	陰	
										性	性	性	
盲 学 校	計	0.37	0.06	0.89	3.45	1.42	1.94	7.18	—	6.14	72.46	10.59	16.95
	5 歳	—	—	2.22	2.22	—	2.22	6.67	—	4.44
	6	—	—	3.09	6.19	3.09	5.15	10.31	—	4.12	53.49	11.63	34.88
	7	0.81	0.81	1.63	5.69	2.44	6.50	13.82	—	8.94
	8	—	—	1.77	4.42	0.88	6.19	15.93	—	11.50
	9	—	—	1.42	4.26	2.84	2.13	13.48	—	5.67
	10	—	—	—	4.20	3.50	0.70	14.69	—	5.59
	11	—	—	2.38	4.76	2.98	7.14	11.31	—	7.14
	12	0.60	—	0.60	1.80	2.40	0.60	10.18	—	2.99
	13	—	—	0.45	1.80	1.35	1.80	9.46	—	4.50	83.33	10.00	6.67
	14	0.45	—	—	0.89	0.45	1.79	4.91	—	4.46
	15	0.38	0.38	1.14	2.65	1.14	1.14	6.44	—	6.44
	16	—	—	0.77	3.85	0.38	0.77	6.15	—	4.23
聾 学 校	計	0.24	—	0.60	1.67	0.82	31.00	4.12	—	2.07	71.14	13.12	15.74
	5 歳	—	—	0.63	2.20	1.57	31.13	2.83	—	2.83
	6	—	—	0.52	1.57	0.52	30.97	2.89	—	1.31	57.98	18.77	23.25
	7	—	—	0.28	1.42	0.85	34.09	3.69	—	2.27
	8	0.27	—	—	0.82	1.09	31.34	5.45	—	1.91
	9	—	—	1.14	3.14	1.71	31.14	6.57	—	1.43
	10	0.75	—	1.26	2.26	1.01	34.67	6.28	—	4.27
	11	0.47	—	0.94	2.11	1.17	33.49	3.04	—	2.34
	12	0.44	—	0.44	2.22	0.67	32.15	4.21	—	0.89
	13	—	—	1.22	1.46	0.49	32.60	5.84	—	2.43	85.41	6.99	7.60
	14	0.93	—	0.93	0.93	0.23	29.40	3.47	—	1.62
	15	0.42	—	0.42	0.62	1.04	34.10	4.99	—	1.66
	16	—	—	0.46	0.92	0.69	28.18	2.31	—	1.85
養 護 学 校	計	2.69	0.05	37.00	46.11	4.06	35.55	51.48	1.12	21.46	64.32	11.89	23.79
	5 歳	—	—	54.55	50.00	6.82	61.36	45.45	—	22.73
	6	2.20	—	43.90	52.68	7.44	47.20	51.95	1.59	20.85	39.95	17.91	42.14
	7	3.66	—	39.36	49.22	6.65	43.35	51.44	0.89	23.06
	8	3.28	—	40.46	46.94	6.03	42.06	52.17	1.42	24.05
	9	2.41	0.17	35.95	43.53	5.78	37.93	50.09	0.95	22.84
	10	3.50	—	37.39	45.38	3.91	35.72	49.38	1.42	21.57
	11	2.85	0.16	38.05	48.70	4.23	35.28	46.50	1.38	23.98
	12	3.41	0.15	35.66	43.10	3.11	33.99	53.72	0.91	19.88
	13	3.22	—	33.49	40.00	3.29	30.62	52.05	0.75	21.37	82.60	7.38	10.02
	14	2.98	0.07	30.56	42.13	3.11	31.35	52.45	0.93	21.63
	15	2.45	—	33.77	47.94	3.24	30.88	54.59	1.49	21.17
	16	1.74	—	34.97	44.10	2.36	30.36	54.15	0.72	18.05
	17	0.71	—	40.57	52.12	2.00	29.72	48.94	0.83	17.57
	18	0.89	—	42.60	50.59	0.59	34.62	50.89	1.48	19.82
	19歳以上	0.43	—	56.09	61.30	3.48	51.30	53.04	2.17	24.78

IV 付 録

調査票の様式及び調査項目の説明