

1 幼稚園 (1) 男

区 分	結核性疾患				ツベルクリン皮内反応成績(計=100)				寄生虫卵保有				
	在学者のうち結核被患者の占める割合		定期結核健康診断受検者のうち結核被患者の占める割合		陽 性		疑陽性	陰 性	回虫卵保有者	十二指腸虫卵保有者	蛭虫卵保有者	その他の卵保有者	
	計	呼吸器系(再掲)	計	呼吸器系(再掲)	既陽性	陽 転							
全 国	0.20	0.18	0.20	0.18	9.8	19.1	12.9	58.2	3.4	0.1	4.8	1.3	
北海道 北青岩宮秋	道森手城田	0.07	-	-	-	22.6	21.5	12.7	43.2	3.6	-	2.9	-
		0.05	-	-	-	7.6	16.5	15.5	60.4	5.4	-	1.7	0.6
		0.07	0.04	0.08	0.04	18.0	26.4	13.5	42.1	4.8	-	3.3	0.3
		0.31	0.12	0.25	0.04	16.7	30.1	9.6	43.6	6.2	-	3.6	0.4
		0.03	0.03	0.04	0.04	11.8	14.0	16.0	58.2	7.4	-	6.5	3.5
山福茨栃群	形島城木馬	0.22	0.22	0.22	0.22	11.6	29.4	14.0	45.0	3.7	0.1	1.1	0.2
		0.77	0.52	0.98	0.49	10.4	19.5	13.2	56.9	4.5	-	3.0	0.2
		0.07	0.05	0.09	0.07	7.5	19.9	11.8	60.8	2.3	0.1	0.6	0.8
		0.09	0.09	0.05	0.05	6.6	21.0	13.7	58.7	3.5	0.1	5.0	0.2
		-	-	-	-	21.5	20.7	13.6	44.2	5.3	0.1	2.3	0.7
埼千東神新 奈	玉葉京川潟	0.26	0.15	0.29	0.17	5.5	8.7	9.8	76.0	2.7	0.1	2.0	0.3
		0.15	0.15	0.16	0.16	5.8	18.9	9.4	65.9	2.1	-	3.6	0.3
		0.05	0.05	0.03	0.03	15.2	18.8	13.6	52.4	2.3	0.0	4.5	0.2
		0.13	0.13	0.06	0.06	8.3	30.5	11.5	49.7	2.8	-	4.6	0.9
		0.04	0.04	0.05	0.05	12.5	23.3	13.9	50.3	0.7	-	8.2	0.7
富石福山長	山川井梨野	0.11	0.03	0.13	0.03	5.0	11.6	8.0	75.4	1.9	0.1	2.2	0.8
		0.05	0.05	0.06	0.06	9.7	15.6	10.6	64.1	1.0	0.1	11.6	2.7
		0.77	0.73	0.87	0.82	5.2	20.2	10.9	63.7	6.0	0.1	3.5	7.2
		-	-	-	-	4.5	15.7	9.8	70.0	5.6	-	2.4	1.6
		0.14	0.09	0.15	0.10	15.3	33.4	9.1	42.2	3.0	-	0.5	1.1
岐静愛三滋	阜岡知重賀	0.08	0.08	0.07	0.07	3.7	7.9	6.0	82.4	5.9	0.3	8.3	0.4
		0.11	0.11	0.12	0.12	12.2	22.9	9.7	55.2	5.1	0.2	1.3	4.0
		0.18	0.13	0.14	0.11	7.3	20.1	15.1	57.5	1.2	0.0	5.3	0.7
		0.24	0.16	0.19	0.13	2.7	8.3	10.6	78.4	4.2	0.0	1.1	1.8
		0.42	0.40	0.41	0.39	9.5	26.0	19.8	44.7	12.2	-	6.9	10.1
京大兵奈和 歌	都阪庫良山	0.21	0.21	0.22	0.22	9.7	19.0	19.6	51.7	1.9	-	2.0	1.0
		0.27	0.27	0.41	0.41	10.4	17.2	15.0	57.4	3.7	0.0	8.9	1.1
		0.48	0.45	0.41	0.38	6.3	22.6	15.4	55.7	4.5	0.2	1.9	2.5
		0.22	0.18	0.23	0.17	5.4	11.2	15.6	67.8	6.5	-	2.7	6.5
		0.30	0.27	0.32	0.28	4.8	4.8	7.4	83.0	3.6	-	4.8	2.8
鳥島岡広山	取根山島口	0.18	0.18	0.20	0.20	9.4	21.2	15.7	53.7	0.7	-	3.7	0.5
		0.15	0.15	0.16	0.16	9.0	26.4	15.2	49.4	3.6	0.2	2.9	1.5
		0.63	0.60	0.65	0.62	12.9	21.3	15.1	50.7	2.7	0.1	12.1	1.8
		0.20	0.20	0.21	0.21	3.6	13.4	13.4	69.6	1.7	0.0	4.3	1.0
		0.18	0.18	0.20	0.20	3.7	12.3	7.2	76.8	2.1	0.1	6.3	0.7
徳香愛高福	島川媛知岡	0.10	0.07	0.12	0.08	6.6	8.8	12.7	71.9	13.0	0.2	1.0	2.5
		0.15	0.15	0.15	0.15	9.2	23.2	16.6	51.0	2.8	0.1	10.7	1.3
		0.07	0.07	0.08	0.08	3.5	14.8	8.8	72.9	1.9	0.1	2.5	1.7
		-	-	-	-	8.3	22.9	14.0	54.8	0.6	-	4.7	2.1
		0.15	0.15	0.19	0.19	15.0	16.3	12.7	56.0	3.4	0.1	4.7	0.5
佐長熊大宮鹿 児	賀崎本分崎島	0.16	0.16	0.17	0.17	6.7	19.7	9.0	64.6	2.7	0.1	3.7	0.2
		0.07	0.07	0.08	0.08	1.7	10.3	7.8	80.2	2.2	0.0	8.3	1.3
		0.07	0.07	0.08	0.08	4.8	13.5	24.5	57.2	1.1	1.4	0.8	0.9
		0.16	0.16	0.13	0.13	6.9	15.5	9.0	68.6	7.9	0.6	6.6	0.9
		0.33	0.33	0.33	0.33	6.4	14.9	11.3	67.4	2.7	0.4	0.9	0.9
		-	-	-	-	4.7	22.2	6.8	66.3	3.2	0.3	1.6	1.2

この表は、健康診断受検者のうち疾病異常被患者の占める割合を示したものである。「在学者のうち結核被患者の占める52ページの注を参照のこと。

異常被患者率(精密検診)

1 幼稚園 (2) 女

(%)

区 分	結 核 性 疾 患				ツベルクリン皮内反応成績(計=100)				寄 生 虫 卵 保 有			
	在学者のうち結核被患者の占める割合		定期結核健康診断受検者のうち結核被患者の占める割合		陽 性		疑陽性	陰 性	回虫卵保有者	十二指腸虫卵保有者	蛭虫卵保有者	その他の卵保有者
	計	呼吸器系(再掲)	計	呼吸器系(再掲)	既陽性	陽 転						
全 国	0.16	0.15	0.17	0.16	10.7	21.0	12.8	55.5	3.0	0.1	4.9	1.2
北海道 北青森宮城 岩手秋田	-	-	-	-	22.0	22.3	12.6	43.1	3.8	-	2.9	0.1
	0.10	0.10	0.13	0.13	7.8	17.2	17.7	57.3	4.0	0.1	1.5	0.4
	0.07	0.07	0.04	0.04	18.3	28.3	13.0	40.4	4.4	-	3.2	0.1
	0.33	0.12	0.31	0.09	17.0	33.6	10.4	39.0	5.7	-	4.1	0.5
	0.03	0.03	0.04	0.04	12.2	16.5	16.3	55.0	5.9	-	5.1	2.7
山形福島 福茨栃群	0.15	0.15	0.17	0.17	11.1	33.2	12.9	42.8	2.9	-	1.0	0.6
	0.41	0.21	0.46	0.09	11.3	21.8	12.4	54.5	3.7	-	2.6	0.1
	0.11	0.11	0.11	0.11	9.6	21.8	12.7	55.9	2.0	0.1	0.7	0.8
	0.20	0.20	0.21	0.21	8.1	23.8	11.9	56.2	3.4	0.1	5.2	0.1
	-	-	-	-	23.9	21.4	13.7	41.0	5.2	0.1	2.7	0.3
埼玉千葉 千東神新	0.13	0.13	0.14	0.14	6.0	11.5	8.8	73.7	2.3	0.1	1.6	0.3
	0.26	0.26	0.28	0.28	7.7	18.9	9.5	63.9	1.5	0.1	3.3	0.1
	-	-	-	-	17.0	20.3	13.0	49.7	2.0	0.0	4.5	0.2
	0.23	0.23	0.19	0.19	8.8	33.4	10.4	47.4	2.5	-	3.4	0.4
	-	-	-	-	14.3	26.5	13.5	45.7	0.6	-	7.9	1.0
富山福山 石福山長	-	-	-	-	5.2	12.6	9.6	72.6	0.9	0.1	1.6	1.3
	-	-	-	-	11.7	17.0	12.3	59.0	1.7	0.2	10.8	1.1
	0.70	0.70	0.79	0.79	6.8	23.1	10.3	59.8	5.9	0.1	3.9	6.3
	-	-	-	-	7.4	16.8	13.2	62.6	3.6	-	2.5	2.1
	0.05	0.05	0.05	0.05	18.0	33.9	9.2	38.9	2.0	-	0.5	1.5
岐阜静岡 静愛三滋	0.03	0.03	0.04	0.04	3.5	8.0	6.7	81.8	6.0	0.3	9.1	4.4
	0.05	0.05	0.06	0.06	13.6	26.4	8.2	51.8	5.8	0.3	1.1	4.6
	0.13	0.10	0.11	0.11	8.2	20.9	15.2	55.7	1.0	0.1	6.8	0.5
	0.08	0.03	0.06	0.03	2.7	9.4	10.2	77.7	4.3	0.1	1.2	1.9
	0.22	0.22	0.21	0.21	9.7	29.9	18.6	41.8	11.3	-	6.1	9.6
京大兵奈 大兵奈和	0.09	0.09	0.12	0.12	10.0	21.5	18.4	50.1	1.8	0.1	1.8	0.8
	0.22	0.22	0.31	0.31	12.4	18.5	14.5	54.6	2.7	0.1	8.7	1.0
	0.38	0.38	0.34	0.34	6.6	25.0	15.8	52.6	3.7	0.0	2.3	2.6
	0.15	0.15	0.13	0.13	5.0	12.3	16.6	66.1	6.1	0.1	2.7	6.1
	0.20	0.20	0.29	0.29	5.1	5.9	6.9	82.1	3.5	-	6.2	2.6
鳥島岡広 島島岡広山	0.83	0.83	0.92	0.92	9.0	23.3	16.8	50.9	0.5	-	5.2	0.6
	0.23	0.20	0.21	0.18	10.5	28.0	15.0	46.5	3.6	0.4	2.8	1.4
	0.32	0.26	0.30	0.24	14.5	25.2	14.7	45.6	2.4	0.1	12.0	2.1
	0.12	0.12	0.13	0.13	3.2	16.4	14.4	66.0	1.1	0.2	4.9	1.3
	0.10	0.10	0.11	0.11	4.7	14.7	8.2	72.4	1.4	0.2	5.9	0.9
徳香愛高 香愛高福	0.30	0.27	0.33	0.29	7.6	11.1	13.0	68.3	11.6	0.3	0.7	2.0
	0.15	0.15	0.15	0.15	9.8	24.8	16.5	48.9	1.8	0.1	11.4	1.8
	0.03	0.03	0.04	0.04	4.4	15.5	9.1	71.0	1.6	-	4.2	1.2
	-	-	-	-	10.6	24.0	11.9	53.5	0.7	-	4.8	2.3
	0.21	0.21	0.21	0.21	15.1	18.5	12.8	53.6	3.5	0.1	4.6	0.4
佐長熊大 長熊大宮鹿 見	0.34	0.34	0.36	0.36	8.0	23.1	9.2	59.7	1.6	0.3	4.8	0.3
	0.16	0.11	0.17	0.11	1.7	11.1	7.6	79.6	2.7	0.1	7.6	1.2
	0.14	0.14	0.12	0.12	5.6	13.6	27.6	53.2	1.2	0.1	2.2	0.3
	0.12	0.12	0.13	0.13	7.5	18.7	10.7	63.1	7.7	0.4	7.8	0.8
	0.20	0.18	0.21	0.18	7.3	15.7	11.4	65.6	2.3	0.5	0.7	0.7
	0.07	0.07	0.10	0.10	3.8	24.2	8.0	64.0	2.3	0.2	2.6	1.0

12 都道府県別疾病

2 小学校 (1) 男

区 分	結 核 性 疾 患				ツベルクリン皮内反応成績(計=100)				寄 生 虫 卵 保 有				
	在学者のうち結核被患者の占める割合		定期結核健康診断受検者のうち結核被患者の占める割合		陽 性		疑陽性	陰 性	回虫卵保有者	十二指腸虫卵保有者	蟯虫卵保有者	その他の卵保有者	
	計	呼吸器系(再掲)	計	呼吸器系(再掲)	既陽性	陽 転							
全 国	0.39	0.38	0.37	0.36	44.7	18.6	11.9	24.8	4.6	0.4	3.4	3.5	
北海道 北青岩宮秋 道森手城田	0.36	0.35	0.32	0.31	59.6	16.7	7.4	16.3	3.7	-	3.2	0.4	
	0.31	0.27	0.24	0.22	40.2	21.9	12.6	25.3	10.4	0.1	0.7	2.2	
	0.16	0.16	0.15	0.15	51.7	15.6	16.5	16.2	12.7	0.1	2.3	1.6	
	0.33	0.29	0.29	0.26	51.3	22.9	14.6	11.2	8.4	0.9	6.2	5.0	
	0.24	0.22	0.21	0.20	35.5	21.3	14.0	29.2	15.1	0.3	1.9	9.9	
山福茨栃群 山福茨栃群	1.26	1.24	1.14	1.13	50.3	18.4	12.1	19.2	6.4	0.2	2.7	2.2	
	0.36	0.35	0.27	0.26	39.2	24.7	10.2	25.9	8.3	0.6	0.7	1.2	
	0.28	0.28	0.30	0.30	44.0	19.5	11.0	25.5	4.6	1.3	0.6	2.9	
	0.09	0.08	0.08	0.07	36.0	18.0	11.8	34.2	4.6	0.5	3.4	1.0	
	0.18	0.18	0.18	0.18	50.9	19.0	11.3	18.8	7.1	0.2	1.0	1.8	
埼千東神新 奈 玉葉京川潟	0.29	0.28	0.29	0.28	35.8	17.2	12.0	35.0	4.1	0.3	1.2	2.2	
	0.42	0.41	0.40	0.40	35.7	21.2	10.9	32.2	3.6	0.2	0.3	1.4	
	0.10	0.10	0.09	0.09	45.1	19.9	11.3	23.7	1.1	-	2.4	0.8	
	0.22	0.21	0.21	0.21	58.8	17.3	8.4	15.5	1.6	0.0	0.6	2.1	
	0.07	0.05	0.04	0.04	56.3	16.2	10.7	16.8	3.7	0.4	6.1	3.2	
富石福山長 山川井梨野	0.44	0.43	0.43	0.42	48.5	20.0	12.0	19.5	1.3	0.3	3.6	2.2	
	0.45	0.43	0.41	0.40	44.5	19.8	15.0	20.7	3.7	0.2	6.7	8.0	
	0.69	0.66	0.65	0.62	50.5	18.3	11.5	19.7	6.0	0.0	2.1	9.4	
	0.10	0.07	0.06	0.06	36.1	18.0	14.3	31.6	6.4	0.4	1.6	11.3	
	0.22	0.20	0.18	0.16	62.4	16.1	8.1	13.4	8.4	0.0	1.4	7.2	
岐静愛三滋 阜岡知重賀	0.33	0.27	0.24	0.18	47.3	16.0	9.8	26.9	5.0	0.8	5.9	1.3	
	0.38	0.38	0.44	0.36	57.2	15.6	8.3	18.9	4.4	0.2	0.7	8.5	
	0.63	0.62	0.64	0.63	36.8	27.3	11.1	24.8	1.8	0.1	5.6	1.8	
	0.37	0.34	0.32	0.30	33.7	17.2	14.8	34.3	5.0	0.1	1.3	6.3	
	0.92	0.90	0.91	0.90	41.5	16.5	16.1	25.9	9.3	0.2	4.4	25.2	
京大兵奈和 都阪庫良山 歌	0.49	0.46	0.54	0.51	39.3	20.6	16.2	23.9	4.5	0.1	1.3	8.9	
	0.27	0.25	0.22	0.22	45.7	19.6	13.0	21.7	1.5	0.1	6.8	1.3	
	0.41	0.40	0.38	0.37	45.9	17.9	11.3	24.9	3.2	0.1	0.5	2.5	
	0.21	0.21	0.24	0.23	47.7	15.5	11.8	25.0	6.1	0.2	1.8	9.3	
	0.72	0.69	0.70	0.67	37.0	15.7	12.3	35.0	7.3	0.0	10.4	6.4	
鳥島岡広山 取根山島口	0.56	0.54	0.53	0.52	42.5	17.7	13.7	26.1	4.5	0.4	2.2	3.9	
	0.29	0.28	0.27	0.26	46.3	15.6	13.0	25.1	3.7	0.6	2.6	6.0	
	0.67	0.66	0.61	0.61	44.6	17.1	14.9	23.4	4.3	0.3	13.1	6.2	
	0.41	0.39	0.42	0.40	35.9	16.1	15.6	32.4	1.1	0.1	8.3	1.9	
	0.69	0.64	0.68	0.63	43.7	19.4	9.9	27.0	2.0	0.4	3.6	3.3	
徳香愛高福 島川媛知岡	0.40	0.40	0.41	0.40	37.0	14.9	12.4	35.7	10.4	0.4	1.1	3.0	
	0.22	0.21	0.18	0.18	48.2	19.4	13.6	18.8	2.4	0.2	4.6	5.6	
	0.20	0.19	0.17	0.17	31.9	24.2	15.6	28.3	6.5	0.2	1.1	12.2	
	0.21	0.20	0.22	0.22	41.2	21.1	12.5	25.2	5.1	0.1	1.4	6.7	
	0.52	0.52	0.62	0.62	44.8	12.9	12.8	29.5	2.3	0.2	4.7	0.6	
佐長熊大宮鹿 賀崎本分崎島 児	2.10	2.10	1.96	1.96	36.6	23.6	9.6	30.2	4.5	0.5	0.2	0.5	
	0.61	0.61	0.60	0.60	29.7	13.3	15.1	41.9	6.5	0.5	11.6	4.7	
	0.44	0.42	0.39	0.38	38.5	14.3	18.7	28.5	4.3	0.5	4.8	1.6	
	0.36	0.33	0.34	0.34	43.5	22.2	10.6	23.7	8.7	1.0	4.2	1.4	
	1.06	1.04	0.89	0.89	44.4	17.2	11.9	26.5	7.4	2.1	0.4	5.2	
	0.30	0.28	0.27	0.27	35.9	20.5	10.0	33.6	8.1	2.3	2.9	4.1	

異常被患率(精密検診)

2 小学校 (2) 女

(%)

区 分	結 核 性 疾 患				ツベルクリン皮内反応成績(計=100)				寄 生 虫 卵 保 有			
	在学者のうち結核被患者の占める割合		定期結核健康診断受検者のうち結核被患者の占める割合		陽 性		疑陽性	陰 性	回虫卵保有者	十二指腸虫卵保有者	蛭虫卵保有者	その他の卵保有者
	計	呼吸器系(再掲)	計	呼吸器系(再掲)	既陽性	陽 転						
全 国	0.34	0.32	0.32	0.31	48.0	18.7	10.9	22.4	4.3	0.4	3.3	3.4
北海道 北青森 岩手宮城 秋田	0.25	0.23	0.23	0.22	62.2	16.6	6.0	15.2	3.4	-	2.9	0.3
	0.36	0.36	0.34	0.34	43.1	22.8	11.6	22.5	19.1	0.1	0.5	2.2
	0.23	0.22	0.20	0.20	55.8	15.9	14.7	13.6	11.3	0.2	1.6	1.7
	0.24	0.24	0.22	0.22	53.5	24.0	13.7	8.8	6.7	0.9	5.7	4.3
	0.22	0.20	0.22	0.21	39.1	20.9	13.6	26.4	13.5	0.2	1.8	9.3
山形福島 茨城栃木 群馬	0.95	0.94	0.83	0.82	54.1	18.4	10.8	16.7	5.9	0.1	2.8	2.3
	0.35	0.31	0.29	0.29	42.9	25.6	9.3	22.2	6.9	0.5	0.6	0.9
	0.20	0.20	0.22	0.21	48.2	18.9	9.5	23.4	3.5	1.1	0.7	2.6
	0.06	0.04	0.06	0.04	39.4	17.9	11.1	31.6	4.2	0.5	3.2	1.2
	0.15	0.15	0.11	0.11	54.4	20.0	9.5	16.1	6.0	0.2	1.1	1.5
埼玉県 千葉県 東京都 神奈川県	0.28	0.27	0.27	0.26	38.9	17.9	11.1	32.1	3.4	0.2	1.1	2.4
	0.29	0.29	0.28	0.28	38.6	21.2	10.5	29.7	3.4	0.2	0.3	1.5
	0.13	0.10	0.11	0.11	46.8	19.6	9.9	23.7	0.9	0.0	2.0	0.7
	0.20	0.20	0.20	0.20	60.8	18.1	7.5	13.6	1.5	0.0	0.6	1.9
	0.10	0.09	0.08	0.07	61.5	15.0	9.8	13.7	3.2	0.1	6.5	3.8
富山県 石川県 福井県 山梨県 長野県	0.23	0.23	0.23	0.23	51.5	19.7	11.3	17.5	1.4	0.3	3.9	2.3
	0.45	0.43	0.41	0.41	48.4	19.9	12.6	19.1	3.7	0.2	6.0	8.2
	0.67	0.62	0.60	0.56	55.3	17.7	9.5	17.5	5.8	0.1	2.0	9.9
	0.05	0.05	0.05	0.05	39.4	18.2	13.0	29.4	5.1	0.4	1.6	11.2
	0.19	0.18	0.16	0.15	65.3	15.5	7.6	11.6	8.0	0.1	1.4	6.9
岐阜県 静岡県 愛知県 三重県 滋賀県	0.29	0.26	0.20	0.17	51.2	16.1	8.6	24.1	4.5	1.2	5.7	1.3
	0.33	0.32	0.29	0.29	60.9	15.5	7.0	16.6	3.4	0.2	0.6	9.3
	0.53	0.51	0.52	0.50	40.1	27.7	9.5	22.7	1.8	0.0	5.8	1.8
	0.35	0.32	0.28	0.26	36.5	17.8	14.2	31.5	5.0	0.1	1.4	6.2
	0.81	0.80	0.80	0.78	45.3	16.6	14.5	23.6	10.1	0.2	3.4	25.9
京都府 大阪府 兵庫県 奈良県 和歌山県	0.56	0.50	0.62	0.56	41.9	21.2	15.3	21.6	4.3	0.1	1.3	8.7
	0.25	0.23	0.23	0.21	48.3	19.4	12.3	20.0	1.3	0.0	6.9	1.5
	0.36	0.34	0.35	0.33	47.8	18.7	10.5	23.0	2.6	0.2	0.3	2.5
	0.28	0.25	0.28	0.25	51.2	15.2	10.4	23.2	5.4	0.1	2.0	8.7
	0.70	0.69	0.64	0.63	39.4	14.5	12.4	33.7	6.9	0.1	10.1	6.6
鳥取県 島根県 岡山県 広島県 山口県	0.69	0.69	0.65	0.65	47.5	16.3	12.3	23.9	4.3	0.4	1.8	4.0
	0.19	0.18	0.11	0.10	52.5	15.7	11.2	20.6	3.9	0.5	2.2	5.9
	0.49	0.49	0.46	0.45	49.6	16.5	13.2	20.7	3.6	0.2	12.5	6.0
	0.48	0.45	0.42	0.42	40.5	16.0	14.8	28.7	1.2	0.1	8.3	1.9
	0.48	0.43	0.47	0.42	47.0	19.6	9.1	24.3	2.2	0.4	3.5	3.3
徳島県 香川県 愛媛県 高知県 福岡県	0.49	0.49	0.45	0.45	40.2	16.3	11.5	32.0	10.2	0.5	1.0	2.6
	0.20	0.20	0.20	0.20	53.6	18.4	12.2	15.8	2.3	0.3	4.3	4.9
	0.14	0.13	0.08	0.08	37.3	24.2	14.4	24.1	5.8	0.2	1.1	11.5
	0.20	0.18	0.23	0.21	47.4	21.2	11.5	19.9	4.2	0.2	1.7	6.3
	0.33	0.32	0.37	0.36	48.7	12.8	11.8	26.7	2.3	0.3	4.7	0.6
佐賀県 熊本県 大分県 宮崎県 鹿児島県	1.84	1.83	1.73	1.72	39.8	24.6	9.0	26.6	4.4	0.3	0.2	0.6
	0.40	0.40	0.39	0.39	33.6	12.8	14.6	39.0	6.1	0.5	11.2	4.7
	0.32	0.32	0.28	0.27	41.4	14.9	18.3	25.4	4.1	0.6	4.7	1.6
	0.34	0.25	0.29	0.24	47.5	21.8	9.2	21.5	8.1	1.0	4.1	1.5
	0.87	0.86	0.67	0.67	49.2	16.4	10.9	23.5	7.0	2.1	0.5	5.7
	0.28	0.28	0.27	0.27	39.1	22.0	10.0	28.9	7.7	1.9	3.0	4.2

3 中学校 (1) 男

区 分	結 核 性 疾 患				ツベルクリン皮内反応成績(計=100)				寄 生 虫 卵 保 有			
	在学者のうち 結核被患者の 占める割合		定期結核健康診断受 検者のうち結核被患 者の占める割合		陽 性		疑陽性	陰 性	回虫卵 保有者	十二指 腸虫卵 保有者	蛭虫卵 保有者	その他 の卵保 有者
	計	呼吸器系 (再掲)	計	呼吸器系 (再掲)	既陽性	陽 転						
全 国	0.25	0.24	0.24	0.23	71.5	12.0	8.5	8.0	3.7	0.5	1.2	3.0
北海道 北青森 岩手 宮城 秋田	0.16	0.14	0.11	0.11	81.0	11.5	3.4	4.1	3.8	0.1	0.9	0.3
	0.20	0.20	0.21	0.21	80.3	7.8	7.1	4.8	8.9	0.2	0.3	2.4
	0.16	0.11	0.10	0.09	76.4	11.9	6.7	5.0	9.3	0.2	0.7	0.4
	0.42	0.41	0.40	0.40	82.3	6.6	8.0	3.1	7.3	0.1	1.2	5.0
	0.12	0.11	0.11	0.11	55.9	19.5	12.6	12.0	11.5	0.2	0.4	7.8
山形 福島 茨城 栃木 群馬	0.60	0.57	0.54	0.51	74.8	8.5	9.9	6.8	4.7	0.1	1.3	1.7
	0.18	0.14	0.19	0.15	63.7	13.8	10.1	12.4	6.7	0.3	0.3	0.6
	0.11	0.11	0.11	0.11	78.9	7.7	7.3	6.1	3.6	2.1	0.6	3.6
	0.09	0.09	0.08	0.08	73.7	9.7	6.5	10.1	4.6	1.1	0.3	1.4
	0.08	0.08	0.08	0.08	79.6	9.0	5.6	5.8	5.5	0.4	0.6	1.6
埼玉県 千葉県 東京都 神奈川 新潟	0.42	0.40	0.40	0.39	71.6	7.3	8.9	12.2	2.9	0.3	0.5	1.0
	0.32	0.32	0.30	0.30	68.2	13.2	7.6	11.0	2.8	0.3	0.1	1.4
	0.09	0.09	0.08	0.08	72.5	15.2	6.1	6.2	0.9	-	0.5	0.5
	0.05	0.04	0.06	0.04	79.3	11.0	5.9	3.8	1.0	0.0	0.1	1.7
	0.11	0.05	0.09	0.05	76.9	9.2	8.6	5.3	2.5	0.6	3.4	2.6
富山 石川 福井 山梨 長野	0.55	0.54	0.54	0.54	77.9	8.0	9.1	5.0	1.4	0.3	0.6	2.2
	0.28	0.27	0.27	0.27	79.3	5.4	9.5	5.8	2.5	0.1	3.1	5.9
	0.50	0.48	0.48	0.46	77.8	7.7	5.8	8.7	4.2	0.1	1.1	7.8
	0.19	0.18	0.16	0.16	74.1	8.9	9.0	8.0	4.8	0.3	0.7	7.6
	0.13	0.13	0.11	0.11	75.4	13.1	6.2	5.3	5.9	0.3	0.8	6.2
岐阜 静岡県 愛知県 三重 滋賀	0.16	0.16	0.12	0.12	74.4	7.4	7.8	10.4	4.8	0.1	2.5	1.5
	0.11	0.10	0.18	0.10	79.2	6.9	5.9	8.0	3.9	0.3	0.2	8.1
	0.32	0.31	0.30	0.29	73.0	13.8	6.7	6.5	1.5	0.0	2.1	1.3
	0.15	0.15	0.14	0.14	63.2	10.7	12.7	13.4	5.6	0.2	1.4	5.8
	0.38	0.38	0.38	0.38	67.9	11.2	11.9	9.0	11.2	0.2	0.7	18.6
京大 阪府 兵衛 奈良 和歌山	0.43	0.43	0.38	0.38	68.2	12.9	10.4	8.5	4.3	0.1	0.3	7.3
	0.14	0.12	0.14	0.12	71.0	15.7	9.5	3.8	1.4	0.1	1.7	1.8
	0.39	0.38	0.38	0.37	68.8	10.1	9.4	11.7	2.1	0.3	0.2	2.2
	0.28	0.27	0.26	0.25	78.0	7.8	8.8	5.4	5.3	0.1	2.2	7.6
	0.50	0.45	0.48	0.46	74.4	8.5	8.4	8.7	5.5	0.1	2.6	6.8
鳥取 島根 岡山 広島 山口	0.21	0.20	0.20	0.20	66.2	8.8	13.6	11.4	2.5	0.6	0.5	4.4
	0.20	0.20	0.20	0.20	61.7	15.8	9.7	12.8	3.7	0.7	1.9	6.2
	0.18	0.16	0.16	0.16	60.6	19.6	9.8	10.0	4.5	0.7	6.4	6.3
	0.19	0.19	0.19	0.19	64.5	11.6	9.3	14.6	1.9	0.3	1.6	2.0
	0.62	0.61	0.59	0.59	74.7	9.7	6.7	8.9	2.1	0.4	1.1	2.9
徳島 香川県 愛媛 高松 福岡	0.24	0.24	0.21	0.21	71.6	11.7	7.8	8.9	8.4	0.6	0.8	2.2
	0.08	0.08	0.08	0.08	58.0	21.4	13.4	7.2	1.8	0.3	2.7	3.5
	0.17	0.15	0.16	0.14	61.0	14.8	13.5	10.7	4.8	0.4	0.7	11.8
	0.05	0.05	0.05	0.05	56.4	21.8	10.4	11.4	4.0	0.2	0.5	4.4
	0.25	0.24	0.26	0.25	65.0	15.6	10.6	8.8	1.9	0.5	1.3	0.6
佐賀 熊本 大分 宮崎 鹿児島	1.51	1.51	1.47	1.47	67.8	17.9	5.6	8.7	4.4	0.6	0.3	0.7
	0.37	0.37	0.35	0.35	60.9	9.9	12.5	16.7	4.1	0.6	4.2	4.4
	0.53	0.50	0.51	0.50	67.6	10.5	13.7	8.2	3.9	0.8	0.7	2.2
	0.53	0.52	0.62	0.53	74.2	12.0	6.8	7.0	7.1	1.1	1.5	1.3
	0.30	0.29	0.27	0.27	79.2	5.4	9.5	5.9	4.8	3.0	0.2	5.3
	0.17	0.14	0.13	0.13	58.7	18.1	11.7	11.5	5.7	3.3	1.7	2.6

3 中学校 (2) 女

(%)

区 分	結 核 性 疾 患				ツベルクリン皮内反応成績(計=100)				寄 生 虫 卵 保 有			
	在学者のうち 結核被患者の 占める割合		定期結核健康診断受 検者のうち結核被患 者の占める割合		陽 性		疑陽性	陰 性	回虫卵 保有者	十二指 腸虫卵 保有者	蛭虫卵 保有者	その他 の卵保 有者
	計	呼吸器系 (再掲)	計	呼吸器系 (再掲)	既陽性	陽 転						
全 国	0.22	0.21	0.21	0.20	71.0	11.8	8.3	8.9	3.8	0.5	1.0	3.1
北海道 北青森 岩手 宮城 秋田	0.25	0.19	0.13	0.11	81.6	11.1	3.0	4.3	3.4	0.0	0.8	0.4
	0.13	0.12	0.09	0.07	79.1	7.6	7.2	6.1	9.0	0.2	0.2	2.3
	0.10	0.07	0.07	0.06	77.0	11.8	6.2	5.0	8.8	0.1	0.8	0.5
	0.27	0.26	0.24	0.24	82.5	6.8	7.2	3.5	7.3	0.1	0.6	5.2
	0.09	0.08	0.07	0.07	53.2	19.2	13.2	14.4	11.7	0.4	0.3	7.8
山形 福島 茨城 栃木 群馬	0.57	0.55	0.50	0.48	75.4	7.8	9.3	7.5	5.2	0.1	0.9	1.8
	0.14	0.12	0.13	0.11	63.2	14.3	9.3	13.2	6.1	0.5	0.2	0.6
	0.11	0.10	0.11	0.11	76.2	8.0	7.7	8.1	3.3	1.8	0.4	3.6
	0.11	0.11	0.12	0.12	75.1	7.6	6.9	10.4	4.2	0.8	0.4	1.4
	0.05	0.05	0.05	0.05	79.7	8.8	5.3	6.2	4.8	0.4	0.5	1.5
埼玉県 千葉県 東京都 神奈川 新潟	0.31	0.28	0.29	0.27	69.5	8.7	8.2	13.6	2.9	0.2	0.5	1.0
	0.27	0.27	0.24	0.24	67.5	14.2	6.7	11.6	2.6	0.3	0.2	1.1
	0.07	0.07	0.07	0.07	70.3	13.8	7.3	8.6	0.9	-	0.3	0.7
	0.07	0.06	0.07	0.06	79.1	10.7	4.9	5.3	1.1	0.0	0.0	1.8
	0.09	0.08	0.07	0.06	74.6	9.9	9.2	6.3	2.7	0.6	2.4	2.7
富山 石川 福井 山梨 長野	0.17	0.17	0.16	0.16	79.5	7.8	8.2	4.5	1.0	0.3	0.5	2.5
	0.34	0.33	0.32	0.32	80.9	5.2	7.7	6.2	2.7	0.2	2.1	5.9
	0.42	0.40	0.42	0.40	77.8	7.6	5.9	8.7	4.4	0.0	1.0	8.1
	0.04	0.04	0.03	0.03	72.6	9.3	9.5	8.6	4.8	0.5	0.8	7.3
	0.10	0.10	0.08	0.08	76.0	12.4	5.8	5.8	6.5	0.3	0.9	6.6
岐阜 静岡県 愛三滋 賀	0.13	0.12	0.10	0.10	74.4	7.7	7.6	10.3	5.3	0.2	1.8	1.5
	0.10	0.10	0.08	0.08	77.2	6.7	6.6	9.5	3.3	0.4	0.1	8.6
	0.21	0.21	0.20	0.20	73.8	13.1	5.8	7.3	1.6	0.1	2.0	1.5
	0.18	0.18	0.16	0.16	60.2	11.7	13.9	14.2	5.8	0.3	1.3	6.9
	0.31	0.30	0.31	0.30	67.0	11.1	11.4	10.5	12.6	0.3	0.9	20.5
京大 阪府 兵衛 奈良 和歌山	0.34	0.33	0.36	0.35	70.2	11.9	8.7	9.2	4.7	0.2	0.3	6.5
	0.20	0.17	0.17	0.14	67.5	18.2	9.5	4.8	1.4	0.1	1.4	1.9
	0.29	0.29	0.28	0.28	73.2	7.9	7.6	11.3	2.0	0.4	0.3	2.3
	0.29	0.29	0.27	0.27	77.4	7.2	9.1	6.3	4.6	0.2	1.3	7.6
	0.55	0.54	0.52	0.51	72.7	8.7	8.7	9.9	4.8	0.2	1.9	6.1
鳥取 島根 岡山 広島 山口	0.19	0.18	0.18	0.17	63.4	7.4	14.9	14.3	2.8	0.8	0.5	4.5
	0.12	0.12	0.11	0.11	60.2	16.0	9.8	14.0	4.0	0.9	1.6	6.1
	0.18	0.17	0.16	0.16	63.3	18.0	8.2	10.5	4.9	1.0	3.9	6.6
	0.20	0.18	0.20	0.18	63.8	10.7	9.2	16.3	1.6	0.4	1.3	2.1
	0.39	0.39	0.36	0.36	73.9	10.3	7.6	8.2	2.0	0.5	0.7	2.9
徳島 香川県 愛媛 高松 福岡	0.29	0.29	0.27	0.27	70.0	10.3	8.7	11.0	8.7	1.0	1.1	2.4
	0.02	0.02	0.02	0.02	57.0	21.4	13.4	8.2	2.1	0.5	1.8	3.0
	0.13	0.12	0.13	0.12	61.7	13.9	12.1	12.3	5.1	0.5	0.6	12.0
	0.06	0.06	0.06	0.06	54.6	23.4	10.1	11.9	3.9	0.1	0.7	4.4
	0.24	0.22	0.23	0.23	64.8	14.9	11.3	9.0	2.4	0.7	1.3	0.5
佐賀 熊本 大分 宮崎 鹿児島	1.18	1.18	1.14	1.14	69.3	16.6	5.5	8.6	4.9	0.9	0.2	0.9
	0.56	0.55	0.56	0.55	59.4	10.0	12.8	17.8	4.8	0.6	3.3	4.0
	0.34	0.32	0.33	0.32	67.2	11.0	13.9	7.9	4.1	0.9	0.5	2.4
	0.40	0.38	0.39	0.37	75.6	11.0	5.8	7.6	7.9	1.5	2.1	1.2
	0.38	0.38	0.36	0.36	77.4	5.3	10.5	6.8	4.9	2.7	0.2	4.6
	0.26	0.26	0.24	0.24	57.7	18.6	11.7	12.0	6.0	2.6	1.5	2.8

12 都道府県別疾病

4 高等学校 (1) 男

区 分	結 核 性 疾 患				ツベルクリン皮内反応成績(計=100)				寄 生 虫 卵 保 有			
	在学者のうち 結核被患者の 占める割合		定期結核健康診断受 検者のうち結核被患 者の占める割合		陽 性		疑陽性	陰 性	回虫卵 保有者	十二指 腸虫卵 保有者	蛭虫卵 保有者	その他 の卵保 有者
	計	呼吸器系 (再掲)	計	呼吸器系 (再掲)	既陽性	陽 転						
全 国	0.23	0.22	0.20	0.20	82.6	8.2	5.2	4.0	2.5	0.4	0.3	2.4
北海道 北青岩宮秋	0.37	0.36	0.30	0.29	91.0	5.8	2.3	0.9	2.1	-	0.0	0.0
	0.12	0.12	0.10	0.10	91.5	3.9	2.9	1.7	3.6	-	-	0.5
	0.16	0.15	0.14	0.14	83.2	12.7	2.2	1.9	6.2	0.0	-	1.0
	0.07	0.07	0.04	0.04	83.4	4.5	6.6	5.5	4.7	0.0	0.8	2.1
	0.15	0.14	0.11	0.11	81.3	7.2	6.4	5.1	5.6	0.2	0.0	5.0
山福茨栃群 山福茨栃群	0.27	0.27	0.27	0.27	88.3	4.0	3.3	4.4	4.1	0.2	0.1	1.8
	0.07	0.07	0.07	0.07	73.9	10.8	7.7	7.6	4.0	0.2	0.0	0.3
	0.35	0.35	0.28	0.28	89.8	6.2	2.7	1.3	1.6	1.0	0.2	1.9
	0.12	0.12	0.11	0.11	82.5	13.2	2.7	1.6	2.1	0.6	0.6	0.4
	0.08	0.07	0.03	0.03	89.4	6.7	2.2	1.7	5.0	0.1	0.3	0.8
埼千東神新 奈	0.17	0.17	0.12	0.12	79.6	8.6	5.4	6.4	2.0	2.1	0.1	1.7
	0.49	0.46	0.47	0.44	82.9	6.2	7.8	3.1	1.0	0.3	0.0	0.5
	0.18	0.18	0.16	0.16	82.9	8.7	4.2	4.2	2.0	0.0	0.1	0.7
	0.16	0.16	0.15	0.15	90.0	6.6	1.9	1.5	0.4	0.0	0.1	0.7
	0.11	0.11	0.07	0.07	76.9	13.4	4.8	4.9	2.0	0.4	0.2	2.6
富石福山長 富石福山長	0.15	0.13	0.14	0.13	85.2	6.8	5.3	2.7	0.7	0.4	0.2	1.6
	0.35	0.34	0.36	0.35	64.2	21.1	9.0	5.7	1.4	0.2	0.2	2.4
	0.24	0.22	0.22	0.20	76.2	8.3	8.6	6.9	3.7	0.1	0.5	6.9
	0.03	0.03	0.03	0.03	90.4	2.8	4.1	2.7	1.8	0.3	1.4	9.8
	0.09	0.09	0.07	0.07	89.6	7.5	1.2	1.7	6.1	0.2	0.0	3.3
岐静愛三滋 岐静愛三滋	0.10	0.08	0.08	0.07	84.1	8.8	3.7	3.4	1.6	0.3	1.3	0.9
	0.16	0.16	0.14	0.14	85.7	5.7	5.4	3.2	1.8	0.1	0.1	4.5
	0.13	0.12	0.13	0.12	81.2	6.5	5.8	6.5	0.9	0.0	0.1	1.2
	0.22	0.21	0.20	0.19	77.4	9.6	7.4	5.6	3.4	0.1	0.6	2.8
	0.12	0.10	0.11	0.09	76.4	9.5	8.9	5.2	14.5	0.5	0.4	31.5
京大兵奈和 歌	0.43	0.38	0.37	0.36	75.3	13.0	8.8	2.9	3.4	-	0.1	2.8
	0.48	0.45	0.44	0.43	83.2	11.0	3.6	2.2	0.6	0.2	0.2	3.1
	0.14	0.14	0.12	0.12	74.7	14.6	6.4	4.3	1.7	0.2	0.2	2.9
	0.36	0.36	0.34	0.34	90.7	2.2	4.9	2.2	3.6	0.2	1.8	6.6
	0.35	0.34	0.31	0.31	79.9	7.8	6.5	5.8	2.2	0.3	1.0	2.8
鳥島岡広山 鳥島岡広山	0.15	0.15	0.12	0.12	73.3	6.2	12.5	8.0	1.4	0.8	0.3	4.0
	0.13	0.13	0.12	0.12	72.4	11.0	8.7	7.9	2.2	0.5	0.6	6.6
	0.30	0.27	0.28	0.26	85.8	5.6	4.1	4.5	3.3	0.8	0.3	5.2
	0.17	0.16	0.15	0.14	82.4	6.4	5.3	5.9	1.2	0.2	0.2	1.5
	0.26	0.26	0.25	0.25	82.0	6.8	5.4	5.8	1.2	0.4	0.1	3.3
徳香愛高福 徳香愛高福	0.09	0.09	0.06	0.06	87.0	4.7	5.1	3.2	3.4	0.5	0.2	1.6
	0.11	0.10	0.08	0.07	87.2	4.3	5.0	3.5	0.7	0.4	0.2	2.6
	0.13	0.11	0.08	0.08	79.9	10.8	4.9	4.4	2.1	0.2	1.2	4.1
	0.11	0.11	0.08	0.08	75.2	9.5	7.4	7.9	1.0	0.3	0.5	3.8
	0.24	0.23	0.22	0.22	82.8	8.8	5.3	3.1	1.7	0.5	0.1	0.4
佐長熊大宮鹿 児	0.51	0.51	0.46	0.46	72.8	9.9	8.1	9.2	4.5	0.4	0.1	0.2
	0.46	0.43	0.40	0.37	74.6	6.3	11.2	7.9	4.3	0.4	0.2	2.0
	0.59	0.58	0.58	0.57	86.2	7.0	4.4	2.4	1.8	0.4	0.2	1.0
	0.52	0.50	0.51	0.49	89.3	5.7	2.9	2.1	6.1	1.0	2.4	1.1
	0.56	0.55	0.52	0.52	85.5	6.0	6.3	2.2	2.4	1.9	0.2	2.7
	0.18	0.17	0.16	0.16	71.7	8.9	10.2	9.2	4.0	1.2	1.0	1.7

異常被患率 (精密検診)

4 高等学校 (2) 女

(%)

区 分	結 核 性 疾 患				ツベルクリン皮内反応成績(計=100)				寄 生 虫 卵 保 有			
	在学者のうち 結核被患者の 占める割合		定期結核健康診断受 検者のうち結核被患 者の占める割合		陽 性		疑陽性	陰 性	回虫卵 保有者	十二指 腸虫卵 保有者	蛭虫卵 保有者	その他 の卵保 有者
	計	呼吸器系 (再掲)	計	呼吸器系 (再掲)	既陽性	陽 転						
全 国	0.22	0.21	0.20	0.19	84.7	7.6	3.9	3.8	2.2	0.3	0.3	2.4
北海道 北青岩宮秋	0.25	0.24	0.23	0.22	91.6	5.7	1.8	0.9	2.8	-	0.0	0.1
	0.15	0.15	0.13	0.13	89.5	6.4	2.4	1.7	4.3	-	0.1	1.3
	0.40	0.39	0.39	0.39	84.2	11.7	1.8	2.3	4.9	0.1	-	1.2
	0.09	0.09	0.05	0.05	97.1	0.9	1.4	0.6	3.6	0.0	0.6	2.3
	0.11	0.11	0.08	0.08	75.7	12.5	5.3	6.5	5.7	0.1	-	5.4
山福茨栃群 山福茨栃群	0.17	0.17	0.14	0.14	91.6	3.6	2.5	2.3	3.6	0.1	-	2.1
	0.09	0.08	0.07	0.06	70.2	17.9	6.6	5.3	2.7	0.1	0.1	0.3
	0.21	0.21	0.17	0.17	95.4	2.0	1.3	1.3	2.2	1.1	0.1	1.1
	0.08	0.08	0.07	0.07	79.1	10.3	5.4	5.2	2.2	0.4	0.3	0.7
	0.06	0.06	0.06	0.06	81.2	15.2	1.6	2.0	2.3	0.2	0.4	0.7
埼千東神新 埼千東神新	0.27	0.26	0.23	0.23	80.3	8.8	4.0	6.9	1.8	0.4	0.0	1.0
	0.36	0.35	0.29	0.29	81.4	10.5	4.8	3.3	1.0	0.3	0.1	0.6
	0.26	0.26	0.24	0.24	86.8	6.9	3.4	2.9	1.0	-	0.1	0.8
	0.20	0.17	0.15	0.13	94.5	1.6	2.4	1.5	0.5	0.0	0.0	0.5
	0.07	0.06	0.05	0.05	85.2	7.1	4.4	3.3	1.1	0.3	0.1	1.7
富石福山長 富石福山長	0.23	0.23	0.22	0.22	86.3	7.2	3.7	2.8	0.8	0.2	0.1	1.7
	0.26	0.26	0.22	0.22	77.5	11.2	6.0	5.3	1.3	0.1	0.0	2.5
	0.28	0.27	0.25	0.25	83.6	8.4	5.2	2.8	5.2	0.3	0.2	7.9
	0.07	0.07	0.05	0.05	92.7	3.0	2.4	1.9	1.5	0.4	0.8	7.1
	0.14	0.12	0.11	0.11	94.8	2.4	0.9	1.9	5.5	0.3	0.0	3.7
岐静愛三滋 岐静愛三滋	0.12	0.12	0.11	0.11	67.2	23.6	4.3	4.9	1.4	0.4	0.9	0.6
	0.15	0.13	0.10	0.10	91.9	3.1	2.4	2.6	2.7	0.1	0.1	7.8
	0.15	0.15	0.15	0.14	85.7	4.6	4.0	5.7	1.1	0.1	0.1	2.4
	0.17	0.17	0.14	0.14	74.5	11.7	7.4	6.4	3.0	0.2	0.5	2.7
	0.20	0.13	0.20	0.13	81.5	8.6	5.5	4.4	13.0	0.5	0.5	28.8
京大兵奈和 京大兵奈和	0.27	0.27	0.25	0.25	64.8	22.2	9.8	3.2	3.1	0.2	0.1	4.3
	0.33	0.32	0.26	0.25	88.5	5.5	2.9	3.1	0.8	0.1	0.2	2.4
	0.23	0.23	0.21	0.21	75.4	12.6	5.4	6.6	1.6	0.2	0.2	2.4
	0.18	0.14	0.14	0.10	91.0	2.7	4.3	2.0	3.0	0.3	0.9	6.7
	0.30	0.29	0.32	0.31	87.6	4.7	4.0	3.7	5.4	0.1	1.1	4.3
鳥島岡広山 鳥島岡広山	0.17	0.16	0.16	0.15	72.2	6.5	11.5	9.8	2.4	0.5	0.4	3.3
	0.12	0.11	0.08	0.08	82.2	5.8	6.0	6.0	1.8	0.6	0.5	7.3
	0.25	0.21	0.23	0.19	86.4	6.2	3.7	3.7	2.5	0.9	0.5	3.4
	0.20	0.19	0.19	0.17	76.6	13.7	3.6	6.1	1.6	0.2	0.2	1.5
	0.16	0.15	0.15	0.15	86.9	5.6	4.2	3.3	1.4	0.5	0.3	2.8
徳香愛高福 徳香愛高福	0.19	0.18	0.16	0.15	88.0	4.3	3.4	4.3	4.3	0.7	0.5	1.4
	0.14	0.14	0.11	0.11	87.3	4.6	4.8	3.3	1.1	0.4	0.1	2.2
	0.17	0.17	0.16	0.16	82.7	6.1	5.1	6.1	2.4	0.3	2.1	4.3
	0.15	0.14	0.09	0.09	74.7	12.1	5.3	7.9	1.1	0.1	0.4	3.3
	0.18	0.18	0.18	0.18	84.2	7.8	3.7	4.3	1.3	0.5	0.1	0.3
佐長熊大宮鹿 佐長熊大宮鹿	0.65	0.65	0.65	0.65	75.9	10.9	6.0	7.2	2.3	0.3	0.1	0.2
	0.25	0.25	0.26	0.26	80.7	5.6	7.4	6.3	4.7	0.3	0.1	2.4
	0.25	0.24	0.23	0.22	90.0	4.6	4.0	1.4	1.1	0.5	0.1	0.7
	0.30	0.29	0.30	0.29	91.2	3.5	2.9	2.4	5.4	1.2	1.3	1.8
	0.42	0.42	0.37	0.37	87.7	5.0	5.0	2.3	1.8	1.4	0.2	1.9
	0.15	0.14	0.13	0.13	72.9	9.4	8.7	9.0	5.0	1.6	0.4	2.4