

## 1 計(大学短期大学平均)

区 分		一 般 検 診							む	
		栄養要注意	近 視	遠 視	乱 視	色神異常	トラホーム	難聴(両耳)	計	
計	計	0.08	49.01	1.14	1.56	3.92	0.18	0.08	81.16	
	男	18 歳	0.13	47.26	1.26	1.23	4.05	0.20	0.07	83.66
		19	0.08	47.21	1.17	1.45	3.85	0.21	0.07	80.97
		20	0.06	50.23	1.17	1.70	4.01	0.19	0.07	82.05
		21	0.06	49.19	1.20	1.65	4.09	0.15	0.08	79.56
		22	0.05	53.08	1.02	1.99	3.98	0.14	0.08	79.76
		23	0.05	51.33	0.99	1.78	3.60	0.14	0.10	79.23
		24	0.16	49.15	0.88	1.41	3.19	0.21	0.14	80.97
	女	計	0.10	45.13	1.02	0.71	0.09	0.18	0.06	88.77
		18 歳	0.09	43.93	0.85	0.70	0.10	0.21	0.06	89.46
		19	0.09	44.26	1.13	0.57	0.07	0.17	0.07	89.27
		20	0.11	47.51	1.07	0.70	0.09	0.18	0.03	87.25
		21	0.11	47.96	1.33	0.89	0.12	0.14	0.05	88.67
		22	0.32	48.57	0.82	1.18	0.12	0.10	-	85.61
		23	0.06	43.68	1.06	1.02	0.12	-	0.24	80.83
	24	0.40	44.74	0.34	1.05	0.41	0.39	-	84.99	
昼 夜 部	計	0.09	49.91	1.21	1.62	3.84	0.18	0.08	81.34	
	男	18 歳	0.14	47.60	1.29	1.27	3.99	0.20	0.07	83.57
		19	0.08	47.82	1.20	1.52	3.77	0.21	0.07	80.96
		20	0.07	51.26	1.22	1.75	3.92	0.19	0.07	82.19
		21	0.06	50.03	1.25	1.71	4.02	0.15	0.08	79.60
		22	0.05	54.62	1.09	2.11	3.87	0.14	0.08	79.80
		23	0.07	53.56	1.07	1.98	3.38	0.13	0.11	79.94
		24	0.17	51.78	1.08	1.41	2.88	0.23	0.14	82.08
	女	計	0.09	45.27	1.02	0.72	0.09	0.19	0.06	89.01
		18 歳	0.08	43.98	0.86	0.69	0.10	0.22	0.06	89.57
		19	0.08	44.33	1.13	0.58	0.07	0.17	0.07	89.42
		20	0.09	47.97	1.11	0.71	0.09	0.19	0.03	87.65
		21	0.09	48.24	1.29	0.92	0.13	0.14	0.05	88.96
		22	0.29	48.98	0.78	1.20	0.11	0.12	-	86.57
		23	0.08	44.33	1.13	1.18	0.08	-	0.21	80.93
	24	-	45.92	0.23	1.18	0.38	0.57	-	87.18	
夜 間 部	計	0.04	41.62	0.53	1.00	4.57	0.17	0.08	79.41	
	男	18 歳	0.04	42.20	0.58	0.68	4.90	0.19	0.14	84.11
		19	0.03	40.73	0.61	0.64	4.63	0.20	0.04	81.06
		20	0.03	41.30	0.54	1.19	4.75	0.19	0.06	80.58
		21	0.06	40.85	0.45	0.99	4.81	0.16	0.06	79.01
		22	0.02	42.83	0.47	1.19	4.68	0.13	0.06	79.46
		23	-	42.57	0.61	0.91	4.42	0.18	0.06	75.98
		24	0.11	40.63	0.34	1.40	3.92	0.16	0.14	77.73
	女	計	0.43	40.08	0.80	0.58	0.12	0.01	0.06	79.67
		18 歳	0.40	40.49	0.33	1.10	0.15	-	0.10	82.37
		19	0.21	40.38	0.87	0.38	-	0.07	-	81.29
		20	0.37	35.84	0.22	0.34	0.17	-	0.11	76.67
		21	0.69	39.27	2.28	0.32	-	-	-	79.20
		22	0.62	44.86	1.20	0.96	0.18	-	-	76.78
		23	-	40.74	0.78	0.39	0.30	-	0.35	80.34
	24	1.27	40.76	0.67	0.68	0.50	-	-	77.45	

この表は、健康診断受検者のうち疾病異常被患者(健康診断票にその旨記載のあった者)の占める割合を示す。「近

(%)

し 菌		結 核 性 疾 患				ツベルクリン皮内反応成績 (計=100)		
		在学者のうち結核被 患者の占める割合		定期結核健康診断受 検者のうち結核被患 者の占める割合				
処置完了者	未処置菌 ある者	計	呼吸器系 (再掲)	計	呼吸器系 (再掲)	陽 性	疑 陽 性	陰 性
36.30	44.86	0.43	0.42	0.45	0.44	95.54	2.75	1.71
36.22	47.38	0.20	0.19	0.22	0.21	93.20	4.28	2.52
36.36	44.61	0.28	0.27	0.31	0.31	95.25	3.04	1.71
36.30	45.75	0.38	0.37	0.42	0.42	95.95	2.54	1.51
36.94	42.62	0.43	0.42	0.46	0.45	96.68	1.96	1.36
35.19	44.57	0.60	0.59	0.60	0.59	96.53	2.04	1.43
34.96	44.27	0.76	0.75	0.82	0.81	96.71	1.90	1.39
37.39	43.58	0.92	0.92	1.05	1.05	96.96	1.65	1.39
37.17	51.60	0.24	0.23	0.23	0.21	94.60	3.10	2.30
37.31	52.15	0.14	0.13	0.14	0.13	93.12	4.17	2.71
35.21	54.06	0.18	0.17	0.17	0.16	94.87	2.81	2.32
37.99	49.26	0.29	0.27	0.24	0.24	95.77	2.23	2.00
39.29	49.38	0.37	0.35	0.36	0.34	96.63	1.80	1.57
38.84	46.77	0.63	0.63	0.62	0.62	96.57	1.90	1.53
39.69	41.14	0.67	0.60	0.72	0.62	95.99	1.93	2.08
40.84	44.15	1.24	1.17	1.67	1.56	95.90	2.43	1.67
35.97	45.37	0.45	0.44	0.46	0.45	95.67	2.68	1.65
36.19	47.38	0.21	0.20	0.22	0.21	93.32	4.22	2.46
36.20	44.76	0.29	0.28	0.32	0.31	95.44	2.90	1.66
36.10	46.09	0.40	0.39	0.43	0.43	96.06	2.49	1.45
36.66	42.94	0.47	0.46	0.48	0.47	96.91	1.81	1.28
34.47	45.33	0.68	0.67	0.64	0.62	96.80	1.87	1.33
33.35	46.59	0.93	0.92	0.92	0.91	97.00	1.73	1.27
35.78	46.30	1.18	1.17	1.23	1.22	97.61	1.39	1.00
37.15	51.86	0.24	0.22	0.22	0.21	94.68	3.07	2.25
37.35	52.22	0.14	0.13	0.14	0.13	93.15	4.18	2.67
35.15	54.27	0.20	0.17	0.18	0.16	94.98	2.75	2.27
38.14	49.51	0.29	0.28	0.24	0.23	95.95	2.11	1.94
39.42	49.54	0.36	0.34	0.35	0.33	96.80	1.72	1.48
38.89	47.68	0.69	0.69	0.69	0.66	97.03	1.67	1.30
38.38	42.55	0.84	0.75	0.85	0.72	97.25	1.59	1.16
39.03	48.15	1.48	1.37	1.87	1.71	97.03	1.60	1.37
39.55	39.86	0.29	0.29	0.38	0.38	94.58	3.28	2.14
36.77	47.34	0.18	0.18	0.22	0.22	91.83	4.89	3.28
38.46	42.60	0.17	0.17	0.23	0.23	93.44	4.36	2.20
38.41	42.17	0.22	0.22	0.33	0.33	95.05	2.98	1.97
40.18	38.83	0.20	0.20	0.30	0.30	94.78	3.25	1.97
40.81	38.65	0.29	0.29	0.40	0.40	95.00	3.01	1.99
42.34	33.64	0.33	0.33	0.41	0.41	95.72	2.47	1.81
42.07	35.66	0.45	0.45	0.61	0.61	95.58	2.21	2.21
37.76	41.91	0.41	0.41	0.35	0.35	92.67	3.82	3.51
34.74	47.63	0.15	0.15	0.19	0.19	92.27	3.49	4.24
38.91	42.38	-	-	-	-	90.85	4.94	4.21
34.07	42.54	0.19	0.19	0.29	0.29	92.86	4.38	2.76
35.08	44.12	0.55	0.55	0.58	0.58	93.00	3.39	3.61
38.39	38.39	0.28	0.28	0.30	0.30	93.73	3.31	2.96
45.66	34.68	0.14	0.14	0.24	0.24	92.59	2.85	4.56
47.06	30.39	0.71	0.71	1.16	1.16	93.67	4.07	2.26

視「遠視」「乱視」「難聴」については、40 ページの注 2 を参照のこと。

16 年 齢 別 疾 病

区 分		一 般 検 診								む 計
		栄養要注意	近 視	遠 視	乱 視	色神異常	トラホーム	難聴(両耳)		
計	計	0.08	49.75	1.19	1.61	3.96	0.18	0.08	81.57	
	男	18 歳	0.14	48.15	1.32	1.26	4.10	0.21	0.08	83.88
		19	0.08	48.11	1.23	1.54	3.91	0.22	0.08	81.36
		20	0.06	50.80	1.20	1.74	4.05	0.19	0.07	82.32
		21	0.06	49.51	1.21	1.68	4.12	0.15	0.08	79.92
		22	0.05	53.67	1.04	2.03	3.98	0.14	0.07	80.24
		23	0.06	52.26	1.00	1.87	3.63	0.14	0.09	80.06
		24	0.16	50.33	0.95	1.45	3.31	0.23	0.14	82.04
		計	0.09	49.63	1.20	0.86	0.11	0.20	0.03	90.05
	女	18 歳	0.08	49.45	1.12	0.83	0.12	0.22	0.02	91.66
		19	0.09	49.95	1.32	0.82	0.08	0.25	0.02	90.64
		20	0.07	50.42	1.19	0.73	0.10	0.20	0.02	89.05
		21	0.08	48.72	1.32	0.92	0.12	0.14	0.05	89.43
		22	0.24	50.51	0.75	1.27	0.14	0.10	-	86.97
		23	0.09	46.97	1.11	1.05	0.16	-	0.11	82.51
		24	0.42	50.10	0.24	1.02	0.40	0.20	-	86.50
昼 間 部		計	0.09	50.38	1.24	1.66	3.87	0.18	0.08	81.52
	男	18 歳	0.14	48.39	1.35	1.30	4.04	0.21	0.07	83.75
		19	0.09	48.62	1.26	1.59	3.85	0.22	0.08	81.25
		20	0.07	51.48	1.24	1.78	3.95	0.20	0.07	82.29
		21	0.06	50.16	1.26	1.73	4.03	0.14	0.08	79.76
		22	0.05	54.85	1.09	2.12	3.89	0.14	0.08	79.99
		23	0.07	53.76	1.09	2.01	3.41	0.13	0.11	80.32
		24	0.16	52.15	1.07	1.44	2.92	0.23	0.14	82.28
		計	0.09	49.59	1.21	0.87	0.11	0.20	0.03	90.09
	女	18 歳	0.08	49.46	1.13	0.83	0.12	0.22	0.02	91.70
		19	0.09	49.89	1.33	0.82	0.08	0.25	0.02	90.74
		20	0.07	50.44	1.21	0.75	0.09	0.20	0.02	88.99
		21	0.08	48.72	1.33	0.93	0.12	0.14	0.05	89.43
		22	0.26	50.24	0.80	1.22	0.12	0.11	-	87.12
		23	0.10	46.27	1.24	1.17	0.09	-	-	81.27
		24	-	50.24	0.30	0.93	0.49	0.25	-	87.90
夜 間 部		計	0.04	42.87	0.60	1.00	4.85	0.19	0.08	82.23
	男	18 歳	0.04	43.65	0.76	0.50	5.16	0.19	0.14	86.94
		19	0.02	41.07	0.74	0.68	4.71	0.29	0.05	83.37
		20	0.05	42.51	0.64	1.19	5.20	0.18	0.06	82.74
		21	0.08	41.13	0.52	1.07	5.17	0.19	0.08	82.30
		22	0.02	43.82	0.51	1.16	4.79	0.12	0.05	82.66
		23	-	44.74	0.47	1.06	4.65	0.18	-	78.54
		24	0.15	44.34	0.49	1.46	4.46	0.24	0.12	81.13
		計	0.16	51.68	0.37	0.68	0.14	0.04	0.12	88.38
	女	18 歳	0.21	48.91	0.30	0.89	-	-	-	89.35
		19	-	53.85	0.76	0.76	-	0.28	-	85.40
		20	-	48.87	-	-	0.27	-	0.33	91.63
		21	-	49.01	0.84	0.42	-	-	-	89.26
		22	-	55.20	-	2.02	0.39	-	-	85.02
		23	-	53.70	-	-	0.75	-	0.90	90.09
		24	2.02	49.30	-	1.49	-	-	-	80.60

異 常 被 患 率

大学・短大

(%)

し 菌	結 核 性 疾 患				ツベルクリン皮内反応成績 (計=100)		
	在学者のうち結核被 患者の占める割合		定期結核健康診断受 検者のうち結核被患 者の占める割合				
	処置完了者	未処置者 ある者	計	呼吸器系 (再掲)	計	呼吸器系 (再掲)	陽 性 疑 陽 性 陰 性
計	36.39	45.18	0.44	0.43	0.47	0.46	95.65 2.67 1.68
	36.38	47.50	0.21	0.20	0.22	0.22	93.27 4.23 2.50
	36.45	44.91	0.29	0.28	0.32	0.32	95.45 2.87 1.68
	36.30	46.02	0.39	0.38	0.43	0.43	96.08 2.46 1.46
	37.07	42.85	0.44	0.43	0.47	0.46	96.77 1.91 1.32
	35.20	45.04	0.62	0.61	0.61	0.60	96.58 2.00 1.42
	34.89	45.17	0.80	0.78	0.85	0.83	96.76 1.83 1.41
	37.55	44.49	0.99	0.98	1.12	1.12	97.09 1.63 1.28
	39.27	50.78	0.30	0.29	0.28	0.27	95.65 2.43 1.92
	39.25	52.41	0.16	0.16	0.16	0.16	93.95 3.68 2.37
	37.97	52.67	0.21	0.20	0.21	0.21	95.61 2.33 2.06
	39.93	49.12	0.28	0.27	0.23	0.23	96.36 1.85 1.79
	39.61	49.82	0.36	0.34	0.34	0.32	96.82 1.70 1.48
	39.06	47.91	0.68	0.68	0.64	0.64	97.12 1.58 1.30
	39.16	43.35	0.83	0.74	0.89	0.77	97.34 1.33 1.33
	40.52	45.98	1.54	1.45	2.10	1.95	97.12 1.55 1.33
計	36.00	45.52	0.46	0.45	0.47	0.46	95.78 2.60 1.62
	36.31	47.44	0.21	0.20	0.22	0.21	93.38 4.18 2.44
	36.28	44.97	0.30	0.29	0.33	0.32	95.64 2.73 1.63
	36.06	46.23	0.41	0.40	0.44	0.43	96.17 2.41 1.42
	36.69	43.07	0.47	0.46	0.48	0.47	96.95 1.78 1.27
	34.41	45.58	0.69	0.67	0.64	0.64	96.82 1.86 1.32
	33.31	47.01	0.95	0.93	0.94	0.92	97.07 1.67 1.26
	35.60	46.68	1.19	1.19	1.24	1.23	97.68 1.38 0.94
	39.23	50.86	0.29	0.28	0.27	0.26	95.70 2.41 1.90
	39.31	52.39	0.16	0.16	0.16	0.16	93.97 3.67 2.36
	37.99	52.75	0.22	0.21	0.21	0.21	95.69 2.30 2.01
	39.89	49.10	0.28	0.27	0.23	0.23	96.41 1.81 1.78
	39.66	49.77	0.34	0.33	0.32	0.31	96.89 1.65 1.46
	39.01	48.11	0.70	0.70	0.65	0.65	97.20 1.60 1.20
	37.17	44.10	0.95	0.85	0.98	0.83	97.67 1.35 0.98
	39.15	48.75	1.65	1.53	2.14	1.95	97.37 0.88 1.75
計	41.42	40.81	0.32	0.32	0.60	0.60	94.53 3.29 2.18
	37.96	48.98	0.21	0.21	0.27	0.27	91.51 5.02 3.47
	39.50	43.87	0.19	0.19	0.27	0.27	93.39 4.41 2.20
	39.66	43.08	0.23	0.22	0.36	0.36	95.24 2.88 1.88
	42.91	39.39	0.22	0.22	0.33	0.33	94.80 3.31 1.89
	42.95	39.71	0.30	0.30	0.43	0.43	95.00 2.92 2.08
	44.16	34.38	0.35	0.34	0.45	0.45	95.53 2.46 2.01
	45.05	36.08	0.54	0.54	0.75	0.75	95.58 2.27 2.15
	40.83	47.55	0.63	0.63	0.52	0.52	94.12 3.25 2.63
	36.13	53.22	0.11	0.11	0.15	0.15	93.24 3.86 2.90
	36.65	48.75	-	-	-	-	91.19 4.26 4.55
	41.46	50.17	0.11	0.11	0.15	0.15	93.99 3.61 2.40
	37.04	52.22	0.95	0.95	0.89	0.89	93.54 3.93 2.53
	39.61	45.41	0.47	0.47	0.48	0.48	96.18 1.39 2.43
	51.35	38.74	0.24	0.24	0.42	0.42	95.57 1.27 3.16
	46.27	34.33	1.20	1.20	1.95	1.95	96.36 3.64 -

## 16 年 齢 別 疾 病

## 3 短期大学

区 分		一 般 検 診							む	
		栄養要注意	近 視	遠 視	乱 視	色神異常	トラホーム	難聴(両耳)	計	
計	計	0.04	37.82	0.42	0.81	3.13	0.10	0.05	73.24	
	男	18 歳	0.07	34.18	0.35	0.81	3.27	0.07	0.04	78.41
		19	0.03	36.11	0.35	0.47	3.02	0.09	0.02	75.21
		20	-	39.58	0.44	0.95	3.25	0.13	0.06	75.99
		21	0.06	39.41	0.36	0.77	3.08	0.12	-	67.64
		22	-	37.90	0.52	1.25	3.78	0.15	0.14	66.33
		23	-	36.55	0.77	0.54	3.03	0.14	0.29	65.42
		24	0.11	36.14	0.28	1.01	1.70	-	0.16	68.75
	女	計	0.11	40.10	0.82	0.54	0.08	0.16	0.10	87.23
		18 歳	0.09	40.56	0.69	0.61	0.09	0.02	0.08	88.00
		19	0.08	40.58	1.00	0.41	0.06	0.11	0.11	88.33
		20	0.24	36.34	0.64	0.57	0.08	0.10	0.07	79.72
		21	0.55	36.31	1.44	0.44	0.14	0.12	-	73.88
		22	0.79	35.52	1.28	0.57	-	0.13	-	74.79
23		-	32.86	0.91	0.93	-	-	0.59	73.30	
24	0.37	32.02	0.53	1.10	0.43	0.74	-	80.00		
昼 間 部	計	0.06	34.97	0.45	0.62	2.59	0.08	0.04	74.86	
	男	18 歳	0.08	32.03	0.40	0.72	2.95	0.02	-	79.28
		19	0.02	34.19	0.35	0.43	2.31	0.12	0.03	75.06
		20	-	41.35	0.55	0.61	2.90	-	0.07	77.12
		21	0.20	38.00	0.58	0.70	2.28	0.20	-	64.57
		22	-	34.05	0.89	1.12	2.51	0.20	0.24	63.33
		23	-	41.49	-	0.74	1.37	-	0.38	59.63
		24	0.68	32.33	1.59	-	0.75	-	-	72.34
	女	計	0.08	40.35	0.81	0.54	0.08	0.17	0.10	87.72
		18 歳	0.08	40.63	0.69	0.60	0.09	0.21	0.08	88.16
		19	0.08	40.71	1.00	0.42	0.06	0.12	0.11	88.49
		20	0.18	37.31	0.70	0.58	0.07	0.12	0.08	81.52
		21	0.19	37.71	0.62	0.53	0.22	0.19	-	76.70
		22	0.48	35.75	0.61	0.99	-	0.24	-	80.80
23		-	33.51	0.58	1.21	-	-	1.21	78.94	
24	-	30.77	-	1.98	-	1.49	-	84.28		
夜 間 部	計	0.02	38.23	0.37	1.00	3.65	0.12	0.07	71.64	
	男	18 歳	0.04	39.41	0.20	1.03	4.04	0.19	0.14	76.28
		19	0.04	39.90	0.36	0.56	4.42	0.04	-	75.50
		20	-	38.38	0.35	1.21	3.48	0.22	0.05	75.19
		21	-	40.03	0.24	0.81	3.44	0.09	-	69.22
		22	-	39.21	0.37	1.30	4.22	0.14	0.10	67.63
		23	-	35.23	1.00	0.48	3.49	0.18	0.26	67.49
		24	-	36.87	-	1.24	1.89	-	0.20	67.94
	女	計	0.57	33.37	1.06	0.52	0.10	-	0.03	70.00
		18 歳	0.48	36.08	0.34	1.22	0.22	-	0.15	76.18
		19	0.29	34.46	0.90	0.19	-	-	-	77.71
		20	0.54	29.63	0.31	0.50	0.13	-	-	64.29
		21	1.16	33.17	3.18	0.26	-	-	-	66.02
		22	1.16	35.17	2.28	-	-	-	-	60.19
23		-	32.10	1.27	0.64	-	-	-	62.90	
24	0.73	33.72	1.22	-	0.88	-	-	71.43		

## 異 常 被 患 率

(%)

し 菌	結 核 性 疾 患				ツベルクリン皮内反応成績 (計=100)		
	在学者のうち結核被 患者の占める割合		定期結核健康診断受 検者のうち結核被患 者の占める割合				
	計	呼吸器系 (再掲)	計	呼吸器系 (再掲)	陽 性	疑 陽 性	陰 性
処置完了者	34.72	38.52	0.17	0.14	0.17	0.15	93.50
未処置者	33.31	45.10	0.12	0.08	0.10	0.07	92.10
	35.04	40.17	0.07	0.07	0.08	0.08	92.59
	36.31	39.68	0.20	0.18	0.22	0.22	93.25
	32.64	35.00	0.15	0.13	0.19	0.19	94.19
	34.87	31.46	0.23	0.17	0.21	0.21	95.15
	36.17	29.25	0.20	0.20	0.21	0.21	95.76
	35.55	33.20	-	-	-	-	95.32
	34.63	52.60	0.17	0.14	0.16	0.14	93.32
	36.02	51.98	0.13	0.11	0.13	0.11	92.56
	33.30	55.03	0.17	0.14	0.15	0.12	94.34
	29.90	49.82	0.34	0.29	0.31	0.29	93.44
	32.95	40.93	0.60	0.50	0.70	0.56	93.68
	37.11	37.68	0.31	0.31	0.45	0.45	93.17
	42.05	31.25	-	-	-	-	91.90
	41.90	38.10	0.30	0.30	0.43	0.43	93.20
	35.06	39.80	0.17	0.12	0.14	0.12	92.23
	33.24	46.04	0.15	0.10	0.12	0.08	91.80
	34.59	40.47	0.08	0.08	0.07	0.07	92.09
	37.74	39.38	0.22	0.18	0.22	0.22	91.55
	33.77	30.80	0.32	0.24	0.31	0.31	93.00
	39.39	23.94	0.45	0.15	0.20	0.20	95.47
	35.78	23.85	-	-	-	-	93.02
	44.68	27.66	-	-	-	-	93.91
	34.64	53.08	0.18	0.14	0.16	0.14	93.41
	36.05	52.11	0.13	0.11	0.13	0.11	92.58
	33.18	55.31	0.18	0.14	0.15	0.12	94.47
	30.13	51.39	0.35	0.30	0.29	0.27	93.70
	33.09	43.61	0.90	0.73	0.93	0.72	94.48
	37.60	43.20	0.57	0.57	0.74	0.74	95.08
	45.61	33.33	-	-	-	-	94.53
	38.57	45.71	0.62	0.62	0.78	0.78	95.79
	34.38	37.26	0.16	0.16	0.20	0.19	94.72
	33.49	42.79	0.04	0.04	0.05	0.05	92.89
	35.95	39.55	0.06	0.06	0.09	0.09	93.57
	35.29	39.90	0.18	0.18	0.22	0.22	94.44
	32.05	37.17	0.09	0.09	0.14	0.14	94.73
	32.89	34.74	0.17	0.17	0.21	0.21	95.03
	36.30	31.19	0.24	0.24	0.27	0.27	96.51
	33.49	34.45	-	-	-	-	95.58
	34.35	35.65	0.12	0.12	0.20	0.20	91.82
	33.50	42.68	0.17	0.17	0.23	0.23	91.84
	40.87	36.84	-	-	-	-	90.70
	28.00	36.29	0.26	0.26	0.41	0.41	92.30
	32.52	33.50	0.13	0.13	0.21	0.21	92.64
	35.92	24.27	-	-	-	-	91.26
	35.48	27.42	-	-	-	-	90.16
	48.57	22.86	-	-	-	-	91.00