

第10表 都道府県別 疾 病

(1) 幼稚園一男

異常被患率 (一般検診)

一般検診・幼

(%)

区 分	栄養 要注 意	せき 柱異 常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両 眼)	色異 常	トホ ム	結 膜炎	その 他疾	難 聴 (両 耳)	中 耳炎
全 国	0.5	0.4	1.5	2.9	0.1	0.0	0.0	0.3	0.9	3.1	0.7	0.2	0.3
北海道	0.9	0.1	1.9	24.5	—	0.2	—	0.2	1.2	1.0	0.1	0.1	0.1
青森	0.5	0.6	0.1	0.2	0.1	—	—	—	0.8	3.5	0.1	0.1	0.3
岩手	0.4	0.1	1.2	2.7	—	—	—	—	3.0	5.2	0.8	—	0.7
宮城	0.2	0.1	1.6	0.1	—	—	0.1	—	1.2	1.1	0.3	0.1	0.3
秋田	0.4	0.5	1.4	2.2	—	—	—	0.1	1.0	3.2	0.3	0.1	0.2
山形	0.9	0.7	1.7	0.3	—	—	—	0.1	0.5	1.9	0.9	0.1	0.8
福島	0.2	0.6	2.2	3.7	—	—	—	0.3	1.6	2.3	1.2	0.1	0.3
茨城	0.4	0.4	1.4	1.7	0.5	—	0.0	0.7	0.7	1.5	0.2	—	0.5
栃木	0.4	0.1	1.9	4.0	0.5	—	0.1	—	1.5	3.9	0.3	—	0.2
群馬	0.2	0.3	2.3	0.2	0.0	0.0	0.0	0.3	0.3	3.2	0.9	0.6	0.4
埼玉県	0.3	—	1.1	—	—	—	—	—	0.8	6.5	0.8	—	0.3
千葉県	0.3	0.1	1.5	6.1	—	—	—	0.7	1.1	2.6	0.5	0.1	0.2
東京都	0.3	0.2	1.4	—	—	—	—	0.3	0.0	2.3	0.6	0.2	0.2
神奈川県	0.7	0.4	2.5	—	—	—	—	0.3	1.0	4.0	0.2	0.2	0.2
新潟県	0.5	0.2	3.3	3.9	—	—	—	0.0	0.1	1.6	0.0	—	—
富山県	0.6	0.2	1.9	0.7	—	0.1	—	—	0.1	2.9	0.5	—	0.2
石川県	0.6	0.3	3.3	1.3	—	—	0.1	0.3	0.1	1.3	0.5	0.1	0.1
福井県	1.8	0.6	1.7	4.2	—	—	0.1	0.4	0.6	2.7	0.2	0.3	0.2
山梨県	0.3	2.5	2.1	19.6	—	—	—	—	0.6	2.7	—	—	0.1
長野県	0.9	0.6	1.5	1.9	0.2	—	—	0.1	0.3	2.9	1.0	0.2	0.2
岐阜県	0.2	0.4	0.4	0.4	—	—	—	0.3	0.6	4.9	1.8	—	0.2
静岡県	0.6	0.1	1.6	0.4	0.1	—	0.0	0.0	0.6	2.8	0.4	—	0.3
愛知県	0.4	0.8	1.2	0.9	—	—	—	0.1	1.7	4.4	0.4	0.0	0.3
三重県	0.7	0.5	1.2	—	—	—	—	2.2	3.1	2.9	0.2	—	0.2
滋賀県	0.6	1.6	2.1	2.1	—	—	0.1	0.2	0.2	3.9	0.5	0.0	0.3
京都府	1.0	1.4	2.0	0.4	—	—	0.1	0.3	0.4	4.7	0.7	0.1	0.6
大阪府	0.5	0.3	0.9	5.8	0.4	0.0	0.0	0.9	1.3	4.0	1.7	0.5	0.4
兵庫県	0.3	0.5	0.9	1.1	—	—	0.1	0.3	1.4	4.5	0.8	0.1	0.4
奈良県	0.5	0.8	0.9	2.4	—	—	0.1	0.4	1.1	3.2	0.7	0.2	0.5
和歌山県	0.5	0.6	1.2	10.0	—	—	—	0.5	6.2	2.7	0.8	—	0.3
鳥取県	1.6	1.2	2.0	—	—	—	—	—	—	0.4	0.1	—	1.3
島根県	0.6	0.8	2.8	2.0	—	—	0.9	0.2	0.8	1.8	0.9	0.2	0.3
岡山県	0.5	0.3	1.4	2.6	—	—	—	1.6	1.0	3.3	1.1	0.6	0.5
広島県	0.3	0.1	1.1	3.5	0.3	—	—	0.4	0.2	1.8	1.5	0.1	0.5
山口県	1.4	0.6	2.1	0.6	—	—	—	—	0.3	1.4	0.3	0.1	0.4
徳島県	0.7	0.2	0.8	—	—	—	—	0.6	0.9	4.5	1.3	0.2	0.6
香川県	0.7	0.3	1.5	5.6	—	0.2	0.2	2.7	0.9	2.6	0.5	0.8	0.5
愛媛県	0.3	0.1	1.8	2.5	—	—	—	—	1.2	1.2	0.3	0.2	0.1
高知県	0.6	—	1.5	—	—	—	—	—	—	0.3	0.5	—	0.1
福岡県	0.2	0.4	1.1	—	—	—	—	—	0.9	1.7	0.2	0.1	0.6
佐賀県	0.4	0.6	0.8	7.7	—	—	—	—	0.7	2.1	0.2	—	0.8
長崎県	0.7	0.5	2.1	6.7	—	—	—	0.2	0.7	3.3	0.3	0.3	0.3
熊本県	0.4	0.5	2.0	1.1	—	—	—	—	0.4	3.2	0.8	0.3	0.2
大分県	0.2	0.2	0.8	3.1	—	—	—	0.3	1.0	1.8	0.5	0.1	0.2
宮崎県	0.2	0.3	1.7	2.2	—	—	—	0.0	1.9	3.2	0.7	—	0.1
鹿児島県	0.1	—	0.8	0.3	—	0.1	—	0.0	0.7	2.2	1.8	—	0.0

(注) この表は、健康診断受検者のうち疾病異常被患者(疾病異常に該当する旨健康診断票に記載のあった者)の占める割合を示したものである。「近視」「遠視」「乱視」「弱視」「難聴」および「むし歯」の「処置完了者」については64頁の図を参照のこと。

その 他疾	鼻およびいん頭				伝皮 染膚 性疾 患の 患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運障 動機 能害	寄 生 虫 病	そ疾 の病 他異 の常	歯				その 歯 疾
	蓄 のう 症	アイ デノ ド	へん とん 大	鼻の 他 の 疾 患 の 頭								むし歯				
												計	処 置	完了 者	未 処 置 者	
0.8	0.4	0.9	13.1	3.3	1.0	0.3	0.1	0.1	0.1	0.5	0.7	88.1	5.3	82.8	0.4	
0.0	—	0.3	10.0	0.6	4.2	0.1	0.0	0.1	0.2	0.1	0.7	91.8	3.3	88.5	0.2	
0.5	0.1	0.1	13.2	3.0	0.1	0.0	0.0	0.1	0.0	—	0.1	82.5	2.1	80.4	0.2	
1.1	0.8	0.7	12.2	6.4	1.1	0.1	0.1	0.0	0.1	0.1	1.7	93.4	2.1	91.3	0.3	
0.0	0.4	0.2	10.7	2.3	0.5	0.2	—	—	0.0	0.4	0.2	86.5	7.1	79.4	—	
0.4	—	0.2	13.7	1.7	1.5	0.2	—	0.1	0.0	0.2	0.8	96.7	3.4	93.3	0.5	
1.0	1.2	0.4	9.6	3.0	1.0	0.1	0.0	0.3	0.1	0.0	0.5	92.7	2.7	90.0	0.6	
0.4	2.5	2.9	12.4	2.5	1.6	0.2	0.1	0.0	0.1	0.3	0.7	91.8	1.9	89.9	0.3	
0.1	0.1	0.3	8.6	1.5	0.3	0.1	0.0	0.1	—	0.0	0.4	90.3	1.8	88.5	0.6	
0.3	0.0	1.4	14.2	1.2	1.6	0.3	—	0.0	0.1	0.3	0.3	93.9	3.1	90.8	0.2	
1.6	0.6	1.0	17.0	4.1	1.5	0.2	0.0	0.1	0.1	0.5	0.6	87.1	6.9	80.2	1.3	
1.4	0.0	0.4	13.6	3.0	0.8	0.2	0.1	0.0	0.0	0.2	0.3	88.0	4.6	83.4	0.2	
2.1	0.2	1.4	12.9	1.5	0.8	0.2	—	—	0.1	—	0.6	80.4	3.0	77.4	0.0	
0.8	0.3	1.0	16.8	4.8	1.3	0.1	0.0	0.1	0.1	0.1	0.7	83.7	14.8	69.1	0.7	
1.7	0.2	0.6	19.7	2.3	0.9	0.1	0.0	0.1	0.1	—	0.7	89.6	6.4	83.2	0.2	
0.1	0.1	0.1	19.1	2.3	1.6	0.2	0.0	0.1	—	0.1	0.6	87.1	2.9	84.2	0.2	
1.4	0.3	0.2	11.0	4.1	1.1	0.0	0.0	0.1	0.3	0.6	2.0	86.3	5.8	80.5	0.5	
0.1	0.1	0.1	13.6	1.6	0.4	0.4	0.0	0.3	0.0	—	1.5	84.0	1.8	82.2	1.4	
0.2	—	0.3	6.9	2.1	1.7	0.5	0.1	0.1	0.1	0.4	1.4	79.4	1.4	78.0	0.1	
0.5	0.1	0.6	14.3	2.0	0.4	0.2	—	0.1	0.1	0.3	1.0	91.7	3.3	88.4	0.5	
0.4	0.8	1.6	14.6	5.9	0.5	0.6	0.1	0.1	0.1	0.1	0.9	88.3	6.0	82.3	—	
0.7	0.7	1.1	11.6	4.0	0.8	0.2	0.1	0.1	0.1	—	0.6	69.0	1.7	67.3	—	
0.3	0.1	0.4	14.2	1.5	0.6	0.3	0.1	0.0	0.1	1.0	0.5	89.4	3.6	85.8	11.1	
0.5	0.3	0.7	14.8	1.1	0.5	0.1	0.1	0.2	0.1	—	0.5	89.5	3.7	85.8	—	
0.2	—	0.2	14.4	3.6	0.2	0.4	0.0	—	0.1	—	0.5	93.6	1.5	92.1	0.2	
0.8	0.4	0.5	18.9	5.9	1.4	0.5	0.1	0.1	0.1	—	1.9	93.2	3.4	89.8	0.4	
0.9	0.6	1.0	18.4	8.8	0.9	0.2	—	0.1	0.0	1.4	1.9	87.6	4.8	82.8	0.1	
1.2	0.9	0.4	13.6	4.3	1.0	0.2	0.1	0.1	0.1	2.3	0.4	92.1	7.5	84.6	0.3	
0.7	0.7	1.2	10.3	2.3	0.5	0.4	—	0.1	0.1	0.4	0.8	85.3	4.0	81.3	0.3	
0.3	0.4	0.9	10.0	2.3	0.8	0.4	0.1	0.1	0.1	0.0	0.7	84.2	0.9	83.3	0.2	
0.5	0.1	0.7	11.2	3.7	0.6	0.3	0.1	0.1	0.2	—	1.2	85.2	2.1	83.1	—	
2.7	—	3.3	7.9	3.9	0.1	0.5	—	—	0.1	0.1	1.4	91.7	1.2	90.5	0.1	
1.3	0.2	1.3	10.8	5.6	2.8	0.3	0.1	0.1	0.1	0.8	1.2	94.7	3.0	91.7	0.3	
0.8	2.2	0.5	12.3	5.5	0.7	0.2	0.2	0.1	0.2	0.1	0.4	93.2	1.2	92.0	0.9	
0.7	1.5	1.1	10.1	5.4	1.8	0.2	0.1	0.0	0.1	0.1	0.2	90.1	3.0	87.1	0.4	
0.7	0.2	1.0	10.5	3.1	0.7	0.3	0.0	0.3	0.2	0.5	0.4	78.9	5.4	73.5	0.1	
0.7	0.4	0.8	6.4	6.4	0.5	0.4	0.1	0.1	0.2	0.1	0.4	91.4	0.8	90.6	0.1	
0.2	0.1	0.1	10.5	3.1	0.5	0.9	0.1	0.2	0.2	0.7	1.0	93.7	2.0	91.7	0.7	
0.3	—	0.8	13.1	0.7	0.5	0.4	—	0.0	0.0	0.9	0.4	86.3	1.4	84.9	0.1	
1.7	—	—	12.2	2.9	1.6	0.3	—	—	—	—	0.6	82.1	1.2	80.9	0.3	
0.3	0.3	4.2	10.2	4.9	2.1	0.3	0.1	0.1	0.2	1.5	0.7	80.6	7.8	72.8	0.3	
0.6	0.8	1.3	9.1	2.7	1.0	0.5	0.1	0.0	0.1	0.1	1.0	83.7	2.0	81.7	0.2	
0.1	0.1	0.6	8.2	1.5	0.5	0.2	0.1	0.2	0.1	0.6	0.5	93.7	3.2	90.5	0.2	
1.1	0.1	0.2	9.7	2.3	0.8	0.4	—	—	0.1	0.4	0.5	86.9	1.9	85.0	0.0	
0.2	—	0.5	8.0	0.5	0.1	0.3	0.0	0.1	0.2	0.1	0.5	90.4	3.6	86.8	—	
0.2	—	0.1	9.1	1.7	0.3	0.3	0.0	0.0	0.1	0.6	0.7	82.0	2.1	79.2	0.6	
1.9	0.4	0.0	6.5	4.2	0.3	0.1	0.0	0.0	0.1	—	1.0	95.3	1.9	93.4	0.6	

第10表 都道府県別 疾 病

(2) 幼稚園一女

区 分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両眼)	色異 神常	ト ホ ー ム	結 膜 炎	その 他 疾 患	難 聴 (両耳)	中 耳 炎
全 国	0.5	0.3	0.6	3.3	0.1	0.0	0.0	0.1	1.1	3.3	0.7	0.2	0.2
北海道 青森 岩手 宮城 秋田	1.4	0.1	0.8	24.0	-	0.2	-	-	1.2	0.9	-	0.1	0.5
	0.3	-	0.1	1.4	-	-	-	-	1.2	3.4	0.1	-	0.2
	0.5	0.1	0.4	5.7	0.6	-	-	-	2.9	5.5	1.1	-	0.5
	0.2	-	1.1	-	-	-	-	-	1.7	1.8	0.4	-	0.4
	1.3	0.4	0.6	2.5	0.1	-	-	-	1.2	2.9	0.1	-	0.3
山形 福島 茨城 栃木 群馬	1.0	0.5	1.8	-	-	-	-	-	0.4	2.4	1.0	0.2	0.4
	0.3	0.3	1.0	3.5	-	-	-	0.0	1.8	2.4	1.1	0.0	0.0
	0.6	0.4	0.7	2.0	0.2	-	0.1	0.1	0.7	1.5	0.2	0.1	0.3
	0.5	-	0.8	3.6	0.2	-	0.2	-	2.3	3.7	0.4	0.1	0.2
	0.2	0.1	1.2	0.4	0.0	-	-	-	0.6	3.8	1.2	0.0	0.3
埼玉県 千葉県 東京都 神奈川県 新潟	0.2	0.1	0.4	-	-	-	-	-	0.6	6.7	0.6	-	0.4
	0.2	0.0	0.4	13.5	-	-	-	-	0.9	2.6	0.4	-	0.2
	0.6	0.1	0.6	-	-	-	-	-	-	2.9	0.4	-	0.0
	0.5	0.2	0.9	-	-	-	-	-	1.4	3.5	0.4	-	0.0
	0.4	0.1	1.5	1.9	-	-	-	0.0	0.0	1.2	0.2	-	0.1
富山 石川 福井 山梨 長野	0.9	0.3	0.6	0.7	-	-	-	-	0.3	2.7	0.4	-	0.2
	0.4	0.1	0.9	1.9	-	-	-	-	0.4	2.1	0.3	-	0.1
	1.2	0.4	0.4	6.1	-	-	-	0.2	0.8	2.8	0.4	0.5	0.2
	0.3	3.4	1.0	32.5	-	-	-	-	0.6	2.8	0.2	-	-
	0.8	0.2	0.7	1.9	-	-	-	-	0.1	3.5	0.5	0.1	0.2
岐阜 静岡県 愛知県 三重 滋賀	0.0	0.4	0.2	0.5	-	-	-	-	0.8	5.6	1.4	0.0	0.4
	0.3	0.1	0.6	0.3	0.5	-	-	0.0	0.3	3.5	0.4	-	0.1
	0.2	0.3	0.6	1.3	-	-	-	-	1.6	4.3	0.6	-	0.2
	0.6	0.4	0.5	-	-	-	-	-	3.3	3.0	0.2	1.1	0.2
	0.7	1.0	0.9	2.3	-	-	-	0.0	0.2	3.6	0.4	0.1	0.1
京都市 大阪府 兵庫県 奈良 和歌山	0.6	1.0	0.8	0.5	-	-	-	-	0.6	3.6	0.5	0.2	0.3
	0.7	0.2	0.2	7.3	0.3	-	0.0	0.3	1.2	3.8	1.6	1.0	0.4
	0.4	0.1	0.3	1.4	-	-	0.1	-	1.9	5.2	0.7	0.1	0.4
	0.3	0.9	0.4	3.8	-	-	-	-	1.5	3.8	0.6	0.1	0.2
	0.6	0.3	0.1	8.2	-	-	-	-	11.4	2.8	0.8	-	0.4
鳥取 島根 岡山 広島 山口	1.6	1.2	2.0	-	-	-	-	-	-	0.4	0.1	-	1.3
	0.3	0.3	1.7	-	-	-	-	0.1	1.2	1.7	0.8	0.2	0.3
	0.6	0.1	0.8	1.7	-	-	-	0.1	1.6	3.8	1.1	0.5	0.6
	0.2	0.1	0.7	3.2	0.3	-	0.1	0.1	5.3	2.5	1.0	0.1	0.0
	1.5	0.1	1.5	3.9	-	-	-	-	0.4	1.7	0.2	0.1	0.1
徳島 香川県 愛媛 高松 福岡	0.5	0.4	0.4	2.0	-	-	-	0.2	1.4	4.3	1.0	0.2	0.5
	0.6	0.3	0.5	4.5	-	-	0.5	-	1.1	2.3	1.0	0.9	0.3
	0.3	-	0.8	1.6	0.2	-	-	-	0.6	1.2	0.3	-	0.1
	-	-	0.3	-	-	-	-	-	-	0.2	0.8	-	-
	0.4	0.3	0.6	-	-	-	-	-	1.1	1.6	0.2	-	0.4
佐賀 長門 熊本 大分 宮崎 鹿児島	0.3	0.5	0.4	8.3	-	-	-	-	0.9	2.0	0.1	1.6	0.5
	0.9	0.3	1.2	6.8	-	-	0.2	0.0	0.5	3.5	0.5	0.3	0.2
	0.4	0.0	1.2	0.5	-	-	-	-	0.5	2.7	1.5	0.1	0.1
	0.2	0.1	0.2	4.8	-	-	-	0.1	1.4	1.8	0.8	0.1	0.1
	0.3	0.3	0.9	1.9	-	0.1	-	0.0	2.3	3.5	0.8	0.1	0.0

118頁の(注)を参照のこと

異常被患率 (一般検診)

一般検診・幼

(%)

その 他 疾 患	鼻およびいん頭					伝 染 性 疾 患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ の 他 異 の 常	歯				その 他 疾 患
	蓄 膿 の 症	アイ デ ノ ド	へ ん と ん	肥 大 の 頭	鼻 の 他 の 頭								むし歯				
													計	処 置	完 了 者	未 処 置 者	
0.6	0.3	0.8	11.2	2.6	0.7	0.2	0.0	0.1	0.1	0.5	0.6	88.3	5.3	83.0	0.3		
-	-	0.4	10.8	0.4	4.8	0.3	0.1	-	-	0.3	0.4	91.4	3.5	87.9	0.2		
0.1	0.1	0.1	13.3	1.7	-	-	-	0.0	-	0.2	0.1	63.9	1.7	62.2	0.1		
0.8	0.9	0.8	10.9	6.4	0.5	0.2	-	-	0.1	0.1	1.4	93.6	2.3	91.3	0.3		
-	0.2	1.2	9.6	1.6	0.8	0.1	-	0.0	-	0.3	0.1	87.2	7.9	79.3	-		
0.2	-	0.1	9.8	1.0	0.9	0.2	-	0.1	0.1	0.4	0.9	97.7	3.8	93.9	0.7		
0.8	0.7	0.9	6.5	2.6	0.5	0.1	0.0	0.2	0.0	-	0.2	93.9	3.4	90.5	0.7		
0.0	4.0	2.5	10.5	2.3	0.8	0.3	0.0	-	0.0	0.4	0.4	88.4	1.4	87.0	-		
0.0	-	0.1	7.2	1.1	0.3	0.1	-	0.1	0.1	0.1	0.3	89.1	2.1	87.0	0.4		
0.3	0.2	0.5	10.9	1.2	1.4	0.2	-	0.1	0.1	0.1	0.3	95.2	3.5	91.7	0.1		
2.9	0.1	0.9	14.7	3.5	0.9	0.3	-	0.0	0.1	0.8	0.7	88.4	6.4	82.0	1.4		
0.8	-	0.4	12.4	2.0	0.7	0.2	0.0	0.1	0.0	0.1	0.2	88.7	4.0	84.7	0.3		
2.0	0.2	1.1	11.2	1.1	0.4	0.1	-	0.0	0.0	-	0.4	85.2	3.5	81.7	0.0		
0.8	0.3	0.6	14.7	3.7	0.9	0.2	0.0	0.0	0.1	0.1	0.6	84.1	14.8	69.3	0.5		
1.1	0.2	0.5	16.4	1.6	0.7	0.3	-	0.1	0.0	-	0.4	90.7	6.5	84.2	0.3		
0.1	0.1	0.1	13.4	0.6	0.4	0.6	-	-	-	0.0	0.3	86.1	2.4	83.7	0.1		
0.9	0.0	0.1	8.7	4.2	0.6	0.1	0.2	0.1	-	0.6	1.4	88.1	4.0	84.1	0.7		
0.2	-	0.0	10.7	0.9	0.3	0.4	-	0.3	0.1	-	1.8	85.3	1.8	83.5	1.3		
0.1	-	0.3	5.5	2.0	0.7	0.3	0.2	0.1	0.2	0.5	0.7	80.4	1.2	79.2	-		
-	0.1	0.6	13.7	1.9	1.0	0.2	-	-	0.1	0.3	0.9	95.1	4.0	91.1	0.3		
0.1	0.7	1.1	12.9	3.3	0.6	-	-	0.1	-	0.2	0.5	88.0	6.9	81.1	0.1		
0.3	0.4	0.5	10.0	2.8	0.7	0.2	-	-	0.1	-	0.7	67.8	2.4	65.4	-		
0.1	-	0.4	13.3	1.9	0.3	0.1	0.0	-	-	1.3	0.2	91.1	4.1	87.0	0.3		
0.3	0.2	0.7	10.9	0.9	0.3	0.2	0.0	0.2	-	-	0.3	88.5	4.5	84.0	0.1		
0.1	0.0	0.2	13.0	3.2	0.3	0.3	0.2	-	0.1	-	0.2	94.3	1.6	92.7	0.3		
0.5	0.2	0.4	16.9	5.1	1.3	0.7	0.2	0.1	0.1	-	1.6	93.0	2.9	90.1	0.7		
1.3	0.3	0.6	16.8	8.0	0.8	-	-	0.0	0.1	1.2	1.5	88.2	4.1	84.1	0.4		
0.8	0.5	0.3	10.9	2.7	0.8	0.1	0.1	-	0.1	1.7	0.6	89.1	7.2	81.9	0.3		
0.4	0.4	1.4	7.6	2.0	0.2	0.1	-	0.1	0.2	0.2	0.8	85.1	4.9	80.2	0.3		
0.2	0.4	0.8	9.2	1.7	0.8	0.5	0.2	0.4	0.1	-	0.2	85.9	1.1	84.8	0.3		
0.3	0.1	0.4	9.4	3.1	0.7	1.0	0.1	0.0	0.3	-	0.8	88.3	2.0	86.3	0.1		
-	-	3.3	7.9	3.9	0.1	0.5	-	-	0.1	0.1	1.4	91.7	1.2	90.5	0.1		
1.7	0.1	0.7	8.0	5.2	1.7	0.2	0.0	0.1	0.1	0.9	1.0	95.1	2.6	92.5	0.5		
1.1	1.6	0.4	11.3	4.4	0.4	0.4	0.1	0.0	0.2	0.2	0.3	93.9	1.6	92.3	0.9		
0.5	1.0	0.5	8.7	3.7	8.5	0.1	0.0	0.1	0.1	0.4	0.2	91.3	5.0	86.3	0.1		
0.5	0.3	0.8	10.5	1.9	0.3	0.5	0.1	-	0.1	0.6	0.5	84.7	4.1	80.6	0.1		
0.7	0.1	0.5	4.6	6.2	0.4	0.3	0.0	0.1	0.2	0.2	0.2	93.0	0.8	92.2	0.1		
0.3	0.2	0.1	8.5	3.4	0.6	1.1	0.2	0.5	0.1	0.4	0.9	94.1	1.8	92.3	0.5		
0.1	-	0.5	10.6	0.7	0.1	0.4	0.0	0.1	0.2	1.4	0.2	86.6	1.4	85.2	-		
0.5	-	-	11.5	1.0	2.1	0.1	-	-	-	-	0.5	83.8	1.8	82.0	0.2		
0.3	0.1	4.1	9.0	3.5	1.0	0.3	0.1	0.1	0.2	1.4	0.9	78.2	6.3	71.9	0.3		
0.3	0.7	1.2	7.5	2.0	0.4	0.3	0.1	-	0.2	0.1	0.8	82.0	1.6	80.4	0.1		
0.1	0.1	0.5	6.2	1.3	0.5	0.2	0.1	0.0	0.1	0.4	0.3	94.3	3.3	91.0	0.2		
0.6	-	0.1	8.6	1.2	0.3	0.1	-	-	0.1	0.4	0.5	89.3	2.1	87.2	-		
0.1	0.1	0.5	6.5	0.5	0.2	0.2	0.1	0.1	0.1	0.1	0.5	94.4	2.7	91.7	-		
0.0	0.2	-	8.4	1.1	0.3	0.2	-	0.0	0.0	0.3	0.7	82.9	2.5	80.4	0.8		
1.1	0.3	-	6.1	3.2	0.1	0.1	-	-	0.1	0.4	0.9	95.8	1.9	93.9	1.1		

第10表 都道府県別 疾 病

(3) 小学校一男

区 分	栄養 要注 意	せき 柱異 常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両 眼)	色異 神常	トホ ー ム	結 膜 炎	その 他疾	難 聴 (両 耳)	中 耳 炎
全 国	0.7	0.6	1.1	10.8	0.2	0.2	0.2	2.8	2.5	3.7	1.1	0.5	0.6
北海道	0.3	0.5	0.6	14.4	0.2	0.3	0.4	2.9	1.4	1.9	1.0	0.6	0.3
青森	0.4	0.2	0.6	7.3	0.2	0.0	0.4	3.2	10.2	3.6	0.9	0.3	1.0
岩手	0.2	0.1	1.0	9.1	0.1	0.0	0.2	3.1	9.8	2.6	1.0	0.2	0.6
宮城	0.3	0.2	0.8	8.7	0.1	0.1	0.1	2.7	6.3	2.8	1.4	0.5	0.5
秋田	0.0	0.6	0.4	14.9	—	0.0	0.2	2.0	5.6	1.7	0.5	0.2	0.4
山形	0.9	0.9	1.0	7.1	0.1	0.1	0.3	3.1	5.0	5.5	1.1	0.3	0.4
福島	1.3	0.2	0.9	9.9	0.2	0.1	0.5	2.0	3.8	3.0	1.0	0.4	0.4
茨城	0.4	1.1	1.4	8.2	0.1	0.1	0.3	2.4	0.9	1.7	0.7	0.4	0.4
栃木	2.3	1.0	4.3	5.6	0.2	0.1	0.2	3.3	4.3	3.9	0.8	0.3	0.3
群馬	0.6	1.1	1.9	5.4	0.1	0.3	0.1	2.5	1.0	2.1	1.8	0.3	0.6
埼玉県	0.3	0.6	1.3	9.7	0.2	0.2	0.2	2.6	1.9	2.8	1.4	0.4	0.4
千葉県	0.3	0.4	1.7	9.8	0.2	—	0.3	2.2	1.5	3.9	1.5	1.1	0.5
東京都	0.6	0.5	1.2	14.3	0.1	0.2	0.1	3.2	0.9	7.6	1.5	0.4	0.6
神奈川県	0.3	1.1	0.9	8.1	0.3	0.4	0.6	2.4	1.9	4.2	1.8	0.1	0.4
新潟県	0.2	0.5	1.2	9.0	0.3	0.2	0.1	2.6	0.8	3.5	1.9	0.6	0.6
富山県	1.1	1.5	2.0	12.4	0.0	0.2	0.1	2.9	0.4	3.9	0.9	0.4	0.3
石川県	0.9	0.5	1.0	13.3	0.0	0.0	0.2	3.3	0.7	2.7	0.3	0.3	0.3
福井県	1.2	1.0	1.4	13.9	0.1	0.1	0.4	3.7	1.2	3.9	0.9	0.5	0.2
山梨県	1.2	1.3	1.6	11.6	0.0	0.1	0.1	2.8	1.4	4.5	1.1	0.4	0.5
長野県	0.9	2.0	1.2	7.8	0.0	0.1	0.1	3.0	0.4	3.4	1.9	0.5	0.4
岐阜県	1.2	1.2	1.0	11.6	0.0	0.1	0.1	3.0	1.2	3.9	2.0	0.4	0.5
静岡県	1.2	0.7	0.8	10.2	0.0	0.2	0.3	3.3	1.1	3.8	0.8	0.5	0.3
愛知県	1.2	0.5	1.2	12.7	0.1	0.3	0.2	2.6	2.4	4.0	0.9	0.4	0.4
三重県	0.7	0.8	0.8	6.5	0.2	0.5	0.3	3.8	4.0	3.0	0.7	0.5	0.4
滋賀県	0.7	1.1	1.0	10.5	0.2	0.1	0.2	3.3	0.2	2.2	0.8	0.5	0.3
京都府	0.8	1.4	0.9	11.0	0.2	0.1	0.1	2.7	0.9	5.5	1.0	0.4	0.8
大阪府	1.2	0.6	0.8	15.6	0.5	0.2	0.1	3.2	2.0	3.4	1.3	0.5	0.7
兵庫県	0.7	0.4	0.6	13.3	0.1	0.2	0.2	2.8	2.4	5.1	0.4	0.8	0.5
奈良県	0.6	0.6	0.9	10.0	0.2	0.1	0.3	3.4	0.9	3.5	1.0	0.3	0.4
和歌山県	0.7	1.1	1.1	9.1	0.1	0.2	0.3	3.4	8.8	3.8	0.5	0.3	0.3
鳥取県	0.7	0.8	1.4	10.2	—	0.1	0.1	3.1	0.9	2.1	0.9	0.9	0.5
島根県	0.7	0.5	1.9	7.2	0.0	0.1	0.6	2.8	2.9	1.5	0.4	0.9	0.6
岡山県	0.4	0.4	1.9	11.7	0.1	0.2	0.3	3.0	2.1	3.9	1.0	1.0	0.7
広島県	0.8	0.5	0.8	13.1	0.1	0.2	0.1	2.9	0.7	3.1	1.3	0.6	0.4
山口県	0.2	0.4	0.8	9.5	0.1	0.1	0.2	3.2	2.2	2.6	0.7	1.3	0.9
徳島県	0.9	0.8	0.7	7.7	0.1	0.2	0.2	2.3	1.0	3.7	1.2	0.8	1.0
香川県	0.6	0.3	0.6	12.0	0.0	0.0	0.1	2.9	1.6	3.3	1.0	0.5	0.7
愛媛県	0.4	0.3	1.1	8.1	0.1	0.0	0.2	2.7	2.8	3.4	0.4	0.4	0.3
高知県	0.6	0.9	1.3	5.9	0.6	0.1	0.2	2.1	1.8	2.3	0.4	0.7	0.4
福岡県	0.3	0.4	0.8	11.1	0.2	—	0.2	3.1	3.7	4.9	1.0	0.5	1.2
佐賀県	0.2	0.4	0.5	7.5	0.1	0.2	0.4	2.8	4.3	4.4	0.9	0.8	1.1
長崎県	1.0	0.4	1.2	10.9	—	0.1	0.4	2.2	2.3	3.3	0.7	0.4	0.8
熊本県	0.4	0.7	1.3	6.8	0.1	0.1	0.2	2.8	1.4	4.4	0.7	0.3	0.6
大分県	1.0	0.6	1.2	9.8	0.5	0.2	0.4	2.3	1.9	1.9	0.8	0.4	0.6
宮崎県	0.7	0.4	1.0	7.9	0.2	0.5	0.3	2.5	3.8	3.5	0.7	0.2	0.7
鹿児島県	0.2	0.5	1.2	6.8	0.3	0.0	0.7	2.7	5.6	3.4	1.2	0.7	0.9

118頁の(注)を参照のこと。

異常被患率(一般検診)

一般検診・小

(%)

その 他疾	鼻およびいん頭					伝皮 染 性疾 患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ 疾 の 病 他 異 の 常	歯				その 他 疾
	蓄 の う 症	アイ デ ノ	へう ん と ん	肥 せ と ん	鼻 の 他 の 疾 患								むし歯				
													計	処 置	完了 者	未 処 置	
1.1	1.7	0.8	10.1	5.6	3.2	0.4	1.3	0.3	0.3	0.3	0.9	84.7	5.5	79.2	1.4		
0.4	0.1	0.2	7.5	1.6	4.8	0.4	1.5	0.3	0.4	0.1	0.5	85.3	3.0	82.3	0.4		
4.2	3.0	0.3	8.3	12.1	7.3	0.8	2.5	0.4	0.3	1.0	2.5	86.6	1.2	85.4	2.3		
0.7	4.6	0.8	14.2	11.5	4.5	0.4	1.1	0.4	0.4	0.2	2.0	87.6	1.8	85.8	0.9		
0.4	0.6	0.1	10.4	1.4	6.1	0.4	1.5	0.3	0.4	0.3	3.8	80.3	3.4	76.9	0.3		
0.7	0.8	0.6	7.0	2.9	4.1	0.3	0.9	0.1	0.2	0.0	0.8	88.1	1.2	86.9	0.4		
0.9	4.0	0.3	14.2	3.8	5.2	0.6	1.4	0.7	0.4	0.2	1.9	83.8	7.3	76.5	1.2		
0.9	2.5	0.7	8.2	1.3	4.6	0.3	0.3	0.2	0.3	1.0	1.0	82.6	3.5	79.1	2.6		
0.3	0.1	0.1	7.8	1.4	2.9	0.2	1.0	0.1	0.3	0.1	1.2	85.7	3.2	82.5	0.9		
0.4	0.5	0.5	13.6	3.9	5.5	0.4	2.4	0.1	0.3	0.4	0.9	77.8	4.9	72.9	1.7		
0.8	1.5	1.5	11.2	4.3	6.4	0.2	2.0	0.2	0.3	2.3	1.0	87.6	6.8	80.8	4.7		
1.4	0.5	0.5	11.0	7.4	2.1	0.2	1.1	0.2	0.3	0.3	0.3	82.0	8.8	73.2	3.0		
1.3	0.4	0.3	11.2	5.8	2.9	0.3	2.7	0.1	0.3	0.3	0.7	82.5	4.4	78.1	0.6		
2.1	2.7	0.6	11.1	10.3	4.2	0.4	1.0	0.3	0.3	0.0	1.0	86.8	7.9	78.9	2.2		
2.5	2.1	1.4	13.8	6.0	2.2	0.2	0.5	0.2	0.2	0.0	0.4	91.7	6.9	84.8	0.9		
0.7	2.2	0.9	11.2	5.0	7.1	0.3	0.6	0.5	0.3	0.1	0.6	81.7	7.5	74.2	0.7		
1.5	3.3	1.3	8.5	10.6	4.1	0.3	1.2	0.4	0.4	1.4	0.8	82.1	8.9	73.2	0.1		
0.3	0.3	0.7	7.9	1.0	1.4	0.3	0.5	0.1	0.3	0.1	0.6	87.1	4.2	82.9	0.7		
0.5	0.9	0.7	11.7	2.4	4.6	0.4	0.8	0.4	0.3	1.3	1.3	79.6	5.0	74.6	1.6		
1.3	1.8	1.1	9.8	3.8	1.6	0.3	2.2	0.5	0.3	0.2	0.5	86.9	7.2	79.7	2.8		
1.1	5.8	0.7	12.6	8.1	2.3	0.4	0.9	0.3	0.2	0.1	1.2	94.3	8.6	85.7	2.4		
0.7	1.5	1.4	10.8	4.3	4.9	0.6	1.5	0.6	0.4	0.0	0.6	80.1	6.3	73.8	1.0		
0.5	0.1	0.2	9.2	3.5	1.3	0.3	0.8	0.2	0.4	0.4	0.7	75.6	6.6	69.0	0.9		
0.7	0.4	1.4	11.6	4.7	1.7	0.3	0.6	0.5	0.3	0.0	1.2	91.7	4.3	87.4	0.7		
0.7	0.6	0.3	14.6	4.1	0.7	0.5	1.2	0.4	0.3	0.0	0.7	93.5	2.5	91.0	1.3		
1.0	1.3	0.3	14.6	2.5	2.3	0.5	2.2	0.3	0.4	0.1	1.2	92.6	5.5	87.1	2.0		
0.8	3.4	0.6	12.2	9.2	1.7	0.2	0.8	0.2	0.3	0.1	0.5	89.3	7.2	82.1	0.4		
1.0	1.4	0.4	9.6	6.8	1.7	0.5	1.4	0.7	0.5	0.5	1.0	91.7	6.8	84.9	2.8		
1.3	1.7	0.3	9.0	3.2	0.9	0.7	1.9	1.0	0.3	1.4	0.9	86.3	8.3	78.0	1.7		
0.3	0.2	0.3	9.7	1.1	2.6	0.4	2.0	0.2	0.2	0.2	0.4	71.5	9.6	61.9	1.4		
0.2	0.7	0.3	12.5	3.2	0.7	0.4	1.0	0.3	0.3	0.1	0.7	87.8	5.8	82.0	0.9		
0.6	1.0	1.1	8.3	3.8	4.6	0.2	1.4	0.3	0.3	0.2	1.3	82.3	4.5	77.8	0.9		
0.3	0.8	0.6	12.2	3.5	4.5	0.3	1.6	0.3	0.4	0.5	0.9	85.2	4.5	80.7	1.2		
2.0	1.4	0.1	10.6	6.6	1.4	0.7	2.8	0.2	0.3	0.3	1.0	82.1	6.4	75.7	1.4		
0.8	2.3	0.4	7.9	6.0	4.4	0.4	1.8	0.4	0.3	0.3	0.5	84.8	5.0	79.8	0.8		
1.6	4.7	1.4	6.5	8.6	2.9	0.2	0.9	0.3	0.5	0.2	0.5	85.9	5.6	80.3	2.1		
0.7	1.7	0.8	7.5	6.3	0.8	0.4	0.7	0.4	0.4	0.0	0.7	86.5	4.1	82.4	0.7		
1.4	1.8	0.4	8.0	4.9	0.7	0.5	1.0	0.3	0.4	0.2	0.5	70.1	13.2	56.9	0.5		
0.2	1.3	0.2	9.4	1.5	0.9	0.6	1.9	0.2	0.5	0.0	0.4	83.1	8.0	80.1	1.2		
0.4	0.5	0.1	8.7	3.1	2.2	0.3	1.2	0.1	0.3	0.6	0.8	79.2	7.4	71.8	2.2		
2.6	3.7	3.0	9.7	14.3	3.6	0.3	1.6	0.2	0.4	0.0	0.6	78.3	5.6	72.7	1.0		
1.7	2.7	1.9	8.1	8.8	2.6	0.3	2.6	0.1	0.4	0.4	0.3	83.3	4.4	78.9	2.2		
0.9	2.1	0.3	13.6	3.6	3.8	0.5	1.1	0.2	0.6	0.0	1.0	87.2	3.2	84.0	0.4		
1.3	1.2	0.2	7.7	4.7	3.9	0.3	1.2	0.3	0.6	0.6	0.7	78.8	4.4	74.4	1.2		
0.6	1.7	0.5	8.8	2.2	2.5	0.2	0.6	0.2	0.4	0.0	0.2	82.8	4.2	78.6	1.3		
0.1	0.5	0.1	6.3	1.4	1.0	0.3	0.8	0.2	0.4	0.8	0.6	82.4	6.0	76.4	1.1		
0.5	0.9	1.2	8.5	3.9	1.3	0.2	1.0	0.2	0.4	0.4	1.7	84.7	3.6	81.1	1.3		

第10表 都道府県別 疾病

(4) 小学校一女

区 分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異神常	トホーラム	結膜炎	その他眼疾	難聴(両耳)	中耳炎
全 国	0.6	0.5	0.7	13.4	0.2	0.2	0.3	0.2	3.1	4.5	1.1	0.5	0.4
北海道	0.3	0.4	0.6	21.2	0.1	0.4	0.5	0.2	1.9	2.2	0.7	0.3	0.3
青森	0.2	0.1	0.3	14.0	0.1	0.1	0.6	0.2	11.9	4.6	1.1	0.4	0.7
岩手	0.3	0.1	0.4	13.3	0.1	0.0	0.2	0.2	12.9	3.4	1.0	0.1	0.3
宮城	0.3	0.2	0.6	10.9	0.2	0.1	0.0	0.2	7.6	3.1	1.5	0.6	0.3
秋田	0.1	0.4	0.3	18.7	—	0.0	0.4	0.2	6.5	2.2	0.6	0.2	0.2
山形	0.8	0.8	0.9	9.7	0.1	0.2	0.3	0.2	6.9	7.2	1.1	0.2	0.3
福島	1.3	0.1	0.6	13.6	0.2	0.1	0.4	0.2	5.4	3.6	1.0	0.5	0.3
茨城	0.3	0.9	0.7	10.1	0.1	0.2	0.2	0.2	1.2	2.2	0.6	0.3	0.3
栃木	1.3	1.0	3.1	6.7	0.3	0.2	0.3	0.2	4.7	4.7	1.1	0.4	0.2
群馬	0.6	0.8	1.0	6.3	0.2	0.4	0.1	0.1	1.4	2.4	2.0	0.3	0.3
埼玉県	0.4	0.4	0.7	11.7	0.1	0.2	0.3	0.2	2.5	3.2	1.2	0.4	0.2
千葉県	0.2	0.3	0.9	12.7	0.3	0.1	0.5	0.2	1.6	4.2	1.5	0.8	0.4
東京都	0.6	0.5	0.7	15.9	0.1	0.1	0.1	0.2	1.0	9.2	1.8	0.6	0.4
神奈川県	0.2	0.6	0.5	9.6	0.2	0.5	0.6	0.2	2.1	4.9	1.6	0.1	0.3
新潟県	0.3	0.4	0.7	11.1	0.4	0.2	0.2	0.2	1.0	5.0	2.0	0.5	0.2
富山県	0.8	1.2	1.2	16.2	0.0	0.2	0.1	0.2	0.4	4.9	1.0	0.3	0.2
石川県	0.9	0.3	0.5	15.4	0.3	0.1	0.3	0.2	1.0	2.8	0.3	0.3	0.1
福井県	0.9	0.8	1.0	16.0	0.1	0.1	0.4	0.3	1.4	4.9	0.9	0.3	0.2
山梨県	1.1	0.8	0.8	15.0	0.0	0.2	0.3	0.2	1.7	5.8	1.3	0.3	0.4
長野県	0.9	1.7	0.6	12.6	0.0	0.1	0.1	0.2	0.5	4.8	1.6	0.6	0.2
岐阜県	1.1	1.0	0.9	13.3	0.1	0.1	0.1	0.3	1.6	5.4	2.2	0.3	0.3
静岡県	1.3	0.6	0.6	12.6	0.1	0.2	0.4	0.2	1.3	4.0	0.7	0.4	0.2
愛知県	1.0	0.4	0.9	15.2	0.2	0.3	0.2	0.2	2.5	4.5	1.1	0.4	0.3
三重県	0.7	0.7	0.5	6.9	0.1	0.5	0.3	0.2	5.2	3.3	0.8	0.6	0.2
滋賀県	0.9	0.7	0.6	12.5	0.1	0.3	0.3	0.3	0.2	2.6	0.6	0.5	0.2
京都府	0.8	1.2	0.5	13.0	0.4	0.3	0.1	0.1	1.0	7.0	1.3	0.4	0.6
大阪府	1.2	0.5	0.9	18.2	0.4	0.2	0.1	0.2	2.5	4.1	1.4	0.6	0.4
兵庫県	0.6	0.3	0.4	16.2	0.1	0.4	0.4	0.1	3.1	6.2	0.5	0.8	0.2
奈良県	0.4	0.5	0.6	12.1	0.2	0.1	0.3	0.3	1.1	4.8	0.9	0.5	0.2
和歌山県	0.7	0.8	0.8	10.7	0.1	0.2	0.3	0.2	11.0	4.8	0.5	0.3	0.2
鳥取県	0.5	0.6	1.0	12.1	0.1	0.2	0.1	0.2	0.9	2.3	1.1	0.8	0.3
島根県	0.6	0.3	1.0	9.2	0.0	0.1	0.4	0.2	3.2	1.8	0.5	0.8	0.4
岡山県	0.5	0.3	1.4	13.4	0.0	0.2	0.2	0.2	2.6	4.5	0.7	1.0	0.6
広島県	0.6	0.5	0.8	15.7	0.1	0.4	0.1	0.2	0.8	3.8	1.2	0.6	0.4
山口県	0.4	0.4	0.5	11.8	0.2	0.1	0.2	0.2	2.6	3.4	0.8	1.2	0.4
徳島県	0.8	0.6	0.3	9.8	0.1	0.3	0.3	0.2	1.1	3.7	1.4	0.7	0.6
香川県	0.6	0.3	0.3	15.4	0.0	0.1	0.1	0.2	2.1	3.7	1.1	0.7	0.5
愛媛県	0.5	0.2	0.4	9.8	0.1	0.0	0.2	0.1	3.0	4.3	0.4	0.4	0.2
高知県	0.5	0.7	0.7	7.6	0.6	0.0	0.2	0.4	1.9	2.4	0.3	0.7	0.2
福岡県	0.2	0.3	0.5	15.5	0.3	—	0.2	0.2	4.4	5.8	1.1	0.4	0.8
佐賀県	0.3	0.3	0.4	9.5	0.1	0.4	0.5	0.2	5.3	4.8	1.1	0.8	0.7
長崎県	1.4	0.4	0.7	12.4	—	0.1	0.5	0.2	2.5	3.9	0.6	0.4	0.5
熊本県	0.5	0.5	0.9	8.5	0.1	0.0	0.1	0.2	1.7	5.0	0.6	0.3	0.3
大分県	1.1	0.5	0.7	9.7	0.8	0.2	0.4	0.2	2.0	2.1	0.6	0.3	0.4
宮崎県	0.9	0.4	1.1	8.8	0.2	0.0	0.4	0.1	4.5	4.8	0.5	0.2	0.3
鹿児島県	0.2	0.4	0.7	8.0	0.3	0.0	0.7	0.3	6.8	4.3	1.2	0.5	0.4

118頁の(注)を参照のこと。

異常被患率 (一般検診)

一般検診・小

(%)

その耳 他疾	鼻およびいん頭				伝皮 染膚 性疾 患の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ 疾 の病 他異 の常	歯				その 歯疾 他
	蓄 のう 症	アイ デノ ド	へん と 大	肥 の いん 頭								む し 歯	処 置	完了 者	未 処 置	
0.9	1.4	0.7	9.9	4.2	2.0	0.4	1.2	0.3	0.3	0.3	0.7	86.3	6.9	79.4	1.3	
0.2	0.1	0.1	7.9	1.1	3.3	0.3	1.5	0.2	0.2	0.2	0.4	86.5	3.4	83.1	0.5	
3.8	3.0	0.4	8.5	10.1	3.8	0.4	2.6	0.3	0.3	0.8	1.2	94.0	1.1	92.9	2.4	
0.9	4.0	3.6	13.4	9.8	2.9	0.4	1.0	0.3	0.4	0.1	1.3	88.7	2.5	86.2	0.7	
0.3	0.6	0.0	10.3	1.0	3.7	0.3	1.2	0.2	0.3	0.3	2.5	83.5	4.4	79.1	0.1	
0.5	0.4	0.5	7.0	2.2	2.2	0.3	0.9	0.2	0.3	0.0	0.6	88.6	1.4	87.2	0.5	
0.7	3.0	0.2	14.8	2.7	3.4	0.5	1.1	0.7	0.5	0.3	1.0	86.3	8.8	77.5	1.2	
0.6	2.6	0.8	7.9	1.2	2.6	0.3	0.2	0.2	0.3	1.0	0.7	85.3	3.8	81.5	2.1	
0.2	0.1	0.1	7.8	1.1	1.8	0.2	0.7	0.1	0.2	0.1	0.9	87.3	4.0	83.3	1.0	
0.3	0.5	0.5	13.3	2.2	3.9	0.5	2.4	0.2	0.2	0.3	0.6	79.9	6.2	73.7	1.6	
0.7	1.2	1.1	10.6	2.9	4.7	0.3	2.0	0.3	0.3	2.4	0.7	89.0	9.2	79.8	4.8	
1.1	0.3	0.3	10.3	4.9	1.5	0.2	0.6	0.2	0.2	0.3	0.2	85.0	11.7	73.3	2.5	
1.2	0.2	0.1	12.0	4.5	2.1	0.4	2.6	0.1	0.2	0.2	0.7	84.9	5.9	79.0	0.6	
1.9	1.4	0.6	10.3	7.3	3.4	0.4	1.0	0.4	0.2	0.0	0.8	88.3	10.4	77.9	1.7	
2.0	1.6	1.3	13.8	4.6	1.2	0.3	0.4	0.1	0.2	0.0	0.2	92.5	7.9	84.6	0.9	
0.5	1.6	0.9	11.1	4.0	4.0	0.4	0.5	0.6	0.3	0.0	0.5	84.6	9.5	75.1	0.5	
1.6	2.8	0.9	8.6	8.4	1.9	0.2	1.2	0.6	0.3	1.6	0.6	85.1	11.7	73.4	0.2	
0.2	0.3	0.6	7.7	0.8	0.7	0.3	0.5	0.2	0.2	0.1	0.5	89.4	5.8	83.6	0.7	
0.5	0.7	0.4	11.7	1.6	2.3	0.5	0.7	0.5	0.3	1.3	1.0	82.0	6.3	75.7	1.3	
1.1	1.6	1.1	8.9	2.9	1.1	0.2	2.0	0.3	2.7	0.0	0.3	83.1	7.1	76.0	2.5	
1.0	4.4	0.6	12.9	5.7	1.3	0.3	0.8	0.3	0.2	0.1	0.9	94.2	9.6	84.6	2.3	
0.7	1.0	1.1	10.7	3.2	3.3	0.6	1.3	0.6	0.2	0.0	0.5	82.2	7.9	74.3	0.8	
0.4	0.1	0.1	9.2	2.5	0.7	0.2	0.8	0.2	0.4	0.4	0.5	79.9	8.3	71.6	0.8	
0.6	0.3	1.3	10.8	3.5	1.0	0.4	0.7	0.4	0.3	0.1	0.8	92.3	5.4	86.9	0.4	
0.4	0.5	0.3	13.8	2.9	0.4	0.5	1.4	0.3	0.4	0.0	0.4	94.3	3.2	91.1	1.1	
0.8	0.7	0.3	13.6	1.8	1.1	0.4	2.1	0.6	0.3	0.0	0.8	94.1	6.7	87.4	1.7	
0.8	2.9	0.6	12.2	6.6	0.9	0.3	0.7	0.2	0.3	0.1	0.5	88.2	8.5	79.7	0.5	
0.8	0.8	0.5	10.1	4.9	0.8	0.8	1.2	0.6	0.3	0.6	1.0	92.7	8.7	84.0	2.7	
1.1	1.2	0.4	9.3	2.5	0.4	0.7	1.9	0.8	0.3	1.4	0.7	78.8	1.0	77.8	1.7	
0.4	0.1	0.3	9.5	0.8	1.3	0.4	1.7	0.1	0.3	0.1	0.5	74.4	11.7	62.7	1.3	
0.2	0.6	0.3	12.2	2.4	0.3	0.3	1.0	0.3	0.2	0.1	0.7	88.6	8.1	80.5	1.0	
0.4	0.7	1.0	8.1	2.5	2.4	0.4	1.6	0.3	0.4	0.3	0.8	83.2	5.7	77.5	0.7	
0.3	0.7	0.4	11.6	2.3	2.2	0.4	1.4	0.3	0.3	0.3	0.7	87.0	5.9	81.1	1.1	
1.9	1.0	0.1	10.7	4.9	0.7	0.8	2.1	0.2	0.3	0.3	0.9	82.4	9.0	73.4	1.4	
0.9	1.5	0.4	7.6	4.5	2.2	0.5	1.8	0.2	0.3	0.3	0.4	84.4	7.2	77.2	1.0	
1.2	3.6	1.5	6.2	6.8	1.6	0.3	0.9	0.4	0.5	0.2	0.3	87.3	7.1	80.2	2.0	
0.4	1.2	0.5	7.5	5.2	0.6	0.5	0.6	0.4	0.3	0.0	0.6	86.4	4.6	81.8	0.7	
1.0	1.2	0.3	8.0	3.0	0.4	0.6	0.9	0.3	0.3	0.3	0.4	74.2	16.0	58.2	0.4	
0.1	1.0	0.1	8.9	1.2	0.7	0.4	1.5	0.3	0.3	0.1	0.3	84.1	4.4	79.7	1.1	
0.3	0.4	0.1	9.1	2.4	1.3	0.3	1.0	0.2	0.2	0.6	0.9	81.4	8.7	72.7	2.0	
2.2	3.5	2.5	9.2	10.9	2.0	1.0	0.8	0.2	0.4	0.1	0.5	81.3	7.0	74.3	0.7	
1.5	3.0	1.6	8.1	7.1	1.3	0.3	2.3	0.2	0.4	0.3	0.4	84.7	5.5	79.2	2.3	
0.8	1.9	0.2	12.9	3.0	1.6	0.4	1.1	0.2	0.7	0.0	1.1	88.0	4.4	83.6	0.4	
0.9	0.9	0.1	7.6	3.1	2.4	0.4	1.0	0.3	0.5	0.6	0.7	79.6	5.7	73.9	1.2	
0.3	1.6	0.8	9.3	2.5	1.2	0.5	0.5	0.2	0.3	0.0	0.2	85.2	5.0	80.2	1.0	
0.1	0.4	0.0	6.6	1.0	0.6	0.3	0.8	0.2	0.3	0.7	0.4	76.7	4.1	72.6	0.8	
0.3	0.6	1.2	7.4	2.4	0.6	0.2	0.6	0.3	0.3	0.2	1.3	86.8	4.0	82.8	1.2	

(5) 中学校一男

第10表 都道府県別 疾病

区 分	栄養 要注意	せき 柱異常	胸 郭異常	目									耳	
				近 視	遠 視	乱 視	弱 視 (両 眼)	色異 神常	トホ ーラム	結 膜炎	その 眼疾 他	難 聴 (両 耳)	中 耳炎	
全 国	0.5	0.5	0.5	18.0	0.4	0.5	0.4	3.9	2.5	3.6	0.8	0.7	0.6	
北海道 北青岩宮秋	0.3	0.3	0.3	24.5	0.1	0.3	0.5	3.5	1.1	1.5	0.4	0.4	0.2	
	0.6	0.2	0.3	19.2	0.8	0.2	1.5	4.6	7.7	5.0	0.9	0.4	0.6	
	0.3	0.2	0.4	15.6	0.0	0.0	0.4	3.9	11.7	3.7	0.8	0.4	0.4	
	0.3	1.9	0.6	13.6	—	0.3	0.1	3.3	6.4	3.1	0.7	0.5	0.3	
	0.2	0.9	0.2	20.4	1.5	—	1.3	4.4	6.4	1.8	0.4	0.9	0.3	
山形 山福茨栃群	0.7	0.7	0.7	16.7	0.0	0.5	0.3	5.1	5.3	3.9	0.6	0.4	0.6	
	0.3	0.2	0.5	17.8	0.5	0.8	0.4	3.4	4.0	3.1	0.5	0.4	0.5	
	0.0	0.2	0.5	14.0	0.1	0.6	1.5	3.6	2.8	1.4	0.5	0.7	0.5	
	0.1	1.0	1.1	11.3	0.1	0.7	0.2	3.5	2.1	2.2	0.7	0.7	0.6	
	0.5	1.3	0.8	14.3	0.3	0.6	0.4	3.7	1.1	2.7	1.4	0.6	0.5	
埼玉 埼千東神新	0.5	0.3	0.3	14.9	0.3	0.3	0.2	4.2	1.6	4.3	1.3	0.4	0.3	
	0.4	0.5	1.0	15.1	0.2	0.1	0.6	3.2	1.5	5.1	0.7	0.2	0.2	
	0.1	0.9	0.4	20.2	0.1	0.3	0.6	3.6	0.3	5.8	0.9	0.6	0.7	
	0.2	0.4	0.4	18.9	0.3	1.4	0.0	3.7	1.5	4.9	1.7	0.2	0.5	
	0.3	0.4	0.7	18.5	0.2	0.2	0.4	3.9	0.4	4.8	0.6	0.7	0.7	
富山 富石福山長	0.6	0.4	0.6	21.6	0.4	0.1	0.1	3.9	0.5	4.0	1.2	0.5	0.8	
	0.1	0.4	0.4	23.1	0.1	0.2	0.3	4.2	0.8	3.8	0.2	0.5	0.3	
	0.8	0.4	0.7	21.5	0.1	0.3	0.2	3.8	1.8	1.7	0.5	0.9	0.4	
	0.6	0.8	1.0	18.4	0.0	0.4	0.3	4.7	2.1	5.0	1.0	0.5	0.5	
	1.9	0.9	0.9	15.8	0.3	0.4	0.7	3.4	0.6	4.7	1.7	0.5	0.4	
岐阜 岐静愛三滋	1.1	0.5	0.7	18.6	0.6	0.2	0.5	3.9	1.6	3.6	1.8	0.8	0.5	
	0.4	0.2	0.2	19.3	0.1	0.2	0.5	3.6	1.4	4.1	0.7	0.5	0.6	
	0.6	0.3	0.9	20.4	0.3	1.3	0.1	4.2	3.5	3.2	0.6	0.3	0.3	
	0.3	0.3	0.3	5.0	0.2	0.3	0.4	4.4	4.6	2.0	0.4	0.4	0.2	
	0.7	0.5	0.9	16.9	0.1	0.4	0.2	4.8	0.1	2.6	0.5	0.4	0.5	
京都 京大兵奈和	0.6	1.1	0.5	17.3	0.3	0.3	0.4	3.9	1.5	2.9	0.8	0.9	0.6	
	0.7	0.2	0.5	24.7	0.1	0.7	0.3	4.1	0.9	3.0	1.6	0.9	0.6	
	0.6	0.1	0.4	23.9	0.7	0.7	0.3	4.1	2.2	3.9	0.5	0.9	0.5	
	0.8	0.2	0.6	16.1	1.0	0.4	0.8	4.2	1.4	2.2	0.5	0.7	0.6	
	0.3	0.3	0.7	13.3	0.4	0.1	0.2	4.3	8.7	2.3	0.4	0.5	0.2	
鳥取 鳥島岡広山	0.1	0.3	0.6	19.0	0.0	0.5	0.2	3.8	2.0	4.3	0.6	0.5	0.8	
	0.6	0.3	0.7	9.2	0.0	1.7	0.3	3.9	1.9	1.1	0.7	0.9	0.3	
	0.7	0.3	0.5	20.3	0.4	0.8	0.2	4.2	2.0	8.7	1.3	0.9	0.8	
	0.3	0.2	0.4	17.0	0.4	0.9	0.4	4.0	1.7	2.5	0.8	1.3	0.5	
	0.2	0.5	0.5	16.2	0.1	0.3	0.1	3.9	2.2	2.6	0.2	0.8	0.9	
徳香 徳香愛高福	0.9	0.1	0.4	15.7	0.5	1.1	1.0	3.4	2.0	3.6	0.8	1.3	0.4	
	0.6	0.2	0.4	22.6	0.0	0.1	0.2	4.0	1.2	2.2	0.8	0.4	0.7	
	0.2	0.1	0.5	12.4	0.4	0.5	0.9	3.1	2.3	2.9	0.6	0.7	0.2	
	0.5	0.2	0.5	8.6	0.1	0.0	0.2	2.9	1.2	2.3	0.2	1.0	0.3	
	0.8	0.3	0.5	18.4	0.2	0.4	0.7	4.6	4.9	4.1	0.8	0.9	1.1	
佐長熊大宮鹿	0.2	0.3	0.3	14.6	0.0	0.1	0.4	4.0	4.6	6.8	0.7	1.2	1.6	
	0.8	1.0	0.3	17.2	0.3	1.1	0.2	3.5	2.2	3.5	0.2	0.6	1.1	
	0.4	1.0	0.6	11.2	0.1	0.1	0.1	3.8	2.6	2.7	1.0	0.6	0.7	
	0.5	0.1	0.2	12.7	0.7	0.1	0.2	3.8	3.1	1.3	0.4	0.7	0.5	
	0.6	0.1	0.9	11.2	—	0.1	0.6	3.6	4.6	4.5	1.1	0.6	0.8	
	0.7	0.6	0.4	11.3	0.5	0.1	0.4	3.1	5.1	2.5	0.6	0.4	0.5	

118頁の(注)を参照のこと。

異常被患率 (一般検診)

一般検診・中

(%)

その他疾	鼻およびいん頭				伝皮 染膚 性疾 患の患	心臓 の疾 患	精神 薄弱	身体 虚弱	運障 動機 能害	寄生 虫病	そ疾 の病 他異 の常	歯				その他
	蓄 のう 症	アイ デノ ド	へん とん と大	肥 せん の 頭								鼻 の 患 の 頭	歯			
													む 計	し 処 置	歯 完了 者	
0.8	2.0	0.1	6.7	3.3	2.1	0.4	1.4	0.3	0.3	0.3	0.5	78.1	13.1	65.0	2.9	
0.1	0.2	0.4	4.6	0.8	2.1	0.4	0.9	0.2	0.2	0.4	0.3	80.0	8.6	71.4	0.9	
2.4	2.5	0.2	7.2	4.5	5.3	0.3	3.3	0.3	0.4	2.2	3.0	86.7	5.0	81.7	5.3	
1.0	3.6	0.0	8.1	6.3	3.2	0.3	1.6	0.3	0.2	0.1	1.3	70.7	7.1	63.6	2.4	
0.2	1.5	0.1	8.9	1.9	6.6	0.3	3.2	0.3	0.5	0.2	1.3	67.7	6.5	61.2	0.5	
0.4	1.0	0.4	4.5	2.6	3.6	0.4	0.8	1.0	0.3	0.5	0.5	79.0	3.9	75.1	3.1	
0.3	5.8	0.0	11.3	3.0	6.1	0.6	1.3	0.6	0.4	0.2	2.1	75.3	12.7	62.6	2.3	
0.2	2.4	0.4	7.8	2.5	2.6	0.3	1.0	0.2	0.3	0.8	0.7	74.3	7.8	66.5	2.8	
0.2	0.9	0.1	6.1	0.9	1.3	0.2	0.6	0.1	0.2	0.1	0.7	76.9	6.8	70.1	5.0	
0.2	1.7	0.0	7.2	1.3	4.3	0.2	2.2	0.3	0.3	0.6	0.9	77.1	8.3	68.8	7.0	
1.4	2.1	1.3	9.7	0.3	0.5	0.6	1.5	0.2	0.3	0.5	0.5	73.1	1.1	72.0	5.0	
0.9	1.7	0.1	7.5	2.2	2.1	0.2	0.9	0.2	0.3	0.1	0.5	80.1	17.0	63.1	3.7	
0.8	0.6	0.1	9.3	2.0	1.4	0.2	3.6	0.1	0.3	0.4	0.5	78.4	8.6	69.8	1.1	
1.6	2.4	0.0	8.9	5.6	1.2	0.2	0.4	0.0	0.1	—	0.2	84.0	19.6	64.4	2.6	
2.3	2.6	0.0	4.6	4.8	0.4	0.3	0.6	0.1	0.2	0.0	0.2	85.9	17.3	68.6	5.0	
0.7	0.9	0.0	7.4	6.0	6.0	0.3	1.4	0.1	0.2	—	0.3	77.1	17.5	59.6	1.6	
1.1	4.5	0.4	4.8	6.9	2.2	0.2	1.8	0.3	0.4	0.5	0.6	80.8	19.1	61.7	3.7	
0.2	0.8	0.1	4.5	0.6	0.3	0.3	1.0	0.2	0.3	—	0.4	85.3	13.3	72.0	1.1	
0.9	0.6	0.1	7.8	1.7	4.0	0.5	1.3	0.2	0.3	1.1	1.1	76.3	11.1	65.2	3.6	
0.7	3.7	0.2	6.9	3.6	0.7	0.3	2.1	0.2	0.3	0.7	0.4	78.1	11.0	67.1	4.1	
1.1	7.8	0.0	7.6	8.4	1.2	0.5	0.8	0.5	0.4	0.6	0.5	83.9	18.4	65.5	2.4	
0.2	1.5	0.3	5.6	1.0	1.2	0.5	1.4	0.4	0.4	0.0	0.3	70.6	14.3	56.3	2.7	
0.6	0.7	—	7.0	0.9	0.8	0.3	0.7	0.1	0.3	—	0.2	80.8	8.2	72.6	1.4	
0.3	0.9	0.1	7.8	1.2	2.2	0.3	1.5	0.2	0.2	0.0	0.6	79.6	11.6	68.0	5.4	
0.5	0.2	0.2	7.1	1.4	1.0	0.4	1.0	0.1	0.3	0.2	0.3	87.6	9.3	78.3	3.1	
0.3	1.0	0.2	13.1	4.3	1.5	0.5	2.5	0.2	0.4	0.0	0.5	84.7	13.1	71.6	6.6	
0.6	2.6	0.4	8.5	2.9	1.4	0.2	1.1	0.1	0.3	—	0.3	82.4	17.7	64.7	1.1	
0.6	2.1	0.1	6.4	3.9	0.8	0.7	1.3	0.8	0.4	1.1	0.7	82.2	21.5	60.7	3.5	
0.6	1.3	0.1	4.8	1.9	0.7	0.8	1.7	0.2	0.2	0.7	0.7	79.3	17.4	61.9	2.2	
1.0	0.3	0.1	6.3	1.8	1.8	0.6	1.6	0.4	0.3	0.1	0.8	82.5	19.5	63.0	2.7	
0.2	0.6	0.0	7.3	0.5	0.3	0.2	1.7	0.2	0.2	0.0	0.3	81.6	14.3	67.3	4.5	
1.1	2.5	0.0	6.3	4.7	1.1	0.3	1.5	0.1	0.2	0.6	0.4	72.7	12.3	60.4	3.2	
0.5	2.1	—	7.5	2.4	4.2	0.5	1.6	0.3	0.3	0.2	0.9	75.6	11.1	64.5	6.2	
1.7	1.9	0.1	8.0	4.9	1.5	0.2	1.9	0.2	0.4	0.1	0.3	74.3	18.7	55.6	3.8	
1.2	2.2	0.0	4.3	3.0	3.0	0.4	2.7	0.4	0.4	0.4	0.2	69.9	14.1	55.8	3.7	
0.8	4.2	0.1	4.2	3.1	2.3	0.4	1.9	0.4	0.5	0.7	0.6	75.1	14.6	60.5	3.3	
0.2	3.0	—	3.7	2.7	0.5	0.2	1.7	0.2	0.1	0.3	0.4	72.1	8.6	63.5	1.0	
0.5	2.2	0.0	3.9	3.2	0.9	0.2	1.3	0.3	0.2	0.6	0.9	78.0	24.4	53.6	1.1	
0.1	0.5	0.0	4.9	0.6	0.7	0.3	4.1	0.3	0.3	0.1	0.6	80.7	12.1	68.6	2.3	
0.2	0.3	0.0	6.4	1.1	1.6	0.2	1.6	0.2	0.3	0.3	0.5	80.4	14.4	66.0	3.1	
1.1	4.4	0.0	5.5	0.8	2.6	0.4	0.9	0.3	0.3	0.5	0.4	63.1	11.6	51.5	1.0	
3.7	6.4	0.6	7.2	13.1	2.1	0.4	2.8	0.3	0.5	0.0	0.4	67.6	7.2	60.4	7.9	
0.6	2.5	0.1	8.7	2.8	2.0	0.4	0.7	0.3	0.4	0.0	0.3	73.0	7.9	65.1	4.9	
1.1	2.5	0.1	6.3	4.5	1.9	0.2	1.7	0.3	0.4	1.6	0.4	66.1	10.9	55.2	0.8	
0.6	1.7	0.1	6.6	2.2	1.3	0.2	1.1	0.2	0.3	0.0	0.3	73.7	12.2	61.5	1.3	
0.1	1.0	0.0	3.8	0.8	1.5	0.4	2.1	0.2	0.7	0.1	0.7	76.5	4.4	72.1	3.7	
0.8	1.0	0.0	4.3	0.6	1.2	0.3	0.6	0.3	0.4	0.1	0.4	75.6	4.2	71.4	1.9	

(6) 中学校一女

区 分	栄養要注意	せき柱異常	胸郭異常	目									耳	
				近視	遠視	乱視	弱(両眼)視	色異神常	トホームラム	結膜炎	その他眼疾	難(両耳)聴	中耳炎	
全 国	0.4	0.3	0.3	22.1	0.3	0.5	0.5	0.4	2.8	3.7	0.8	0.5	0.4	
北海道 北青岩宮秋	0.1	0.2	0.1	33.3	0.2	0.2	0.8	0.5	1.2	1.2	0.3	0.3	0.2	
	0.2	0.0	0.2	26.1	1.0	0.3	1.3	0.7	8.3	4.8	0.9	0.3	0.5	
	0.2	0.1	0.1	22.1	—	0.1	0.6	0.4	13.3	4.0	1.4	0.4	0.2	
	0.2	1.1	0.2	19.3	0.1	0.1	0.2	0.3	6.7	3.6	0.5	0.7	0.3	
	0.2	1.0	0.2	25.0	1.1	0.2	1.4	0.5	7.5	2.1	0.5	0.8	0.3	
山福次栃群	0.7	0.8	0.7	19.8	0.0	0.6	0.3	0.3	6.7	5.1	0.6	0.3	0.5	
	0.2	0.1	0.3	20.9	0.2	0.6	0.2	0.3	4.9	3.4	0.4	0.2	0.4	
	0.0	0.1	0.4	18.9	0.1	0.9	2.1	0.4	3.0	1.4	0.5	0.5	0.3	
	0.1	0.7	0.6	15.0	0.1	0.9	0.3	0.3	2.2	2.5	0.7	0.4	0.3	
	0.4	1.0	0.3	17.0	0.3	0.8	0.3	0.3	1.3	2.8	1.3	0.5	0.3	
埼千東神新 奈	0.4	0.5	0.4	19.2	0.1	0.4	0.1	0.6	1.9	4.2	1.1	0.2	0.3	
	0.3	0.2	0.5	18.9	0.1	0.0	0.7	0.3	0.1	5.7	0.8	0.2	0.2	
	0.2	0.7	0.1	23.8	1.1	0.8	0.9	0.3	0.3	6.0	1.0	0.3	0.4	
	0.2	0.1	0.2	25.5	0.4	1.7	—	0.3	1.6	4.9	1.5	0.1	0.4	
	0.4	0.4	0.6	21.9	0.3	0.2	0.4	0.4	0.6	5.0	0.7	0.5	0.4	
富石福山長	0.5	0.4	0.3	27.7	0.2	0.5	0.3	0.4	0.5	4.7	1.3	0.3	0.8	
	0.1	0.3	0.1	26.2	0.1	0.1	0.3	0.3	0.5	3.3	0.3	0.4	0.2	
	0.9	0.3	0.6	24.9	0.1	0.2	0.2	0.4	2.3	2.2	0.6	0.5	0.5	
	0.5	0.6	0.7	23.6	0.0	0.5	0.3	0.4	2.3	5.1	0.8	0.4	0.4	
	0.9	0.8	0.4	20.8	0.2	0.6	0.9	0.2	0.5	5.1	1.8	0.5	0.4	
岐静愛三滋	1.0	0.4	0.6	19.9	0.5	0.1	0.6	0.4	1.6	3.7	1.9	0.7	0.4	
	0.2	0.4	0.1	23.2	—	0.5	0.7	0.2	1.1	4.3	0.7	0.2	0.3	
	0.6	0.2	0.6	25.1	0.3	1.3	0.2	0.5	3.7	3.9	0.5	0.3	0.2	
	0.2	0.3	0.2	6.5	0.3	0.6	0.3	0.3	5.1	2.1	0.3	0.3	0.2	
	0.6	0.6	0.3	19.4	0.0	0.5	0.2	0.5	0.2	2.5	0.4	0.3	0.5	
京大兵奈和 歌	0.8	0.7	0.5	20.0	0.3	0.3	0.4	0.3	1.5	3.6	0.6	0.8	0.5	
	0.6	0.2	0.3	29.6	0.1	0.9	0.2	0.3	0.9	3.8	1.6	0.8	0.5	
	0.5	0.1	0.2	27.6	1.1	0.8	0.3	0.3	2.3	3.5	0.6	0.7	0.3	
	0.5	0.1	0.3	20.7	1.1	0.4	0.7	0.5	1.1	2.1	0.5	0.5	0.4	
	0.2	0.3	0.2	18.6	0.2	0.1	0.2	0.4	9.6	2.0	0.3	0.4	0.1	
鳥島岡広山	0.1	0.4	0.4	22.9	0.1	0.7	0.2	0.3	2.5	3.7	0.8	0.4	0.7	
	0.6	0.2	0.3	10.4	0.1	2.4	0.4	0.3	2.3	1.7	0.9	0.6	0.4	
	0.8	0.2	0.3	25.9	0.1	0.6	0.3	0.3	2.2	5.6	1.3	0.6	0.7	
	0.4	0.2	0.2	20.3	0.2	0.9	0.3	0.2	1.5	2.7	1.0	0.7	0.3	
	0.1	0.3	0.3	22.5	0.1	0.6	0.1	0.2	2.4	2.6	0.3	0.5	0.8	
徳香愛高福	0.6	0.1	0.3	18.6	0.3	1.0	0.9	0.2	2.0	3.6	0.7	1.1	0.4	
	0.5	0.1	0.1	30.3	0.0	0.1	0.2	0.2	1.5	2.5	0.8	0.3	0.4	
	0.1	0.0	0.3	14.9	0.3	0.6	1.2	0.3	2.0	3.1	0.5	0.4	0.2	
	0.2	0.1	0.2	10.3	0.0	0.0	0.2	0.4	1.3	1.8	0.1	1.1	0.2	
	0.9	0.2	0.3	24.4	0.2	0.6	0.7	0.3	5.3	4.4	0.8	0.6	0.7	
佐長熊大宮鹿 児	0.1	0.2	0.2	18.2	0.1	—	0.5	0.3	4.7	6.8	0.8	1.2	1.3	
	0.8	0.9	0.5	21.2	0.2	1.0	0.1	0.4	3.6	5.5	0.3	0.5	1.0	
	0.3	1.0	0.3	14.2	0.0	0.1	0.2	0.6	2.7	2.8	0.9	0.4	0.6	
	0.4	0.1	0.1	14.1	0.3	0.3	0.2	0.3	3.9	1.4	0.4	0.5	0.4	
	0.6	0.2	0.8	14.8	—	0.1	0.9	0.4	5.4	5.0	0.9	0.4	0.5	
	0.5	0.7	0.2	13.0	0.4	0.1	0.4	0.4	5.8	2.8	0.8	0.3	0.3	

118頁の註を参照のこと。

異常被患率 (一般検診)

一般検診・中

(%)

その耳 他疾	鼻およびいん頭					伝皮 染腐 性疾 の患	心 臓の 疾患	精 神 薄 弱	身 体 虚 弱	運 陣 動 機 能 害	寄 生 虫 病	そ 疾 の 病 他 異 の 常	歯				その 歯 他疾
	蓄 の う 症	アイ デ ノ ド	へん と ん 大	肥 せ ん 大	鼻 の 疾 患 の 患								むし歯				
													計	処 置	完了 者	未 処 置 者	
0.6	1.7	0.1	6.7	2.7	1.1	0.4	1.3	0.3	0.3	0.3	0.4	82.3	15.5	66.8	2.4		
0.2	0.2	0.2	4.8	0.5	0.9	0.4	1.0	0.4	0.2	0.4	0.3	84.7	9.7	75.0	0.8		
2.1	1.9	0.2	7.3	4.2	2.0	0.6	3.0	0.4	0.4	2.3	1.5	90.3	6.1	84.2	4.8		
0.9	2.7	0.0	8.0	6.5	1.8	0.4	1.3	0.3	0.3	0.1	0.9	79.3	9.4	69.9	2.3		
0.1	1.5	0.0	9.1	1.6	3.6	0.3	3.0	0.4	0.4	0.2	0.7	73.9	7.4	66.5	0.5		
0.4	1.2	0.3	5.0	2.2	1.4	0.3	0.8	1.0	0.3	0.5	0.3	84.2	5.6	78.6	2.5		
0.3	4.2	0.0	11.3	2.4	3.2	0.6	1.4	0.6	0.5	0.2	1.4	84.8	15.7	69.1	2.0		
0.1	2.4	0.3	8.8	2.4	1.5	0.3	0.8	0.4	0.2	0.8	0.5	81.7	10.0	71.7	2.0		
0.2	0.9	0.1	6.4	0.3	0.7	0.2	0.6	0.2	0.2	0.1	0.5	82.4	9.3	73.1	4.0		
0.2	1.5	0.1	7.3	0.7	2.5	0.2	2.2	0.3	0.2	0.6	0.4	84.8	11.4	73.4	5.4		
0.9	1.5	1.0	9.9	1.8	2.9	0.4	1.3	0.2	0.1	0.4	0.4	86.7	12.8	73.9	5.3		
0.6	1.6	0.1	8.1	2.6	1.3	0.3	0.8	0.2	0.2	0.1	0.3	84.6	20.6	64.0	3.1		
0.5	0.6	0.1	9.5	1.4	0.7	0.3	3.2	0.1	0.2	0.3	0.5	84.5	9.9	74.6	0.7		
1.0	1.6	—	7.9	4.0	0.6	0.2	0.5	0.1	0.1	—	0.2	86.9	21.3	65.6	2.1		
1.8	2.2	0.0	4.6	3.8	0.2	0.2	0.6	0.1	0.2	—	0.2	90.4	21.0	69.4	3.5		
0.5	0.7	—	7.5	4.8	2.6	0.3	1.4	0.1	0.3	—	0.2	84.7	18.8	65.9	1.5		
1.0	4.7	0.4	5.4	6.8	1.2	0.3	1.5	0.4	0.3	0.6	0.4	86.9	22.1	64.8	0.7		
0.1	0.6	0.1	4.7	0.3	0.1	0.4	1.1	0.2	0.2	—	0.4	90.4	14.2	76.2	0.8		
1.3	0.4	0.1	7.8	2.1	2.2	0.9	1.2	0.3	0.3	—	0.7	81.3	13.9	67.4	3.0		
0.5	3.4	0.2	8.1	3.2	0.5	0.4	1.7	0.2	0.3	0.7	0.3	83.6	15.9	67.7	3.1		
0.9	6.5	2.3	7.0	6.0	0.4	0.6	0.9	0.5	0.4	0.6	0.4	90.0	23.1	66.9	2.0		
0.2	1.4	0.5	5.9	0.9	0.4	0.4	1.2	0.4	0.3	—	0.3	77.9	17.3	60.6	2.3		
0.4	0.7	0.0	7.0	0.6	0.6	0.2	0.5	0.1	0.3	—	0.3	86.2	13.0	73.2	1.2		
0.2	0.8	0.1	7.9	0.7	1.1	0.4	1.7	0.3	0.3	0.0	0.5	84.9	13.8	71.1	4.7		
0.4	0.2	0.1	7.8	1.2	0.4	0.5	1.0	0.1	0.3	0.2	0.2	90.3	10.3	80.0	2.4		
0.2	0.8	0.0	12.3	3.1	0.7	0.6	2.4	0.4	0.3	0.1	0.7	88.2	16.1	72.1	6.0		
0.4	2.1	0.5	8.1	2.1	0.9	0.5	1.0	0.2	0.3	—	0.3	85.8	22.8	63.0	0.9		
0.5	1.6	0.1	5.9	3.3	0.6	0.7	0.9	0.7	0.5	1.3	0.7	85.2	23.2	62.0	3.5		
0.5	1.1	0.1	4.4	1.2	0.4	0.9	1.5	0.3	0.2	0.7	0.6	83.3	19.4	63.9	1.9		
0.7	0.2	0.2	5.8	1.8	1.1	0.5	1.8	0.3	0.2	0.1	0.6	88.0	23.9	64.1	1.9		
0.0	0.5	0.2	7.8	0.5	0.1	0.3	1.2	0.2	0.2	0.0	0.4	85.4	18.0	67.4	3.9		
1.0	2.3	0.0	5.8	4.1	0.3	0.4	1.1	0.0	0.1	0.8	0.3	78.6	15.3	63.3	2.7		
0.5	1.2	0.0	8.0	2.3	2.0	0.5	1.2	0.2	0.3	0.2	1.0	81.2	15.3	65.9	5.1		
1.1	1.7	0.2	7.6	3.6	0.6	0.3	1.4	0.3	0.3	0.2	0.2	79.4	23.6	55.8	3.7		
0.7	2.0	—	4.0	2.6	1.2	0.6	2.0	0.4	0.3	0.3	0.2	76.3	16.9	59.4	3.2		
0.6	3.7	0.1	4.6	3.0	0.9	0.4	2.0	0.5	0.5	0.8	0.4	81.0	17.1	63.9	2.5		
0.3	2.8	0.0	3.8	2.8	0.2	0.4	1.3	0.2	0.2	0.2	0.6	77.5	9.5	68.0	0.8		
0.3	1.7	0.1	4.8	2.6	0.7	0.5	1.0	0.3	0.2	0.4	1.0	84.3	29.7	54.6	0.8		
0.1	0.2	0.1	4.4	0.6	0.2	0.3	3.3	0.1	0.4	0.2	0.4	72.8	13.2	59.6	1.8		
0.2	0.3	0.0	7.7	0.8	1.2	0.3	1.4	0.2	0.3	0.3	0.5	85.0	18.2	66.8	2.2		
0.8	3.1	0.1	5.3	6.2	1.2	0.6	0.7	0.3	0.3	0.2	0.4	69.0	16.0	53.0	0.8		
2.8	6.3	0.4	5.6	10.8	3.6	0.4	3.0	0.4	0.4	0.0	0.2	75.0	9.5	65.5	6.5		
0.4	2.0	0.2	8.7	1.9	1.2	0.6	0.6	0.2	0.3	0.1	0.2	78.2	10.7	67.5	3.8		
1.0	2.5	0.1	7.2	4.1	0.8	0.2	1.6	0.4	0.3	1.6	0.4	65.7	13.4	52.3	0.6		
0.6	1.7	0.2	7.2	1.8	0.4	0.6	0.8	0.1	0.2	0.1	0.2	80.5	15.1	65.4	0.9		
0.1	1.4	—	4.7	0.7	0.8	0.4	2.1	0.2	0.4	0.1	0.4	83.0	5.9	77.1	2.4		
0.6	0.8	0.0	4.5	0.7	0.7	0.4	0.6	0.5	0.3	0.1	0.4	81.9	5.3	76.6	1.3		

(7) 高等学校一男

第10表 都道府県別 疾病

異常被患率 (一般検診)

一般検診・高

(%)

区 分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異神常	トホルム	結膜炎	その他眼疾	難聴(両耳)	中耳炎
全 国	0.3	0.3	0.4	32.9	0.5	2.1	0.5	4.0	1.7	3.5	0.8	0.5	0.6
北海道	0.1	0.2	0.2	38.3	0.5	1.9	0.3	4.1	1.0	0.5	0.2	1.0	0.2
青森	0.1	0.2	0.2	31.2	0.5	1.3	2.4	4.1	6.0	5.0	0.5	0.1	0.9
岩手	0.2	0.2	0.1	22.9	—	—	0.7	3.2	6.6	2.8	0.8	0.1	0.8
宮城	0.1	0.1	0.5	23.5	1.1	2.0	—	4.4	5.4	3.8	0.2	0.4	0.5
秋田	0.1	0.1	0.2	31.8	—	0.0	0.1	2.5	6.1	3.6	0.1	0.0	0.3
山形	0.8	0.7	0.7	37.8	1.1	1.4	0.4	5.3	3.0	4.9	0.6	0.0	0.4
福島	—	0.3	0.2	31.8	0.0	1.1	0.9	3.8	4.9	2.5	0.4	0.4	0.2
茨城	0.2	0.2	0.4	26.2	0.1	2.0	0.7	3.1	0.7	3.6	1.3	0.3	0.2
栃木	0.2	0.2	0.3	28.2	0.2	0.9	—	4.0	3.0	2.8	1.1	0.2	0.4
群馬	0.5	0.2	0.3	26.7	0.1	1.3	0.0	3.9	0.4	2.4	1.0	0.6	1.0
埼玉県	0.0	0.0	0.3	24.6	0.2	2.8	0.0	4.7	0.6	2.9	1.2	0.3	0.6
千葉県	—	0.1	0.3	18.5	0.4	0.4	0.9	3.6	0.2	0.5	1.0	0.5	1.0
東京都	0.5	0.1	0.4	41.0	0.6	1.5	0.2	4.0	0.3	4.4	0.6	0.9	0.6
神奈川県	0.2	0.5	0.7	22.5	0.1	2.1	0.2	4.1	0.5	1.9	0.8	0.4	0.6
新潟県	0.2	0.2	0.3	41.7	0.0	0.4	0.0	4.9	0.5	2.5	1.2	0.2	0.9
富山県	0.3	0.6	0.3	31.0	0.4	0.4	1.4	4.9	0.3	5.5	1.1	0.6	0.7
石川県	0.1	0.4	0.8	39.2	0.1	0.4	0.6	4.1	0.1	2.1	0.4	0.2	0.4
福井県	0.4	0.2	0.6	43.5	0.1	0.5	1.9	4.5	1.6	1.9	0.8	0.5	0.7
山梨県	0.7	0.5	0.5	22.6	0.1	1.6	0.0	4.7	0.4	4.2	2.5	0.9	0.4
長野県	0.1	0.1	0.2	38.6	0.1	1.2	0.2	4.3	0.2	4.5	1.3	0.2	0.7
岐阜県	0.1	0.7	0.2	26.4	0.4	0.7	2.1	3.0	1.0	7.3	1.4	0.2	0.3
静岡県	0.8	0.6	0.8	39.5	0.2	1.6	0.4	3.0	0.8	3.6	0.6	0.5	0.6
愛知県	0.3	0.5	0.4	42.0	0.6	3.4	0.3	3.9	2.5	2.9	1.2	0.3	0.6
三重県	0.1	0.1	0.3	43.3	1.4	4.5	0.1	3.8	3.6	2.8	0.7	1.1	0.7
滋賀県	—	0.6	0.4	29.2	0.1	1.7	0.3	4.4	—	0.5	0.1	0.3	0.7
京都府	0.3	0.3	0.3	27.2	0.5	1.9	0.3	4.6	0.3	1.0	0.2	0.3	0.9
大阪府	0.2	0.6	0.4	45.9	1.1	11.1	0.5	4.5	2.2	6.4	1.2	0.6	1.2
兵庫県	0.1	0.3	0.2	33.9	0.5	1.4	0.0	4.0	2.6	8.1	0.6	0.6	0.3
奈良県	0.1	0.1	0.1	31.6	1.0	0.5	0.2	4.5	0.6	5.1	0.5	0.0	0.0
和歌山県	1.0	0.1	0.2	25.1	—	0.2	0.1	3.4	9.3	3.9	0.7	0.3	0.5
鳥取県	0.1	0.6	0.3	29.5	0.1	1.1	0.0	4.2	1.2	1.8	0.5	0.1	0.1
島根県	0.2	0.1	0.5	30.6	0.2	2.5	0.1	3.0	0.7	1.0	0.4	0.5	0.4
岡山県	0.1	0.1	0.5	30.4	0.0	1.6	0.1	5.3	0.3	1.6	1.2	0.7	0.4
広島県	0.1	0.2	0.7	26.6	0.5	1.8	0.8	3.7	0.3	2.2	1.1	1.4	0.4
山口県	0.2	0.1	0.3	28.4	—	1.0	2.2	4.2	1.7	2.4	0.3	0.7	0.6
徳島県	0.1	0.2	0.3	27.4	0.4	0.8	—	3.0	1.1	2.6	1.3	0.4	0.8
香川県	1.6	0.1	1.1	38.5	0.0	0.3	0.0	5.9	1.1	2.3	1.2	0.3	0.8
愛媛県	0.1	0.4	0.2	27.7	0.0	0.9	0.2	3.0	0.7	3.6	0.2	0.2	0.5
高知県	0.2	0.1	0.2	15.0	0.4	0.3	—	1.9	1.2	2.6	0.6	0.4	0.4
福岡県	0.3	0.2	0.4	22.7	2.2	0.3	1.3	4.1	2.5	3.2	0.5	0.6	1.1
佐賀県	—	0.4	0.1	34.4	—	—	0.0	2.7	1.6	2.4	0.3	0.3	0.7
長崎県	0.0	1.0	0.8	29.4	—	1.0	0.1	4.8	1.3	2.5	0.0	0.5	1.2
熊本県	0.3	1.0	0.5	17.1	0.0	0.3	1.0	2.6	3.1	4.0	1.7	0.2	2.0
大分県	0.1	0.1	0.4	29.6	0.2	1.0	0.1	3.8	2.2	3.2	1.0	0.6	0.9
宮崎県	0.0	0.4	0.6	19.5	—	0.7	0.1	3.9	3.4	4.2	1.3	0.2	0.3
鹿児島県	0.1	0.5	0.3	21.5	0.3	0.1	0.5	2.6	3.8	2.0	1.4	0.5	0.3

118頁の註を参照のこと。高等専門学校の学生は、この高等学校の中に含めた。

その耳 他疾	鼻およびいん頭					伝皮 染膚 性疾 患の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ 疾 の 病 他 異 の 常	歯				その 歯 他 疾
	蓄 の う 症	アイ デ ノ ド	へ ん と ん	肥 せ ん 大 頭	鼻 の 疾 患 の 患								むし歯				
													計	処 置	完 了 者	未 処 置 者	
0.7	2.0	0.1	4.4	3.7	0.3	0.4	0.0	0.1	0.2	0.1	0.4	77.9	18.7	59.3	3.3		
0.2	0.8	0.1	3.2	1.5	0.0	0.6	-	0.1	0.2	-	0.7	86.3	9.9	76.4	2.2		
1.6	2.1	-	7.7	8.3	1.0	0.3	-	0.8	0.3	0.1	0.4	84.8	7.6	77.2	5.0		
1.7	5.9	0.7	6.8	13.1	0.2	0.1	-	-	0.1	-	1.0	82.6	14.3	68.3	2.8		
0.3	1.6	-	3.7	5.5	0.2	0.2	-	-	0.4	-	0.1	68.0	11.1	56.9	1.5		
0.3	1.2	-	5.5	6.1	1.2	0.2	-	0.0	0.2	0.0	0.3	75.3	8.0	67.3	1.3		
0.8	8.4	0.0	10.0	2.3	3.0	0.4	-	0.1	0.4	0.1	0.4	70.7	26.0	44.7	1.4		
0.3	1.1	-	3.1	0.7	-	0.1	-	-	0.3	0.0	0.2	70.7	11.8	58.9	2.2		
1.2	1.3	-	2.6	1.4	-	0.4	-	-	0.0	-	0.4	83.1	16.4	66.7	8.5		
0.1	1.2	-	7.4	11.1	0.5	0.2	-	0.0	0.2	-	0.5	78.7	18.9	59.8	0.6		
0.7	3.4	-	5.0	4.4	0.3	0.3	-	-	0.2	-	0.2	71.6	19.6	52.0	1.0		
1.0	1.6	0.0	4.8	3.5	1.0	0.2	-	0.1	0.2	0.1	0.2	87.6	23.6	64.0	5.6		
0.3	1.7	0.1	3.7	2.5	0.1	0.5	-	-	0.1	-	0.1	79.7	17.3	62.4	0.9		
1.0	1.8	0.0	3.6	4.0	0.1	0.2	-	0.1	0.1	-	0.2	82.7	20.0	62.7	2.4		
1.2	0.5	0.2	4.5	5.0	0.1	0.3	-	0.0	0.1	-	0.3	87.6	23.6	64.0	3.2		
0.4	3.4	0.0	3.5	3.4	0.4	0.4	-	0.1	0.1	-	0.2	78.7	25.6	53.1	2.0		
0.8	3.6	0.0	3.1	2.8	0.3	0.4	-	0.1	0.2	-	0.8	76.0	23.8	52.2	1.0		
0.2	0.6	-	4.0	0.2	-	0.4	-	-	0.1	-	0.4	78.2	15.0	63.2	0.1		
0.2	0.7	-	2.2	2.3	0.5	0.8	-	0.1	0.2	1.2	1.5	66.8	13.1	53.7	4.8		
3.0	3.7	0.0	5.8	4.2	0.2	0.5	-	0.1	0.4	-	0.3	75.8	10.3	65.5	1.8		
0.7	3.3	0.0	4.7	6.6	0.6	0.6	-	0.1	0.2	0.1	0.3	85.9	16.0	69.9	5.1		
-	0.5	-	1.5	0.8	0.0	0.5	-	-	0.1	0.0	0.1	80.5	17.7	62.8	3.0		
0.3	1.3	-	2.4	1.6	0.1	0.3	0.0	0.0	0.1	0.3	0.2	71.9	21.1	50.8	0.9		
0.5	1.5	0.8	4.1	2.9	0.2	0.3	-	0.0	0.1	-	0.2	74.5	22.4	52.1	8.1		
1.9	4.5	0.0	6.5	11.6	0.2	0.2	-	-	0.1	-	0.4	81.3	16.4	64.9	1.1		
0.2	1.8	0.1	4.0	1.1	0.0	0.7	-	0.2	0.3	-	1.0	79.4	13.3	66.1	6.5		
0.3	1.6	-	6.9	3.6	0.2	0.1	-	0.1	0.1	-	0.1	70.2	22.6	47.6	1.0		
0.8	2.1	0.0	5.2	6.2	0.1	0.6	-	0.0	0.1	0.5	1.2	84.9	20.7	64.2	6.8		
0.5	1.6	-	4.5	1.2	0.2	0.5	-	0.0	0.2	0.1	0.6	71.0	20.6	50.4	4.0		
0.1	0.0	-	2.8	0.4	0.0	0.5	-	0.0	0.2	-	0.2	77.8	23.7	54.1	0.4		
0.4	2.4	-	5.9	2.3	0.0	0.5	-	0.0	0.1	-	0.5	70.3	22.9	47.4	4.9		
-	0.1	-	2.5	0.9	1.0	0.1	-	-	0.1	0.3	0.3	74.4	17.7	56.7	1.4		
0.5	1.6	0.0	6.7	1.7	0.6	0.6	-	0.1	0.1	0.5	0.5	73.5	15.3	58.2	5.6		
1.1	1.4	-	3.0	1.9	0.1	0.5	-	0.0	0.5	0.0	1.6	74.5	19.4	55.1	3.4		
1.0	2.7	0.0	2.4	1.3	0.1	0.1	-	0.0	0.1	0.2	0.3	75.1	15.6	59.5	2.9		
0.7	4.4	-	3.1	4.6	0.9	0.1	-	0.1	0.3	0.5	0.3	74.8	23.8	51.0	3.9		
0.8	6.5	-	3.1	3.5	0.1	0.3	-	-	0.1	0.1	0.2	70.4	16.8	53.6	1.0		
0.5	1.1	-	3.8	3.0	0.2	0.8	-	0.1	0.1	0.1	0.5	75.9	23.0	52.9	2.8		
0.1	0.8	0.0	3.3	0.2	0.0	0.5	-	0.1	0.2	0.0	0.3	74.1	18.5	55.6	3.6		
0.1	0.7	-	2.3	0.5	0.1	0.4	0.1	0.1	0.2	0.2	0.2	80.2	12.4	67.8	4.1		
0.7	3.1	0.0	7.4	4.9	0.1	0.2	0.0	0.0	0.1	0.3	0.3	67.4	22.1	45.3	2.7		
0.7	3.6	-	2.5	7.3	0.1	0.2	-	0.1	0.0	0.0	0.1	72.4	15.7	56.7	6.0		
1.3	3.5	-	7.6	4.6	0.5	0.4	-	0.1	0.3	-	0.6	75.2	14.8	60.4	4.2		
1.1	1.3	-	8.8	5.4	0.3	0.2	-	-	0.1	0.8	0.3	76.1	23.8	52.3	0.7		
0.1	2.0	0.0	5.1	1.3	0.8	0.1	-	0.1	0.2	0.0	0.5	63.6	21.5	42.1	1.0		
0.2	1.1	-	2.1	0.9	0.3	0.6	-	-	0.1	0.8	0.3	76.0	14.3	61.7	1.2		
0.0	1.1	-	2.1	1.4	0.1	0.1	-	0.0	0.0	0.3	0.3	71.0	10.1	60.9	2.8		

(8) 高等学校一女

第10表 都道府県別 疾病

区 分	栄養 要注 意	せき 柱異 常	胸 郭異 常	目									耳	
				近 視	遠 視	乱 視	弱 (両 眼)	色異 神常	トホ ラム	結 膜炎	その 他疾	難 (両 耳)	中 耳炎	
全 国	0.2	0.2	0.1	34.1	0.7	2.2	0.5	0.2	1.3	2.7	0.8	0.4	0.6	
北海道 北青岩宮秋	0.1	0.2	0.0	43.2	0.5	2.4	0.2	0.3	1.4	2.4	0.2	0.1	0.3	
	0.0	0.0	0.0	29.3	0.5	1.8	0.4	0.3	6.1	2.4	0.3	0.3	0.6	
	0.1	0.0	0.1	30.7	0.0	0.1	0.8	0.6	6.1	2.3	0.7	0.1	0.3	
	0.0	0.0	0.0	24.3	1.1	0.3	0.1	0.1	2.5	1.9	0.6	0.9	0.8	
	-	-	-	43.5	-	-	0.0	0.2	4.1	3.6	0.3	0.1	0.9	
山形 山福次栃群	0.5	0.4	0.1	38.1	0.3	1.3	0.2	0.2	4.0	4.5	0.6	-	0.2	
	0.0	2.6	0.9	13.4	0.4	2.9	0.3	0.4	1.9	1.9	0.2	0.4	0.3	
	0.2	0.1	0.1	28.6	0.2	0.8	0.3	0.2	0.7	0.6	0.6	0.3	0.6	
	-	0.1	0.0	30.1	2.0	2.5	-	0.1	2.4	3.3	0.2	0.2	0.3	
	-	0.1	0.2	23.7	0.1	1.5	0.0	0.2	0.2	1.6	1.8	0.6	0.3	
埼玉県 埼千東神新	0.1	0.1	0.1	20.4	-	1.3	0.0	0.2	0.6	2.4	0.9	0.1	0.2	
	-	0.0	0.0	20.5	0.5	2.9	1.4	0.2	2.1	4.1	1.2	0.6	0.6	
	0.5	0.1	0.1	37.0	0.5	1.0	0.1	0.2	0.3	3.6	0.9	0.7	1.1	
	0.0	0.4	0.5	27.8	0.1	1.3	-	0.1	0.2	1.3	0.9	0.3	0.5	
	0.3	-	0.1	38.8	0.2	0.7	0.0	0.1	0.5	1.7	0.8	0.1	0.5	
富山県 富石福山長	0.1	0.2	0.1	45.7	0.0	0.9	3.5	0.3	0.4	3.8	0.9	0.3	0.4	
	0.1	0.8	0.2	39.1	0.0	0.1	0.7	0.7	0.2	1.5	0.4	0.6	0.3	
	0.5	0.2	0.3	45.0	0.1	0.4	2.1	0.2	1.6	1.6	0.4	0.5	0.3	
	0.3	0.2	0.0	36.9	0.7	1.8	-	0.1	0.3	2.3	1.9	0.5	0.3	
	0.1	0.1	0.2	32.5	0.1	1.4	0.5	0.2	0.1	1.8	0.9	0.1	0.4	
岐阜県 岐静愛三滋	0.4	0.4	0.1	32.2	0.1	1.4	0.9	0.4	0.6	4.8	1.1	0.1	0.3	
	0.1	0.2	0.1	37.2	1.2	0.7	0.2	0.2	0.4	3.0	0.2	0.2	0.2	
	0.1	0.2	0.1	38.6	0.7	4.1	0.2	0.1	1.5	1.6	0.6	0.3	0.5	
	0.2	0.0	0.0	42.4	0.6	4.9	-	0.2	2.9	2.6	0.8	0.8	0.4	
	0.1	0.2	0.0	30.4	0.2	0.4	-	0.1	-	0.2	0.2	0.1	0.4	
京都府 京大兵奈和	0.2	0.2	0.2	29.0	3.7	2.7	0.1	0.3	0.3	0.7	-	0.3	1.1	
	1.3	0.4	0.1	49.2	0.7	11.2	0.2	0.3	0.7	3.1	1.3	0.1	0.6	
	0.1	0.2	0.2	36.5	0.9	0.9	0.0	0.1	1.8	5.2	0.3	0.4	0.2	
	0.1	0.1	0.1	35.1	0.0	0.3	0.2	0.3	0.5	2.8	0.3	0.6	0.4	
	0.7	0.0	0.0	28.0	0.0	0.5	-	0.1	6.8	2.5	0.3	0.1	0.1	
鳥取県 鳥島岡広山	0.1	0.0	0.1	29.7	0.1	1.1	-	0.2	0.1	0.5	0.1	0.2	0.0	
	0.2	0.0	0.2	29.2	0.1	2.1	0.6	0.1	0.6	1.6	0.7	0.7	0.7	
	0.2	0.0	0.1	32.0	0.1	1.4	0.1	0.1	0.4	2.1	1.3	0.6	0.6	
	0.0	0.1	0.1	35.3	0.2	2.0	0.2	0.1	0.2	1.9	0.7	0.1	0.6	
	0.2	0.0	0.1	22.4	0.1	2.0	1.5	0.2	0.9	1.8	0.1	0.3	0.3	
徳島県 徳香愛高福	0.1	0.1	0.2	28.9	0.4	1.3	-	0.3	0.5	2.1	0.9	0.1	0.7	
	0.1	0.1	0.8	47.8	0.0	0.4	0.1	0.3	1.3	1.7	0.9	0.5	0.2	
	-	0.0	0.1	26.6	0.0	0.9	0.0	0.1	1.0	2.8	0.1	0.1	0.8	
	0.2	-	0.0	25.5	0.1	0.3	0.0	0.1	0.5	1.6	0.5	0.6	0.2	
	0.3	0.0	0.1	30.0	4.2	0.9	2.3	0.2	1.8	2.6	0.9	0.9	1.1	
佐賀県 佐長熊大宮鹿	0.1	0.2	0.0	41.0	-	-	-	0.3	0.7	3.1	0.1	-	0.4	
	0.1	0.2	0.2	35.1	-	0.8	-	0.3	0.6	1.5	0.5	0.5	1.0	
	0.1	0.9	0.5	25.9	1.0	0.9	0.0	0.1	1.5	5.0	3.8	0.2	0.9	
	0.1	0.1	0.1	25.9	0.2	0.9	0.6	0.2	1.5	2.0	1.0	0.5	0.7	
	0.0	0.3	0.9	20.1	-	0.9	0.0	0.2	3.1	4.6	1.6	0.2	0.3	
	0.0	0.1	0.2	23.7	1.0	1.2	0.9	0.6	3.9	1.0	1.3	0.1	0.4	
	0.0	0.1	0.2	23.7	1.0	1.2	0.9	0.6	3.9	1.0	1.3	0.1	0.4	

118頁の表を参照のこと。

異常被患率 (一般検診)

一般検診・高

(%)

その 他疾	鼻およびいん頭				伝皮 染膚 性疾 の患	心臓 の疾 患	精神 薄弱	身体 虚 弱	運障 動機 能害	寄 生 虫 病	そ 疾 の 病 他 異 の 常	歯				その 歯 他疾
	蓄 の う 症	アイ デ ノ ド	へん と ん	う 肥 の い 他 の 頭								むし菌			その 歯 他	
												計	処 置	完了 者		
0.5	1.6	0.2	4.2	2.3	0.1	0.4	-	0.1	0.1	0.1	0.7	84.4	21.4	63.0	3.6	
0.2	0.3	0.0	5.1	0.3	0.0	0.7	-	0.1	0.2	-	0.9	90.1	9.8	80.3	1.4	
0.7	1.5	0.1	8.7	7.4	0.0	0.4	-	0.1	0.2	-	0.7	86.5	11.5	75.0	5.0	
0.7	3.9	0.0	3.7	5.8	0.1	0.2	-	0.0	0.3	-	0.4	84.6	11.5	73.1	5.3	
0.4	1.3	0.5	4.5	1.5	0.1	0.1	-	-	0.1	-	0.2	68.3	15.7	52.6	0.2	
1.6	3.1	0.1	3.4	4.4	0.1	0.1	-	-	0.2	-	0.0	86.8	7.6	79.2	3.3	
1.5	3.9	0.1	8.7	3.2	0.5	0.4	-	0.0	0.3	-	0.4	80.5	23.0	57.5	1.5	
0.0	0.8	-	4.4	0.6	0.0	0.3	-	0.4	0.2	-	0.3	82.3	19.7	62.6	1.9	
1.2	0.5	-	4.5	2.4	0.0	1.2	-	-	0.1	-	0.2	89.8	15.4	74.4	8.1	
0.3	2.7	-	3.6	2.7	0.4	0.1	-	-	0.1	-	0.5	83.1	22.1	61.0	5.9	
0.5	1.8	-	5.9	0.9	0.1	0.2	-	0.0	0.1	-	0.4	87.7	22.4	65.3	6.3	
-	1.0	0.0	3.9	1.2	0.1	0.1	-	0.0	0.1	0.1	0.3	91.9	26.0	65.9	4.7	
0.9	0.9	0.1	4.0	3.1	0.1	0.4	-	-	0.1	-	0.1	81.9	20.0	61.9	1.9	
0.8	1.7	0.5	5.3	3.2	0.1	0.2	-	0.1	0.1	-	0.3	88.7	21.2	67.5	3.7	
0.6	1.0	-	3.1	1.8	-	0.1	-	0.0	0.1	-	0.4	91.5	24.1	67.4	4.1	
0.2	2.4	0.0	2.8	1.7	0.1	0.7	-	0.1	-	-	0.3	83.0	21.3	61.7	1.9	
0.3	3.5	0.4	4.3	2.0	0.2	0.3	-	0.2	0.3	0.4	1.6	86.5	27.9	58.6	0.5	
0.1	0.3	0.0	4.1	0.3	-	0.3	-	0.1	0.1	-	0.7	89.3	13.0	76.3	1.7	
0.1	0.7	-	3.7	1.6	0.3	1.1	-	-	0.1	0.7	1.5	73.7	16.2	57.5	3.8	
0.7	2.1	0.1	5.5	4.0	0.0	0.3	-	0.0	0.2	0.0	0.6	86.6	22.2	64.4	0.5	
0.3	3.5	0.0	3.7	4.3	0.4	0.3	-	0.0	0.1	0.1	1.1	90.0	14.5	75.5	2.4	
0.4	0.8	-	2.6	2.7	0.1	0.4	-	0.3	0.1	-	0.8	80.8	12.3	68.5	3.8	
0.3	0.8	-	1.9	0.7	-	0.1	-	-	0.1	-	0.2	85.7	22.2	63.5	0.5	
0.4	0.6	1.2	2.4	3.2	0.1	0.4	-	-	0.1	0.0	0.4	85.4	23.6	61.8	6.2	
2.4	3.9	0.1	7.0	8.9	0.2	0.4	-	0.0	0.1	-	0.4	90.0	18.1	71.9	1.0	
0.1	1.2	0.0	4.4	1.2	0.0	0.7	-	0.1	0.1	-	1.5	80.2	13.0	67.2	4.2	
0.6	1.8	0.1	9.0	1.3	-	0.6	-	0.2	0.2	0.1	0.0	64.3	20.4	43.9	8.6	
0.4	0.6	0.0	4.7	2.0	0.1	0.7	-	0.5	0.1	0.0	3.0	87.9	24.4	63.5	6.7	
0.1	1.1	0.0	3.8	0.4	0.1	0.6	-	0.0	0.1	0.1	0.9	84.7	31.6	53.1	3.1	
1.6	1.5	-	5.1	1.7	-	0.7	-	0.0	0.1	-	0.6	84.6	30.8	53.8	0.8	
0.1	1.7	0.1	5.7	2.5	0.0	0.2	-	0.1	0.1	-	0.6	83.0	24.1	58.9	3.9	
0.1	0.1	-	3.2	0.4	0.2	0.1	-	-	0.0	0.5	0.5	82.8	18.9	63.9	1.5	
0.9	2.2	0.1	6.0	1.6	0.2	0.6	-	0.1	0.1	0.8	1.5	84.3	21.2	63.1	4.0	
0.7	1.8	0.0	2.5	1.4	0.0	0.5	-	0.1	0.1	0.0	1.1	86.2	22.8	63.4	8.2	
1.6	3.9	-	3.1	1.3	0.1	0.3	-	0.1	0.1	0.2	0.6	78.0	20.5	57.5	4.1	
0.4	2.1	0.0	3.3	4.3	0.5	0.1	-	0.1	0.1	0.3	0.1	83.0	23.7	59.3	0.6	
0.5	4.6	-	2.8	2.2	0.1	0.2	-	-	0.2	0.0	0.2	74.3	17.8	56.5	0.5	
0.4	0.3	-	4.2	0.8	0.1	0.3	-	-	0.1	0.1	0.7	82.3	31.3	51.0	0.9	
-	1.2	-	4.4	0.5	-	0.3	-	0.1	0.1	0.1	0.5	75.9	20.8	55.1	4.4	
0.1	0.3	0.0	2.6	0.0	0.0	0.1	-	0.0	0.1	0.1	0.8	79.2	17.3	61.9	4.0	
0.7	2.3	0.3	3.5	5.6	0.3	0.3	-	0.1	0.1	0.5	0.3	78.6	31.5	47.1	3.5	
0.4	1.5	-	2.4	4.5	-	0.2	-	-	-	0.0	0.4	63.2	15.8	47.4	1.1	
0.2	2.8	-	5.3	2.8	0.1	0.3	-	0.0	0.2	-	0.5	83.1	20.3	62.8	2.4	
0.6	1.7	-	5.5	2.1	0.1	0.1	-	0.0	0.2	0.9	0.3	80.1	28.2	51.9	0.1	
0.4	1.2	0.4	4.2	1.7	0.1	0.2	-	0.0	0.0	0.1	0.2	78.3	20.9	57.4	1.0	
0.2	0.9	-	2.1	0.7	0.1	0.3	-	0.1	0.1	-	0.3	83.8	19.9	63.9	0.5	
0.1	0.8	-	1.0	0.6	0.3	0.3	-	0.0	0.1	0.3	0.6	86.2	22.2	64.0	2.1	
0.4	1.5	-	2.4	4.5	-	0.2	-	-	-	0.0	0.4	63.2	15.8	47.4	1.1	
0.2	2.8	-	5.3	2.8	0.1	0.3	-	0.0	0.2	-	0.5	83.1	20.3	62.8	2.4	
0.6	1.7	-	5.5	2.1	0.1	0.1	-	0.0	0.2	0.9	0.3	80.1	28.2	51.9	0.1	
0.4	1.2	0.4	4.2	1.7	0.1	0.2	-	0.0	0.0	0.1	0.2	78.3	20.9	57.4	1.0	
0.2	0.9	-	2.1	0.7	0.1	0.3	-	0.1	0.1	-	0.3	83.8	19.9	63.9	0.5	
0.1	0.8	-	1.0	0.6	0.3	0.3	-	0.0	0.1	0.3	0.6	86.2	22.2	64.0	2.1	