

第18表 年齢別 疾病 異常

(1) 総括 (男女平均)

被患率 (一般検診)

盲・聾・養護

(%)

区分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳		
				近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	ト ホ ム ラム	結 膜 炎	その他 眼疾	難 聴 (両耳)	中 耳 炎	その他 耳疾
平均	1.32	2.01	1.39	4.13	0.51	1.80	25.49	3.59	3.60	8.97	5.60	2.97	2.62	2.09
盲														
6 歳	6.67	0.67	3.64	0.69	—	—	22.73	0.77	3.64	14.55	6.92	0.66	0.61	2.42
7	2.03	1.02	2.37	1.48	1.53	—	25.53	1.73	3.39	11.86	6.21	0.72	1.36	2.71
8	3.47	1.16	3.18	1.63	—	—	24.62	2.67	2.02	10.40	7.51	2.21	1.73	2.60
9	3.48	1.74	3.48	2.47	0.28	0.28	32.81	3.55	4.23	12.94	7.21	1.82	1.74	1.24
10	2.61	2.81	2.21	1.94	0.88	1.78	27.72	2.28	4.42	10.24	5.62	1.90	1.81	1.61
学														
11	1.79	2.79	1.39	2.58	—	2.87	27.44	2.44	3.78	11.35	7.57	2.86	2.99	1.39
12	1.66	2.15	1.97	4.96	0.56	1.88	24.83	5.23	5.13	9.77	9.11	1.57	2.32	1.49
13	1.44	1.61	1.28	4.02	1.26	2.89	34.80	5.01	4.33	6.74	6.10	2.16	2.41	1.93
14	0.59	2.05	0.44	4.19	0.66	2.31	26.90	4.29	4.10	8.20	6.44	3.37	2.21	2.93
15	0.98	2.77	1.63	5.05	0.74	2.79	27.71	3.28	2.12	9.77	4.56	1.35	2.28	2.12
校														
16	0.61	1.83	1.43	8.80	0.96	2.40	25.16	4.53	2.24	8.35	4.07	3.01	3.26	1.43
17	0.17	1.84	0.33	5.61	0.19	2.62	26.25	4.05	3.01	7.35	5.34	2.30	2.50	3.17
18	0.73	1.46	1.31	4.91	0.50	2.65	24.70	4.66	3.50	7.87	6.56	2.50	2.92	2.04
19	0.85	2.12	0.71	5.38	0.65	1.14	28.65	2.65	3.54	8.91	3.54	2.77	3.96	1.27
聾														
平均	1.48	0.64	1.22	19.50	0.60	0.61	0.60	2.07	3.04	6.37	2.25	2.43	3.07	1.37
3 歳	—	1.28	1.28	—	—	—	—	—	2.56	3.85	8.97	—	1.28	—
4	0.66	—	—	1.11	—	—	—	—	1.99	13.25	1.99	—	—	0.66
5	1.84	1.10	2.57	5.14	—	—	—	0.51	1.10	11.03	2.94	0.42	0.37	1.47
6	2.06	0.33	2.49	9.59	—	—	—	0.66	3.90	8.57	3.15	2.37	0.98	2.28
7	2.02	0.57	2.18	13.37	0.10	—	0.10	1.07	2.83	10.60	1.94	2.33	2.35	1.29
8	1.48	0.62	2.25	16.65	0.66	0.38	0.37	1.12	3.49	8.54	2.72	1.62	2.64	2.17
学														
9	2.21	0.83	1.45	18.80	0.47	0.55	0.45	1.32	3.66	6.35	2.42	2.38	2.62	1.80
10	1.38	0.76	1.10	18.05	0.16	0.40	0.76	1.52	3.92	7.16	2.75	1.98	3.30	1.93
11	1.62	0.54	1.20	19.12	1.24	0.56	0.74	2.11	4.20	6.72	2.94	2.59	2.46	1.38
12	2.39	1.11	0.78	19.07	0.66	0.72	0.68	2.12	3.44	6.44	2.33	2.12	2.89	1.44
13	2.05	0.70	1.17	20.10	0.76	0.91	0.65	2.82	3.21	6.14	2.69	3.01	3.10	1.11
14	1.09	0.75	0.92	19.33	0.41	0.57	0.92	2.49	2.70	4.83	1.96	2.43	3.68	0.86
校														
15	0.47	0.39	1.02	20.50	0.66	0.38	0.81	3.15	2.44	5.58	1.34	2.21	3.69	1.49
16	0.92	0.23	0.46	26.52	1.10	0.83	0.26	2.45	2.65	4.84	1.50	2.83	2.42	0.81
17	0.79	0.30	0.79	25.05	0.69	0.69	0.86	2.20	1.28	3.95	2.07	2.54	4.15	1.38
18	0.37	0.61	0.49	28.02	0.45	0.91	0.70	4.09	1.59	3.55	0.98	3.47	4.77	0.24
19	0.43	0.64	0.86	25.55	0.53	1.61	0.50	2.82	2.14	2.57	1.28	3.88	5.14	0.86
養護														
平均	5.63	11.43	5.29	24.41	0.89	0.78	1.84	2.40	3.77	6.24	3.36	3.47	2.34	2.97
4 歳	—	—	—	—	—	—	—	—	—	—	13.33	—	—	—
5	13.33	—	13.33	—	—	—	—	—	—	13.33	—	—	—	—
6	6.01	14.49	3.89	15.96	—	—	1.36	1.19	4.60	6.13	5.36	1.36	1.92	4.21
7	5.88	12.20	3.70	19.41	—	0.22	1.61	0.23	2.09	7.21	4.42	3.22	1.16	3.26
8	6.20	12.59	3.83	20.47	0.90	0.67	1.93	2.10	3.65	6.73	3.08	3.19	2.89	3.66
学														
9	6.40	12.35	4.42	19.06	0.19	0.75	1.24	1.92	2.57	4.98	2.73	3.03	0.64	4.02
10	8.15	13.48	6.11	23.44	0.40	0.80	1.12	2.63	1.66	6.31	3.65	3.29	2.17	2.84
11	7.83	11.20	4.59	24.63	0.52	0.87	0.82	2.01	4.53	6.23	2.69	2.96	1.85	2.70
12	4.29	10.44	5.28	24.65	2.19	0.49	1.83	2.48	4.31	6.57	3.49	2.67	2.98	3.60
13	5.27	9.20	7.09	26.84	1.43	0.60	2.73	2.69	5.40	5.40	4.00	3.36	2.61	2.10
校														
14	4.56	9.34	5.91	25.41	0.92	0.66	2.60	3.03	4.79	6.21	3.11	3.91	2.51	2.30
15	4.11	12.33	4.35	34.36	0.87	2.33	1.37	4.78	2.58	7.98	2.11	6.68	4.00	2.59
16	5.77	16.03	7.09	33.34	—	2.78	3.48	3.47	2.01	6.04	3.36	4.32	3.36	1.34
17	0.84	10.92	7.56	40.74	—	1.20	2.56	2.54	5.08	2.54	5.98	1.69	5.08	—
18	2.86	21.43	4.29	26.09	—	4.44	4.35	—	2.94	5.88	2.94	6.78	2.94	1.47
19	—	23.81	4.76	12.50	—	—	—	—	—	9.52	—	5.88	4.76	—

鼻およびいん頭				伝皮 染病 性疾 の患	心臓 の疾患	精神 薄弱	身体 虚弱	運障 動機 能害	寄生 虫病	そ疾 の病 他異 の常	歯			その 歯疾 他疾
審 の う 症	アイ デ ノ ド	へ ん と う 大	鼻の いん 肥大 の頭患								む 計	し 処了 置者	歯 未 處る 者 置あ	
4.38	0.35	6.99	10.17	0.98	1.02	3.08	0.95	1.60	1.14	1.78	81.91	15.67	66.24	5.57
2.42	4.24	13.33	18.18	2.42	0.61	2.42	3.64	1.21	4.38	3.03	74.38	1.88	72.50	—
3.39	2.71	13.56	15.59	1.69	2.03	4.07	2.71	2.37	1.39	3.39	84.38	1.74	82.64	1.39
4.05	1.16	11.27	15.61	0.87	0.29	4.05	1.45	1.45	1.46	2.31	86.28	3.66	82.62	0.61
3.98	1.49	11.94	12.69	2.24	0.75	2.49	2.74	1.74	1.02	2.01	85.80	5.09	80.71	2.28
5.22	1.00	13.05	14.06	0.80	0.60	4.02	1.20	1.20	1.63	0.81	85.27	8.79	76.48	1.84
4.78	—	11.16	11.16	1.79	1.59	3.78	1.39	1.79	1.23	1.40	82.05	12.70	69.35	2.42
5.13	0.17	10.60	11.59	1.32	1.49	5.46	0.99	0.83	1.02	2.36	81.71	14.19	67.52	4.44
3.05	—	9.15	9.63	2.89	1.44	4.49	0.64	0.96	0.98	1.77	82.50	15.24	67.26	3.89
6.44	—	9.66	10.98	1.46	1.02	3.66	0.73	1.32	1.63	1.76	79.35	18.13	61.22	4.01
5.70	—	7.49	9.61	0.16	1.47	4.40	1.14	1.95	1.18	0.98	77.91	16.28	61.63	6.15
4.07	—	6.11	9.16	0.81	1.02	2.04	0.41	2.04	0.84	1.43	78.72	17.77	60.95	5.99
4.84	0.17	4.01	8.01	0.50	0.17	3.34	0.50	0.67	—	1.34	81.34	17.14	64.20	5.38
4.08	—	4.52	8.02	0.44	0.29	1.60	0.44	1.90	0.60	2.19	79.56	20.58	58.98	6.57
4.24	—	5.09	9.62	0.57	0.71	1.56	0.71	1.13	0.74	1.41	76.27	18.91	57.36	9.80
5.12	0.81	9.13	9.46	3.08	1.09	2.93	1.27	1.65	0.40	1.89	83.55	11.51	72.04	1.51
—	1.28	12.82	15.38	1.28	—	—	—	—	—	2.56	73.69	3.95	69.74	—
0.66	1.32	19.87	17.22	1.32	1.32	—	0.66	0.66	—	5.96	85.71	4.03	81.63	—
0.74	1.10	13.97	13.97	2.21	0.37	1.50	1.10	2.94	—	5.88	83.39	2.42	80.97	—
3.90	2.17	11.06	14.97	3.80	0.76	1.77	1.30	1.74	1.85	3.15	84.56	1.56	83.00	0.31
4.21	2.99	13.92	12.14	4.21	1.78	2.82	1.86	1.94	0.98	3.40	84.73	2.74	81.99	0.86
3.80	1.40	11.02	11.34	4.50	1.16	3.08	0.78	1.24	0.47	1.71	88.29	3.14	85.15	0.69
5.80	1.31	10.77	11.40	3.87	1.45	2.95	1.73	1.73	0.42	2.49	85.35	4.72	80.63	0.34
5.37	0.83	10.39	10.81	4.82	0.76	3.82	1.17	1.72	0.21	2.06	87.01	6.19	80.82	1.50
6.72	0.66	10.26	7.98	5.16	0.84	4.34	1.44	2.04	0.42	1.50	84.84	12.33	72.51	1.59
5.27	0.56	10.05	9.05	3.39	1.22	3.01	1.89	2.22	0.45	1.00	81.09	12.68	68.41	1.38
6.08	0.23	9.06	9.12	2.98	1.40	2.51	1.58	1.58	0.12	1.99	80.60	15.03	65.52	2.25
5.47	0.12	8.34	8.17	2.19	0.52	2.28	0.98	1.15	0.52	1.73	83.96	17.08	66.88	1.96
5.03	0.47	6.60	7.23	1.41	1.49	2.56	0.94	1.26	0.08	1.34	84.12	18.04	66.08	1.77
4.84	0.23	5.77	7.38	1.61	0.81	3.69	0.81	1.96	0.23	1.73	82.65	16.89	65.76	2.83
4.94	0.10	6.02	5.73	1.78	1.48	2.27	1.09	1.28	—	1.18	81.19	19.98	61.21	1.96
5.01	0.12	4.16	7.33	1.10	0.86	2.25	0.49	1.22	0.24	0.73	79.38	18.78	61.10	1.83
4.93	—	2.57	7.49	0.21	0.64	4.39	0.43	1.71	—	1.07	78.11	17.38	60.73	1.93
3.68	0.44	9.90	7.64	1.24	1.64	32.62	11.81	43.43	0.65	10.45	86.04	8.40	77.64	5.39
—	—	12.50	—	—	—	12.50	—	—	—	—	—	—	—	—
—	—	40.00	—	—	13.33	60.00	—	6.67	—	6.67	46.67	6.67	40.00	—
1.53	0.77	7.66	7.66	1.44	1.44	19.92	5.05	68.55	2.41	12.37	85.37	1.70	83.67	0.34
3.49	0.70	11.40	8.37	0.67	1.55	24.31	11.75	60.13	—	9.80	90.20	2.18	88.02	2.83
1.54	0.58	10.58	8.27	0.37	1.87	22.55	15.99	59.85	0.39	12.96	84.95	2.30	82.65	2.48
2.73	0.96	11.41	7.23	1.71	1.25	25.25	13.35	52.44	0.66	10.52	87.62	4.59	83.03	3.06
3.85	—	13.79	7.14	1.75	1.12	30.47	11.16	49.37	1.51	13.79	89.05	7.78	81.27	3.17
2.84	0.57	10.76	8.22	1.92	1.79	33.67	12.18	43.05	1.32	13.09	86.56	7.73	78.83	4.34
4.12	0.41	9.65	7.60	1.58	2.28	35.19	10.26	36.07	0.84	9.46	85.39	11.47	73.92	4.90
3.91	0.30	10.49	7.59	0.78	1.75	39.73	9.98	33.46	0.19	10.83	86.33	9.46	76.87	6.09
6.34	0.44	7.95	8.39	1.49	1.49	43.22	10.77	31.33	0.22	7.16	84.23	12.30	71.93	6.45
4.00	0.23	7.04	5.87	1.16	1.38	30.68	20.51	34.47	0.47	10.05	88.65	15.84	72.81	12.06
3.36	—	4.70	10.07	—	1.29	28.57	17.42	42.95	—	4.49	81.37	10.56	70.81	14.91
3.39	—	4.24	6.79	—	1.68	25.23	6.72	47.90	—	10.08	84.25	7.87	76.38	18.90
2.94	—	1.47	5.88	—	—	30.65	7.25	47.14	—	4.41	82.66	9.33	73.33	9.33
—	—	9.52	—	—	—	31.58	4.76	66.67	—	4.76	63.19	13.64	54.55	13.64

第18表 年 齢 別 疾 病 異 常

(2) 男

区 分	栄養 要 注 意	せ き 柱 異 常	胸 郭 異 常	目								耳				
				近 視	遠 視	乱 視	弱 視 (両 眼)	色 視 異 常	ト ホ ム ラ ム	結 膜 炎	そ の 眼 疾	難 聴 (両 耳)	中 耳 炎	そ の 耳 疾		
盲 学 校	平 均	1.58	2.24	1.78	4.55	0.53	1.87	25.86	4.17	3.28	9.09	5.40	2.77	2.78	2.22	
	6 歳	9.41	1.18	3.53	1.33	—	—	20.73	1.43	3.53	12.94	7.06	—	1.18	1.18	
	7	2.47	—	3.70	2.03	2.78	—	29.41	2.48	2.47	8.64	4.94	1.35	0.62	1.85	
	8	4.28	1.07	1.60	2.42	—	—	25.42	3.45	0.53	9.09	7.49	2.87	2.14	2.67	
	9	4.69	2.35	4.69	2.59	0.53	0.53	30.66	3.87	2.82	12.68	6.57	1.98	1.41	1.41	
	10	3.26	2.17	3.62	2.33	1.20	2.42	32.96	3.62	3.26	7.60	6.52	1.91	2.17	1.09	
	11	2.02	2.02	1.01	2.95	—	3.03	26.37	3.27	3.70	12.46	7.41	2.42	1.68	1.35	
	12	2.21	1.66	2.49	5.83	0.31	1.88	25.57	4.76	4.14	10.22	8.84	1.45	1.93	1.38	
	13	1.08	1.90	1.90	2.69	0.93	2.17	37.33	4.12	4.34	7.59	5.42	2.00	1.90	2.17	
	14	0.77	3.06	0.77	5.29	0.57	2.59	25.53	4.64	3.57	9.18	7.14	2.65	2.04	3.06	
	15	1.32	2.91	2.38	4.75	0.61	3.04	31.23	3.56	1.32	8.99	4.50	1.11	3.44	2.12	
	16	0.36	1.79	2.15	9.58	0.86	3.00	28.20	5.99	2.87	10.39	4.30	2.66	2.51	1.79	
	17	0.29	2.30	0.57	5.61	—	2.24	26.41	5.99	2.59	7.47	6.32	2.45	2.87	3.74	
	18	0.96	1.92	1.68	5.59	0.84	2.51	26.40	5.49	4.09	7.93	6.01	1.85	2.64	2.88	
	19	1.12	2.47	1.12	6.68	0.50	1.26	28.15	3.09	3.59	8.52	2.91	2.07	4.93	1.12	
	聾 学 校	平 均	1.69	0.75	1.63	17.66	0.49	0.56	0.46	3.81	2.81	6.57	2.20	2.67	3.20	1.49
		3 歳	—	2.10	2.10	—	—	—	—	—	2.13	4.26	8.51	—	—	—
		4	1.14	—	—	2.04	—	—	—	—	2.27	17.05	1.14	—	—	—
		5	1.96	1.96	4.58	7.00	—	—	—	—	1.31	9.15	1.96	—	—	1.31
6		2.21	0.20	3.62	10.00	—	—	—	0.98	3.22	8.05	2.21	2.86	0.40	2.21	
7		2.66	0.74	3.25	11.15	—	—	0.18	1.61	2.51	9.45	2.07	2.43	2.51	1.18	
8		1.91	0.44	2.50	14.31	0.36	0.36	0.53	1.82	2.94	9.25	2.79	2.11	2.50	2.06	
9		2.24	1.00	1.74	15.22	0.28	0.29	0.41	2.00	3.11	6.23	1.99	2.79	2.99	1.99	
10		1.39	1.01	1.13	17.22	0.28	0.72	0.28	2.78	3.40	7.56	2.52	2.23	3.65	2.14	
11		1.77	0.66	1.77	18.23	0.89	0.52	0.62	3.56	3.76	5.86	2.99	3.44	2.43	1.33	
12		2.81	1.20	1.00	16.46	1.04	0.47	0.56	3.23	3.21	6.81	2.00	1.79	2.91	2.00	
13		2.14	1.18	1.43	17.90	0.63	1.02	0.72	4.61	3.22	6.32	3.22	3.04	3.32	1.50	
14		1.74	0.76	1.24	18.08	0.26	0.54	0.37	4.26	2.29	5.01	2.29	2.00	3.59	0.98	
15		0.45	0.30	1.35	19.49	0.72	0.36	0.68	5.38	2.54	5.83	1.35	2.68	4.48	1.35	
16		1.12	0.22	0.22	25.44	0.55	0.28	0.26	3.89	2.92	5.84	1.12	2.78	2.92	0.90	
17		0.80	0.40	1.20	22.15	0.46	0.69	0.65	3.84	1.80	5.39	2.00	2.89	4.59	1.40	
18		0.24	0.95	0.95	25.27	0.59	1.18	0.82	7.21	1.43	4.05	1.19	4.35	5.97	0.24	
19		—	0.43	0.43	25.50	0.54	2.20	—	4.80	2.60	2.60	1.30	4.43	4.33	0.43	
養 護 学 校		平 均	5.59	11.33	5.54	22.15	1.11	0.52	1.53	3.36	3.52	5.74	3.36	3.28	2.37	3.18
	4 歳	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5	12.50	—	—	—	—	—	—	—	—	12.05	12.50	—	—	—	
	6	6.49	11.04	3.25	12.82	—	—	1.69	0.72	4.96	4.26	3.55	1.69	2.13	2.84	
	7	6.55	12.00	4.73	19.72	—	0.48	1.80	—	1.54	6.54	5.77	2.85	1.15	4.23	
	8	5.82	12.67	3.77	20.08	0.86	0.43	2.03	3.62	5.04	6.83	2.52	3.35	3.60	3.60	
	9	6.63	12.50	3.83	18.69	—	0.94	1.17	1.60	2.40	4.53	2.40	2.24	0.80	5.33	
	10	7.01	12.21	5.71	22.15	0.33	0.33	0.61	3.57	1.63	5.45	4.09	4.01	2.19	3.56	
	11	7.67	10.31	4.80	23.53	0.92	0.31	—	3.36	4.55	5.05	3.03	1.83	1.52	3.04	
	12	4.33	11.25	5.71	22.20	3.17	0.21	0.59	3.62	3.24	6.12	4.68	2.44	3.06	3.78	
	13	5.47	9.74	8.03	23.84	1.90	0.42	2.40	3.89	4.78	4.96	3.01	3.89	2.49	2.13	
	14	4.46	9.46	6.78	20.36	1.17	0.47	1.53	4.90	5.07	5.82	2.14	3.30	2.45	1.88	
	15	3.53	11.76	3.92	29.56	0.51	1.52	1.86	5.37	2.03	8.54	3.25	7.63	4.49	2.86	
	16	7.14	17.34	8.16	29.73	—	1.40	2.63	5.56	1.06	7.45	3.19	4.59	3.19	1.06	
	17	1.37	24.66	8.22	38.46	—	—	1.89	4.11	2.74	4.11	2.74	2.74	2.74	5.48	
	18	2.38	21.43	2.38	23.33	—	3.45	6.67	—	2.44	4.88	4.88	2.70	—	—	
	19	—	21.43	7.14	11.11	—	—	—	—	—	14.29	—	10.00	7.14	—	

172頁の註を参照のこと。

被 患 率 (一 般 検 診)

盲・聾・養護

(%)

鼻およびいん頭				伝皮 染病 性疾 患の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運障 動機 能害	寄 生 虫 病	そ疾 の病 他異 の常	歯				その 他疾	
蓄 の う 症	アイ デノ ド	へん と う 大	鼻の 他の いん 頭患								む		菌 完 了 置 者	菌 未 処 置 者		菌 の 者 あ
											計	処				
4.25	0.39	6.81	10.53	1.26	0.91	3.10	0.97	1.78	1.16	1.85	79.75	15.59	64.16	5.58		
2.35	3.53	10.59	17.65	2.35	1.18	3.53	1.18	1.18	3.53	2.35	73.49	3.61	69.88	—		
3.09	3.70	16.05	14.81	1.85	2.47	3.09	3.09	2.47	1.90	4.32	81.02	1.27	79.75	1.27		
4.28	2.14	13.90	15.61	1.60	0.53	4.28	1.60	2.14	1.63	2.67	87.29	4.05	83.24	0.58		
4.69	2.35	13.15	15.02	3.29	1.41	4.23	2.82	1.89	1.46	1.43	85.44	4.37	81.07	2.43		
4.71	1.09	13.77	11.59	1.45	0.36	5.07	2.17	1.09	1.85	1.09	83.82	6.25	77.57	1.84		
4.38	—	10.77	16.16	2.36	0.67	4.71	2.02	1.35	1.38	1.36	80.20	11.26	68.94	2.05		
5.52	0.28	8.84	11.60	1.38	0.55	3.87	1.10	0.83	1.15	3.42	77.21	11.11	66.10	4.27		
2.44	—	9.21	10.03	4.07	1.90	4.60	0.54	1.63	—	1.90	81.15	15.03	66.12	3.28		
7.40	—	7.91	9.95	2.04	1.28	2.81	1.28	1.53	1.03	1.79	74.09	15.28	58.81	3.63		
5.03	—	8.20	8.47	0.26	1.06	4.76	1.32	2.38	0.82	1.59	75.88	15.72	60.16	4.88		
3.94	—	7.17	11.83	1.08	1.08	1.79	0.36	2.15	1.48	1.08	77.65	16.48	61.17	5.86		
3.74	—	3.74	8.33	0.57	—	3.16	0.29	0.57	—	0.86	80.51	14.61	65.90	4.87		
4.09	—	3.61	8.89	0.48	0.24	1.68	0.24	1.68	1.00	1.92	75.36	21.46	53.90	7.32		
3.14	—	5.16	10.31	0.67	0.67	1.35	0.67	1.57	1.16	1.35	74.11	21.68	52.43	11.95		
5.49	0.92	9.24	10.08	3.80	1.18	3.14	1.39	1.76	0.47	1.95	81.89	10.33	71.56	1.55		
—	2.13	17.02	12.77	—	—	—	—	—	—	2.13	77.78	2.22	75.56	—		
—	1.14	23.86	19.32	2.27	—	—	1.14	—	—	9.09	80.95	2.38	78.57	—		
0.65	0.65	14.38	12.42	1.96	—	2.00	1.31	3.92	—	7.19	85.54	1.89	83.65	—		
4.23	2.41	10.06	15.29	4.23	0.60	2.05	1.01	1.21	2.23	1.81	83.30	1.75	81.55	0.39		
5.32	3.69	14.92	13.15	4.87	1.92	3.19	1.62	2.22	1.18	3.25	84.96	3.01	81.95	0.86		
3.52	1.47	11.31	11.31	5.58	1.32	3.57	1.17	1.62	0.44	1.91	88.36	3.45	84.91	1.01		
7.47	1.12	9.84	13.20	5.11	1.12	3.03	2.12	1.74	0.38	3.11	86.28	3.80	82.48	0.49		
6.30	0.88	10.20	11.46	5.54	0.63	3.49	1.39	1.51	0.25	2.14	83.71	4.85	78.86	1.37		
6.08	0.66	9.62	8.74	6.75	1.22	4.95	1.66	2.21	0.22	1.66	85.04	10.20	74.84	1.95		
5.41	0.80	9.42	8.62	3.71	1.10	2.86	2.40	2.10	0.50	1.10	79.08	12.05	67.03	0.80		
6.86	0.32	9.75	10.08	4.18	1.18	2.62	1.50	1.82	0.11	2.04	77.37	13.05	64.32	2.00		
6.64	0.22	7.94	8.38	2.39	0.87	2.43	1.41	1.09	0.87	1.63	81.70	15.61	66.09	2.26		
5.38	0.75	7.77	8.37	2.09	1.79	3.03	1.05	1.35	—	1.20	82.97	16.74	66.23	1.76		
4.27	—	6.74	9.21	2.47	0.67	4.24	0.67	2.25	0.45	1.80	77.47	15.22	62.25	2.21		
4.59	0.20	5.79	6.19	1.80	2.40	2.32	0.80	1.60	—	1.00	78.70	18.54	60.16	2.17		
5.97	—	4.53	6.44	0.96	1.43	1.94	0.23	1.91	0.48	0.72	76.66	19.76	56.90	2.38		
3.03	—	2.16	7.79	0.43	0.43	4.87	0.43	2.16	—	1.30	75.11	17.17	57.94	3.00		
3.88	0.40	9.90	8.53	1.58	1.54	34.32	10.95	42.10	0.77	10.92	85.05	8.61	76.44	5.09		
—	—	16.67	—	—	—	16.67	—	—	—	—	—	—	—	—		
—	—	50.00	—	—	12.50	50.00	—	—	—	—	25.00	—	25.00	—		
2.13	—	7.09	7.80	2.67	2.00	20.81	4.67	64.94	2.94	12.34	84.87	1.32	83.55	—		
4.23	0.77	10.38	9.23	0.74	1.85	26.52	11.11	60.36	—	10.91	88.60	1.47	87.13	2.94		
1.08	0.36	10.79	9.35	0.35	1.05	24.81	14.63	55.48	0.37	13.70	84.03	2.78	81.25	2.08		
2.93	1.07	9.87	7.73	2.07	1.30	24.79	14.77	51.28	0.82	10.97	87.72	4.60	83.12	2.81		
3.29	—	15.26	8.17	2.36	1.06	31.77	10.76	48.31	1.94	14.29	86.95	7.05	79.90	3.13		
3.04	0.76	13.13	10.61	2.67	1.46	34.85	12.86	38.85	1.55	14.15	87.34	10.17	77.17	4.47		
3.96	—	10.79	8.81	1.74	2.10	41.50	7.14	36.51	0.73	14.36	83.97	12.72	71.25	5.23		
3.37	0.18	10.27	8.85	1.04	1.75	37.85	9.38	32.31	0.18	11.51	85.71	8.97	76.74	4.98		
7.72	0.19	6.75	8.44	1.99	1.47	45.22	9.24	29.52	0.38	8.41	83.07	12.52	70.55	5.82		
6.12	—	7.32	6.10	0.79	1.19	35.29	15.87	35.29	2.82	7.45	86.80	14.40	72.40	11.20		
1.06	—	3.19	8.51	—	1.06	32.63	16.32	40.82	—	2.04	78.79	10.10	68.69	12.12		
4.11	—	2.74	6.85	—	1.37	26.87	4.11	49.32	—	13.70	83.12	10.39	72.73	18.18		
2.44	—	—	7.32	—	—	28.95	—	54.76	—	7.14	94.80	9.09	85.71	8.70		
—	—	7.14	—	—	—	35.71	7.14	57.14	—	—	64.29	—	64.29	14.29		

第18表 年 齢 別 疾 病 異 常

(3) 女

区 分	栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	目								耳			
				近 視	遠 視	乱 視	弱 視 (両 眼)	色 視 異 常	ト ホ ー ム	結 膜 炎	その 眼 疾	難 聴 (両 耳)	中 耳 炎	その 他 疾	
平 均	0.95	1.68	0.83	3.54	0.50	1.69	24.97	2.76	4.05	8.79	5.88	3.26	2.40	1.91	
盲 学 校	6 歳	3.75	—	3.75	—	—	25.00	—	3.75	16.25	6.76	1.35	—	3.75	
	7	1.50	2.26	0.75	0.82	—	20.93	0.91	4.51	15.79	7.81	—	2.26	3.76	
	8	2.52	1.26	5.03	0.70	—	23.72	1.71	3.77	11.95	7.55	1.28	1.26	2.52	
	9	2.12	1.06	2.12	2.34	—	35.47	3.18	5.82	13.23	7.94	1.64	2.12	1.06	
	10	1.80	3.60	0.45	1.46	0.50	21.36	0.57	5.86	13.51	4.50	1.90	1.35	2.25	
	11	1.46	3.90	1.95	2.06	—	2.65	29.00	1.21	3.90	9.76	7.80	3.48	4.88	1.46
	12	0.83	2.89	1.24	3.67	0.94	1.89	23.73	5.98	6.61	9.09	9.50	1.73	2.89	1.65
	13	1.97	1.18	0.39	5.88	1.73	3.90	31.23	6.25	4.33	5.51	7.09	2.39	3.15	1.57
	14	0.34	0.69	—	2.67	0.78	1.95	23.72	3.81	4.81	6.87	5.50	4.35	2.40	2.75
	15	0.42	2.54	0.42	5.53	0.96	2.40	22.22	2.79	3.39	11.02	4.66	1.74	0.42	2.12
校	16	0.94	1.89	0.47	7.81	1.09	1.63	21.26	2.78	1.42	5.66	3.77	3.47	4.25	0.94
	17	—	1.20	—	5.60	0.45	3.14	26.03	1.43	3.59	7.17	3.98	2.10	1.99	2.39
	18	0.37	0.74	0.74	3.91	—	2.86	22.18	3.48	2.59	7.78	7.41	3.44	3.33	0.74
	19	0.38	1.53	—	3.07	0.92	0.92	29.53	1.91	3.45	9.58	4.60	4.00	2.30	1.53
聾 学 校	平 均	1.24	0.51	0.76	21.63	0.72	0.66	0.75	0.51	3.30	6.14	2.31	2.15	2.92	1.24
	3 歳	—	—	—	—	—	—	—	3.23	3.23	9.68	—	3.23	—	—
	4	—	—	—	—	—	—	—	1.59	7.95	3.17	—	—	1.59	—
	5	1.68	—	—	2.67	—	—	1.20	0.84	13.45	4.20	0.92	0.84	1.68	—
	6	1.88	0.47	1.18	9.09	—	—	0.29	4.71	9.18	4.24	1.79	1.65	2.35	—
	7	1.25	0.36	0.89	16.27	0.24	—	0.40	3.22	11.99	1.79	2.20	2.15	1.43	—
	8	0.99	0.82	1.98	19.23	0.98	0.40	0.34	4.12	7.74	2.64	1.08	2.80	2.31	—
	9	2.17	0.62	1.09	23.23	0.69	0.88	0.51	4.34	6.51	2.94	1.87	2.17	1.55	—
	10	1.37	0.46	1.06	19.06	—	1.35	—	4.55	6.68	3.03	1.69	2.88	1.67	—
	11	1.44	0.39	0.52	20.17	1.66	0.61	0.88	4.72	7.73	2.88	1.59	2.49	1.44	—
校	12	1.87	0.99	0.50	22.30	0.25	1.04	0.83	0.75	3.74	5.98	2.74	2.86	1.75	—
	13	1.93	0.13	0.77	22.73	0.91	0.78	0.57	0.65	3.21	5.91	2.06	2.98	2.83	0.64
	14	0.37	0.73	0.49	20.70	0.58	0.60	1.52	0.49	3.17	4.64	1.59	2.90	3.79	0.73
	15	0.50	0.50	0.66	21.62	0.60	0.40	0.95	0.67	2.32	5.30	1.32	1.68	2.81	1.66
	16	0.71	0.74	0.71	27.60	1.63	1.38	0.26	0.95	2.37	3.79	1.90	2.88	1.90	0.71
	17	0.78	0.20	0.39	27.93	0.92	0.70	1.08	0.59	0.78	2.54	2.15	2.20	3.71	1.37
	18	0.50	0.25	—	30.88	0.31	0.63	0.58	0.77	1.75	3.00	0.75	2.56	3.51	0.25
	19	0.85	0.85	1.27	25.60	0.52	1.05	0.98	0.86	1.69	2.54	1.27	3.35	5.93	1.27
養 護 学 校	平 均	5.69	11.58	4.94	27.45	0.59	1.13	2.26	1.10	4.12	6.92	3.36	3.72	2.32	2.67
	4 歳	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5	14.29	—	28.57	—	—	—	—	—	14.29	14.29	—	—	—	—
	6	5.43	18.60	4.65	19.79	—	—	0.97	1.77	4.17	8.33	7.50	0.98	1.67	5.83
	7	4.89	12.50	2.17	18.95	—	—	1.32	0.57	2.87	8.24	2.35	3.80	1.18	1.76
	8	6.64	12.50	3.91	20.89	0.93	0.93	1.81	0.40	2.07	6.61	3.72	3.00	2.07	3.73
	9	6.06	12.12	5.30	19.64	0.47	0.47	1.34	2.40	2.83	5.67	3.24	4.20	0.40	2.02
	10	9.88	15.42	6.72	25.35	0.51	1.49	1.89	1.22	1.70	7.66	2.98	2.18	2.15	1.72
	11	8.02	12.35	4.32	26.05	—	1.23	1.54	0.32	4.52	7.74	2.26	4.44	2.27	2.27
	12	4.27	9.44	4.72	28.02	0.86	0.86	2.16	0.96	5.74	7.18	1.91	2.96	2.88	3.36
校	13	5.02	8.52	5.90	30.67	0.66	0.66	3.20	1.15	6.24	6.00	5.31	2.68	2.78	2.08
	14	4.70	9.16	4.70	31.98	0.60	0.91	4.01	0.51	4.43	6.77	4.43	4.76	2.61	2.87
	15	4.92	13.11	4.95	40.65	1.38	3.45	0.67	3.98	3.33	7.22	0.56	5.36	3.33	2.22
	16	3.45	13.79	5.26	40.00	—	5.41	4.13	—	3.64	3.64	3.64	3.64	3.64	1.82
	17	—	10.87	6.52	44.83	—	—	—	—	2.22	6.67	2.22	11.36	—	4.44
	18	3.57	21.43	7.14	31.25	—	6.25	—	—	3.70	7.41	—	13.64	7.41	3.70
	19	—	28.57	—	14.29	—	—	—	—	—	—	—	—	—	—

172頁の註を参照のこと

被 患 率 (一 般 検 診)

盲・聾・養護

(%)

鼻およびいん頭				伝皮 染腐 性疾 患の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運障 動 機 能害	寄 生 虫 病	そ疾 の病 他異 の常	歯			
蓄 の う 症	アイ デ ノ ド	へ ん と う 大	鼻の いん 頭 の 疾 患								歯			その 他 疾
											む 計	処 置 者	未 処 置 者	
4.56	0.28	7.25	9.64	0.59	1.16	3.04	0.93	1.34	1.11	1.68	85.01	15.78	69.23	5.54
2.50	5.00	16.25	18.75	2.50	—	1.25	6.25	1.25	5.06	3.75	75.32	—	75.32	—
3.76	1.50	10.53	16.54	1.50	1.50	5.26	2.26	2.26	0.78	2.26	88.46	2.31	86.15	1.54
3.77	—	8.18	13.21	—	—	3.77	1.26	0.63	1.27	1.89	85.17	3.23	81.94	0.65
3.17	0.53	10.58	10.05	1.06	—	0.53	2.65	1.64	0.54	2.65	86.17	5.85	80.32	2.13
5.86	0.90	12.16	17.12	—	0.90	2.70	0.90	1.35	1.37	0.45	87.10	11.98	75.12	1.84
5.37	—	11.71	10.24	0.98	2.93	2.44	0.49	2.44	1.01	1.46	84.73	14.78	69.95	2.96
4.55	—	13.22	11.57	1.24	2.89	7.85	0.83	0.83	0.84	0.83	88.46	18.80	69.66	4.70
3.94	—	9.06	9.06	1.18	0.79	4.33	0.79	—	2.42	1.57	84.46	15.54	68.92	4.78
5.15	—	12.03	12.37	0.69	0.69	4.81	—	1.04	2.44	1.72	86.41	21.95	64.46	4.53
6.78	—	6.36	11.44	—	2.12	3.81	0.85	1.27	1.76	—	81.12	17.17	63.95	8.15
4.25	—	4.72	5.66	0.47	0.94	2.36	0.47	1.89	—	1.89	79.14	18.48	60.66	6.16
6.37	0.40	4.38	7.57	0.40	0.40	3.59	0.80	0.80	—	1.99	82.52	20.73	61.79	6.10
4.07	—	5.93	6.67	0.37	0.37	1.48	0.74	2.22	—	2.59	85.82	19.27	66.55	5.45
6.13	—	4.98	8.43	0.38	0.77	1.92	0.77	0.38	—	1.53	80.53	14.12	66.41	6.11
4.70	0.68	9.01	8.74	2.26	0.99	2.70	1.13	1.52	0.32	1.82	85.45	12.86	72.59	1.46
—	—	6.45	19.35	3.23	—	—	—	—	—	3.23	67.74	6.45	61.29	—
1.59	1.59	14.29	14.29	—	3.17	—	—	1.59	—	1.59	92.06	6.35	85.71	—
0.84	1.68	13.45	15.97	2.52	0.84	0.85	0.84	1.68	—	4.20	80.77	3.08	77.69	—
3.53	1.88	12.24	14.59	3.29	0.94	1.44	1.65	2.35	1.42	4.70	86.03	1.35	84.68	0.23
2.86	2.15	12.70	10.91	3.40	1.61	2.38	2.15	1.61	0.72	3.58	84.46	2.42	82.04	0.86
4.12	1.32	10.71	11.37	3.29	0.99	2.53	0.33	0.82	0.50	1.48	88.20	2.79	85.41	0.33
3.72	1.55	11.94	9.15	2.33	1.86	2.84	1.24	1.71	0.47	1.70	84.24	5.86	78.38	0.15
4.25	0.76	10.62	10.02	3.95	0.91	4.21	0.91	1.97	0.15	1.97	90.99	7.81	83.18	1.65
7.47	0.66	11.01	7.08	3.28	0.39	3.61	1.18	1.83	0.66	1.31	84.61	14.88	69.73	1.16
5.11	0.25	10.83	9.59	2.99	1.37	3.19	1.25	2.37	0.37	0.87	83.58	13.46	70.12	2.10
5.14	0.13	8.23	7.97	1.54	1.67	2.37	1.67	1.29	0.13	1.93	84.49	17.53	66.96	2.54
4.15	—	8.79	7.94	1.95	0.12	2.11	0.49	1.22	0.12	1.83	86.55	18.77	67.78	1.60
4.64	0.17	5.30	5.96	0.66	1.16	2.04	0.83	1.16	0.17	1.49	85.39	19.48	65.91	1.79
5.45	0.47	4.74	5.45	0.71	0.95	3.14	0.95	1.66	—	1.66	88.11	18.65	69.46	3.50
5.27	—	6.25	5.27	1.76	0.59	2.22	1.37	0.98	—	1.37	83.66	21.40	62.26	1.75
4.01	0.25	3.76	8.27	1.25	0.25	2.57	0.75	0.50	—	0.75	83.25	17.75	65.50	1.25
6.78	—	2.97	7.20	—	0.85	3.91	0.42	1.27	—	0.85	81.12	17.60	63.52	0.86
3.40	0.48	9.89	6.40	0.77	1.77	30.27	12.97	45.24	0.49	9.81	87.35	8.11	79.24	5.79
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	28.57	—	—	14.29	71.43	—	14.29	—	14.29	71.43	14.29	57.14	—
0.98	1.67	8.33	7.50	—	0.79	18.80	5.51	72.87	1.77	12.40	85.91	2.11	83.80	0.70
2.35	0.59	12.94	7.06	0.55	1.10	20.93	12.71	59.78	—	8.15	92.51	3.21	89.30	2.67
2.08	0.83	10.33	7.02	0.40	2.81	20.00	17.53	64.84	0.42	12.11	85.93	1.81	84.12	2.89
2.43	0.81	13.77	6.48	1.16	1.17	25.93	11.24	54.17	0.42	9.85	87.45	4.56	82.89	3.42
4.72	—	11.49	5.53	0.81	1.22	28.45	11.79	50.99	0.85	13.04	92.31	8.91	83.40	3.24
2.59	0.32	7.74	5.16	0.94	2.22	32.13	11.29	48.46	1.01	11.73	85.63	4.79	80.84	4.19
4.32	0.46	8.31	5.50	1.14	2.28	28.24	11.59	35.51	0.98	8.76	87.24	9.89	77.35	4.48
4.63	0.46	10.85	6.00	0.45	1.77	41.69	10.82	34.93	0.23	10.04	88.13	10.09	78.04	7.51
4.44	0.78	9.64	8.33	0.77	1.53	40.26	12.94	33.91	—	5.45	85.82	11.98	73.84	7.33
1.11	0.56	6.67	5.56	1.67	1.64	24.43	26.92	33.33	—	13.66	91.33	17.92	73.41	13.29
7.27	—	7.27	12.73	—	1.76	21.15	19.30	46.55	—	8.62	85.48	11.29	74.19	19.35
2.22	—	6.67	6.67	—	2.17	22.73	10.87	45.65	—	4.35	86.00	4.00	82.00	20.00
3.70	—	3.70	3.70	—	—	33.33	18.52	35.71	—	—	75.86	10.34	65.52	10.34
—	—	14.29	—	—	—	20.00	—	85.71	—	14.29	75.00	37.50	37.50	12.50