

第15表 都道府県別 保護児童生徒

の疾病異常の被患率 (精密検診)

保護児童

(1) 小・中学校—総括 (男女平均)

(%)

区 分	小 学 校 (総 括)										
	結 核 性 疾 患					寄 生 虫 卵 保 有					
	保護児童総数に 対する結核被患率					塗 沫 法 検 査 集 卵 法 検 査					
	全 結 核	呼吸器系	受 検 率	全 結 核	呼吸器系	受 検 率	回 虫 卵	そ の 他 卵	受 検 率	十 二 指 腸 虫 卵	そ の 他 卵
全 国	0.8	0.8	86.9	0.04	0.8	84.9	19.1	5.5	21.9	3.0	18.8
北海道	1.3	1.3	84.8	-	1.3	44.9	15.3	1.1	-	-	-
青森	0.6	0.5	78.2	-	0.5	78.0	28.9	2.1	0.3	57.1	42.9
岩手	1.7	1.6	86.0	0.1	1.2	57.4	37.7	3.0	8.9	3.1	15.5
宮城	1.0	1.0	86.4	-	1.1	40.5	17.5	4.8	46.1	2.5	39.6
秋田	1.6	1.3	93.9	0.2	1.4	51.2	34.4	4.8	3.7	5.9	19.1
山形	1.3	1.3	97.8	0.1	1.2	93.1	38.4	8.2	1.6	13.9	66.7
福島	0.5	0.3	97.8	-	0.2	87.0	28.5	1.6	3.0	3.8	34.0
茨城	0.3	0.3	96.7	0.1	0.3	11.7	15.9	30.2	89.0	7.5	30.2
栃木	0.2	0.2	95.3	0.1	0.2	80.8	29.4	1.7	2.7	-	26.0
群馬	0.5	0.5	88.6	-	0.3	55.4	35.1	1.8	33.2	1.1	24.8
埼玉県	0.9	0.8	83.8	0.2	0.6	44.7	18.5	7.1	63.5	2.8	22.9
千葉県	0.7	0.7	83.9	-	0.6	83.9	19.4	10.7	83.9	1.0	3.1
東京都	0.4	0.4	83.5	-	0.4	78.8	9.9	1.4	8.9	-	12.1
神奈川県	0.6	0.6	94.5	0.04	0.6	12.9	20.6	2.0	75.2	0.7	19.8
新潟	0.5	0.4	95.1	-	0.4	53.8	11.1	2.0	38.2	3.1	15.6
富山	1.0	1.0	94.7	-	1.1	27.7	7.1	5.8	60.5	1.8	17.2
石川	0.7	0.5	96.8	0.2	0.3	63.1	8.4	8.1	31.9	1.5	24.9
福井	2.3	1.8	99.6	0.1	1.3	32.6	26.0	20.0	61.5	0.9	28.9
山梨	0.3	0.3	72.2	-	0.3	83.7	28.4	18.2	0.5	11.1	55.6
長野	0.9	0.9	87.7	-	0.9	31.5	36.7	8.4	74.2	2.5	45.1
岐阜	1.4	1.1	83.4	-	1.1	85.8	20.5	7.8	2.9	-	30.8
静岡県	0.2	0.2	72.9	-	0.2	79.4	22.3	6.7	4.7	-	1.6
愛知県	0.8	0.6	97.4	0.2	0.5	94.1	9.7	3.2	1.0	-	-
三重	0.6	0.6	90.7	-	0.6	87.4	26.5	12.8	2.6	-	-
滋賀	0.9	0.7	88.5	0.1	0.7	70.6	26.8	20.5	9.7	0.6	39.5
京都府	1.0	1.0	95.3	-	1.0	73.0	15.6	7.6	10.1	3.4	25.2
大阪府	1.3	1.2	94.3	-	1.2	76.7	6.5	8.2	13.3	0.3	5.8
兵庫県	0.5	0.4	77.9	-	0.5	70.1	11.6	2.8	3.8	1.4	44.4
奈良	0.5	0.3	85.6	0.2	0.4	73.6	19.2	10.7	6.4	8.2	21.4
和歌山	1.3	1.2	75.6	0.0	1.4	58.7	27.0	10.4	10.6	0.4	10.2
鳥取	1.1	1.1	96.6	-	1.0	67.0	20.0	4.4	25.5	3.7	20.0
島根	0.4	0.4	98.6	-	0.4	83.8	22.3	3.3	1.8	2.5	20.0
岡山	1.2	1.0	81.1	0.1	1.2	67.6	25.3	11.6	11.5	4.9	20.0
広島	1.1	1.1	98.1	-	0.8	81.6	11.6	3.7	8.7	1.4	12.2
山口	0.7	0.7	92.1	0.1	0.7	56.4	10.9	3.9	55.9	3.2	14.9
徳島	1.4	1.2	87.3	0.1	1.2	60.5	36.9	5.5	-	-	-
香川県	0.9	0.6	87.2	0.2	0.7	75.8	14.9	4.0	21.4	0.8	8.6
愛媛	1.1	0.8	92.2	0.1	0.8	73.5	18.7	14.2	51.4	4.5	11.2
高松	0.2	0.2	89.1	-	0.2	76.3	21.9	12.5	1.0	4.0	32.0
福岡	0.6	0.4	80.2	-	0.4	64.9	9.8	1.5	31.7	0.6	2.1
佐賀	2.3	2.3	75.9	-	2.9	60.8	24.7	5.4	0.3	14.2	57.1
長門	1.1	0.6	71.5	-	0.7	78.1	17.9	3.5	1.4	2.0	33.3
熊本	0.8	0.6	80.0	-	0.6	84.1	24.5	4.5	5.9	7.5	2.7
大分	1.0	0.9	91.3	0.1	0.9	83.2	26.4	5.6	-	-	-
宮崎	0.5	0.5	65.1	-	0.5	76.4	32.2	8.1	20.4	10.6	6.4
鹿児島	1.4	1.0	87.8	0.2	0.9	43.0	29.0	6.9	37.6	7.6	18.2

(注) 96ページ参照

中 学 校 (総 括)	寄 生 虫 卵 保 有										
	結 核 性 疾 患					塗 沫 法 検 査 集 卵 法 検 査					
	保護児童総数に 対する結核被患率					塗 沫 法 検 査 集 卵 法 検 査					
	全 結 核	呼吸器系	受 検 率	全 結 核	呼吸器系	受 検 率	回 虫 卵	そ の 他 卵	受 検 率	十 二 指 腸 虫 卵	そ の 他 卵
全 国	0.6	0.5	87.9	0.02	0.5	80.0	18.2	4.9	20.6	3.9	16.0
北海道	0.5	0.5	89.8	-	0.5	36.7	14.0	0.3	-	-	-
青森	0.5	0.4	77.0	-	0.1	45.5	28.2	2.6	0.8	-	55.6
岩手	0.6	0.6	83.8	-	0.1	46.1	21.7	2.1	5.6	8.5	26.3
宮城	0.7	0.5	97.2	0.1	0.4	36.7	16.7	4.6	58.7	4.6	32.3
秋田	0.7	0.5	92.3	0.2	0.5	55.7	31.5	5.5	-	-	-
山形	0.5	0.5	94.3	-	0.6	89.5	28.7	6.2	1.6	15.4	15.4
福島	0.4	0.4	96.5	-	0.3	90.0	25.7	1.3	1.2	-	45.0
茨城	0.4	0.3	92.5	-	0.1	11.3	13.5	-	79.9	8.7	19.7
栃木	0.4	0.3	89.6	-	0.4	93.2	22.4	2.8	85.0	1.3	-
群馬	0.3	0.3	93.5	-	0.3	46.3	15.1	1.6	40.0	2.7	28.4
埼玉県	0.3	0.3	88.9	-	0.3	27.2	21.8	1.5	61.4	8.5	23.3
千葉県	0.7	0.5	82.9	0.1	0.5	82.9	17.2	3.0	82.9	0.9	1.7
東京都	0.8	0.7	80.6	-	0.8	72.0	9.5	1.9	2.8	-	5.3
神奈川県	0.1	0.1	90.5	-	0.1	19.7	15.7	4.3	54.3	0.6	15.2
新潟	0.1	0.1	97.4	-	-	37.3	12.2	4.4	37.6	4.0	24.7
富山	1.3	1.3	98.4	-	1.2	18.1	10.2	7.8	79.1	1.2	12.6
石川	1.0	1.0	96.0	-	1.1	46.1	6.2	2.7	46.5	2.2	10.8
福井	1.7	1.3	97.6	0.3	1.2	43.4	27.7	17.5	45.9	1.0	35.8
山梨	0.3	0.3	91.2	-	0.3	71.1	34.3	15.8	3.7	-	34.6
長野	0.4	0.4	99.7	-	0.3	34.8	29.6	5.8	58.2	1.8	28.6
岐阜	0.7	0.6	66.2	-	0.8	88.2	17.7	4.8	5.3	1.6	1.6
静岡県	1.2	0.6	66.0	-	0.6	68.1	25.8	13.3	-	-	-
愛知県	0.3	0.3	94.2	-	0.2	92.6	7.6	4.0	1.5	-	13.3
三重	0.5	0.5	92.1	-	0.5	78.3	23.5	12.3	3.4	1.5	56.9
滋賀	0.7	0.7	93.0	-	0.8	52.5	44.2	15.5	18.5	0.4	37.6
京都府	0.5	0.5	97.4	-	0.4	79.7	12.9	3.0	3.3	9.9	48.1
大阪府	1.0	0.9	93.8	-	0.8	70.2	5.6	4.3	18.6	0.3	13.2
兵庫県	0.6	0.5	90.8	-	0.6	60.8	10.1	5.2	5.0	7.5	28.0
奈良	0.9	0.9	85.9	-	1.0	79.3	17.8	13.3	0.9	12.5	-
和歌山	0.4	0.3	79.0	-	0.4	30.5	18.1	7.5	4.8	5.8	24.6
鳥取	0.8	0.8	95.2	-	0.8	47.6	14.8	3.8	5.0	1.5	22.4
島根	0.5	0.5	98.3	-	0.4	77.2	17.7	3.1	3.2	8.3	6.9
岡山	0.5	0.5	87.8	-	0.4	69.8	17.4	8.3	4.8	1.2	7.3
広島	0.1	0.1	96.5	-	0.1	74.6	9.0	4.5	7.7	-	12.3
山口	0.4	0.4	89.7	-	0.4	46.1	11.4	3.8	64.5	4.2	12.8
徳島	0.5	0.4	80.0	0.1	0.3	56.0	32.2	8.4	-	-	-
香川県	0.7	0.6	85.9	0.1	0.7	75.2	10.1	3.0	48.5	0.7	4.3
愛媛	0.9	0.8	92.0	0.1	0.8	60.0	19.6	14.5	32.5	2.7	13.5
高松	0.4	0.3	82.8	0.1	0.3	66.3	19.9	10.9	3.2	2.5	23.8
福岡	0.5	0.5	78.1	-	0.2	46.2	10.6	2.9	17.4	3.1	8.7
佐賀	1.3	1.2	71.3	-	1.6	74.1	18.5	5.3	2.5	11.7	19.6
長門	1.2	1.2	78.1	-	1.2	68.8	18.3	2.9	-	-	-
熊本	0.9	0.9	89.0	0.03	0.8	91.4	15.9	4.3	8.9	5.9	3.1
大分	0.7	0.7	78.9	0.1	0.8	85.1	24.0	10.5	-	-	-
宮崎	0.3	0.2	87.9	0.1	0.1	87.9	14.6	3.9	87.9	3.5	1.0
鹿児島	0.5	0.5	85.2	-	0.4	40.5	18.9	7.5	37.7	10.6	14.7

第15表 都道府県別 保護児童生徒

(2) 小学校一男・女

区 分	小 学 校 (男)											
	結 核 性 疾 患						寄 生 虫 卵 保 有					
	保 護 児 童 総 数 に 対 する 結 核 被 患 率			定 期 結 核 健 康 診 断 で 判 明 し た 者			塗 沫 法 検 査			集 卵 法 検 査		
	全 結 核	呼 吸 器 系	受 検 率	全 結 核	呼 吸 器 系	受 検 率	回 虫 卵	そ の 他 卵	受 検 率	十 二 指 腸 虫 卵	そ の 他 卵	
全 国	0.8	0.8	86.6	0.1	0.8	64.4	19.6	5.4	21.9	3.1	19.0	
北海道	1.2	1.2	83.8	1.2	1.2	45.9	17.0	0.7	-	-	-	
青森	0.5	0.4	78.3	0.4	0.4	77.7	29.8	1.8	0.1	-	-	
岩手	2.4	2.2	85.1	1.9	1.9	57.9	38.8	3.3	8.8	3.2	10.8	
宮城	1.2	1.2	85.9	1.3	1.3	35.7	19.3	7.7	45.3	2.3	38.7	
秋田	1.9	1.6	94.5	2.0	1.7	51.6	32.5	3.7	3.0	7.1	32.1	
山形	1.3	1.2	98.1	1.2	1.1	93.1	38.5	8.3	1.3	6.3	87.5	
福島	0.6	0.4	97.9	0.3	0.3	87.7	30.2	1.9	3.3	6.7	26.7	
茨城	0.1	0.1	97.0	-	-	10.0	15.7	21.3	89.3	7.6	32.1	
栃木	0.3	0.2	94.4	0.3	0.2	81.8	31.0	2.0	3.0	-	31.0	
群馬	0.5	0.5	88.2	0.4	0.4	54.2	34.7	2.0	33.0	0.7	25.6	
埼玉県	0.8	0.7	83.8	0.8	0.6	45.8	17.9	7.5	61.1	3.9	24.7	
千葉県	1.2	1.7	83.8	1.1	1.1	83.8	12.9	14.1	83.8	1.7	3.4	
東京都	0.4	0.4	83.1	0.5	0.5	77.2	10.7	1.4	9.1	-	13.3	
神奈川県	0.6	0.5	93.8	0.6	0.5	13.2	20.5	1.3	74.2	0.7	18.9	
	0.5	0.5	95.2	0.4	0.4	52.2	10.7	1.5	38.5	2.9	13.6	
富山県	1.5	1.5	94.9	1.4	1.4	28.6	5.6	5.6	59.1	1.0	16.4	
石川県	1.4	1.0	96.2	0.7	0.5	63.4	6.9	6.9	31.1	0.5	28.5	
福井県	2.3	1.9	99.4	1.7	1.5	31.8	27.6	25.0	62.3	0.8	28.1	
山梨県	0.6	0.6	73.2	0.3	0.3	82.6	27.2	17.2	0.4	-	25.0	
長野県	0.7	1.0	87.0	1.0	1.0	32.1	39.2	9.2	74.4	1.4	47.6	
岐阜県	1.5	1.2	99.8	1.1	1.1	85.4	20.1	7.3	2.3	-	26.7	
静岡県	-	-	63.9	-	-	79.7	23.7	8.2	5.6	-	2.7	
愛知県	0.9	0.8	96.5	0.8	0.7	92.6	10.8	2.9	1.3	-	-	
三重県	0.6	0.5	80.6	0.6	0.6	86.6	27.6	12.5	3.0	-	-	
滋賀県	1.1	0.9	87.8	1.0	0.9	69.6	28.7	19.8	10.4	1.1	38.0	
京都府	1.3	1.3	95.3	1.3	1.3	73.1	15.4	7.3	10.0	1.5	27.4	
大阪府	0.8	0.8	93.8	0.7	0.7	75.6	7.9	7.2	12.9	-	5.6	
兵庫県	0.6	0.6	79.2	0.7	0.7	69.9	12.6	2.5	3.8	-	37.8	
奈良県	0.4	0.2	85.5	0.4	0.3	71.8	21.2	9.7	6.2	1.6	16.0	
和歌山県	1.1	1.0	76.8	1.3	1.3	61.1	27.8	9.7	12.1	0.8	10.6	
鳥取県	1.1	1.1	96.6	1.0	1.0	66.3	19.3	4.5	24.3	3.0	20.3	
島根県	0.4	0.4	98.3	0.4	0.4	82.0	21.8	3.7	2.1	4.2	16.7	
岡山県	1.2	1.0	80.6	1.4	1.2	68.7	25.5	13.5	11.4	6.4	23.4	
広島県	1.2	1.2	98.3	1.0	1.0	79.8	11.6	3.5	9.9	2.4	9.8	
山口県	0.6	0.6	91.9	0.6	0.6	53.1	11.0	3.4	53.5	2.9	15.0	
徳島県	1.2	1.1	85.6	1.2	1.2	61.4	34.4	5.3	-	-	-	
香川県	0.6	0.4	86.3	0.6	0.5	76.1	14.2	3.3	20.6	1.1	9.6	
愛媛県	1.2	0.8	92.2	0.9	0.7	72.0	19.3	14.0	50.5	4.3	11.7	
高知県	0.3	0.3	88.9	0.3	0.3	75.9	21.4	12.1	0.8	-	40.0	
福岡県	0.6	0.5	78.9	0.5	0.5	31.6	11.4	1.7	12.5	0.8	2.0	
佐賀県	3.0	3.0	75.8	3.8	3.8	60.3	23.9	5.8	0.4	25.0	50.0	
長門県	0.7	0.7	70.4	1.0	1.0	76.8	16.7	4.3	1.5	-	48.3	
熊本市	0.6	0.6	80.6	0.6	0.6	83.9	25.3	4.3	6.2	7.5	11.8	
大分県	0.8	0.7	90.2	0.9	0.8	83.1	28.1	5.5	-	-	-	
宮崎県	0.3	0.3	64.3	0.5	0.5	76.2	30.6	7.4	20.8	11.3	5.6	
鹿児島県	1.2	1.0	88.2	1.3	1.0	44.1	29.2	6.6	38.2	8.3	17.2	

(注) 96ページ参照

の疾病異常の被患率 (精密検診)

保護児童

(%)

区 分	小 学 校 (女)											
	結 核 性 疾 患						寄 生 虫 卵 保 有					
	保 護 児 童 総 数 に 対 する 結 核 被 患 率			定 期 結 核 健 康 診 断 で 判 明 し た 者			塗 沫 法 検 査			集 卵 法 検 査		
	全 結 核	呼 吸 器 系	受 検 率	全 結 核	呼 吸 器 系	受 検 率	回 虫 卵	そ の 他 卵	受 検 率	十 二 指 腸 虫 卵	そ の 他 卵	
全 国	0.8	0.7	87.2	0.03	0.8	65.3	18.6	5.5	21.9	2.9	18.7	
北海道	1.4	1.4	85.9	1.4	1.4	43.7	13.3	1.5	-	-	-	
青森	0.7	0.7	78.2	0.5	0.5	78.4	28.0	2.4	0.5	66.7	50.0	
岩手	1.0	0.8	86.9	1.0	0.8	56.9	36.7	2.7	9.0	3.0	20.0	
宮城	0.9	0.9	86.9	0.9	0.9	45.5	16.1	2.4	46.9	2.7	40.5	
秋田	1.4	1.1	93.2	1.2	1.1	50.7	36.4	6.0	4.5	5.0	10.0	
山形	1.3	1.3	97.4	1.3	1.3	93.0	38.2	8.0	1.9	20.0	50.0	
福島	0.4	0.2	97.7	0.1	0.1	86.2	26.6	1.4	2.7	-	43.5	
茨城	0.6	0.6	96.3	0.7	0.6	13.6	16.1	37.2	88.7	7.5	28.1	
栃木	0.1	0.1	96.4	0.1	0.1	79.7	27.6	1.3	2.4	-	19.0	
群馬	0.5	0.5	89.0	0.3	0.3	56.7	35.5	1.5	33.4	1.5	24.0	
埼玉県	1.0	0.9	83.8	0.9	0.7	43.5	19.1	6.6	66.2	1.7	21.0	
千葉県	0.1	0.1	84.0	0.2	0.2	84.0	27.1	6.8	84.0	0.2	2.7	
東京都	0.3	0.3	83.8	0.4	0.4	80.4	9.2	1.4	8.7	-	10.8	
神奈川県	0.7	0.7	95.3	0.6	0.6	12.6	20.7	2.7	76.2	0.7	20.7	
神奈川県	0.5	0.4	95.0	0.4	0.4	55.5	11.5	2.5	37.8	3.4	17.9	
富山県	0.9	0.9	94.4	0.8	0.8	36.7	8.9	6.1	61.9	2.6	17.9	
石川県	0.4	0.2	97.4	0.4	0.2	62.9	9.8	9.3	32.6	2.4	21.7	
福井県	2.4	1.6	99.8	1.1	1.1	33.4	24.5	15.4	60.7	1.1	29.7	
山梨県	-	-	71.1	-	-	84.9	29.7	19.3	0.6	20.0	80.0	
長野県	0.7	-	88.6	0.7	0.7	30.6	34.1	7.6	74.0	2.7	42.2	
岐阜県	1.0	1.0	81.6	1.1	1.1	86.2	21.0	8.3	3.5	-	33.3	
静岡県	0.3	0.3	61.8	0.5	0.5	79.0	20.7	5.2	3.8	-	-	
愛知県	0.7	0.4	98.2	0.8	0.4	95.7	8.7	3.6	0.7	-	-	
三重県	0.6	0.6	92.2	0.7	0.7	88.3	25.5	13.1	2.2	-	-	
滋賀県	0.6	0.4	89.3	0.4	0.4	71.7	24.7	21.3	8.8	-	41.4	
京都府	0.6	0.6	95.2	0.7	0.7	72.8	15.8	8.0	10.3	5.5	22.8	
大阪府	1.8	1.7	94.8	1.8	1.8	77.7	5.0	9.2	13.7	0.6	6.0	
兵庫県	0.4	0.4	76.5	0.4	0.4	70.3	10.6	3.1	3.7	2.9	51.4	
奈良県	0.7	0.4	85.6	0.8	0.5	75.6	17.0	11.8	6.6	-	27.1	
和歌山県	1.5	1.4	74.4	1.7	1.6	56.4	26.2	10.6	9.6	-	9.2	
鳥取県	1.1	1.1	96.6	1.1	1.1	67.8	20.6	4.4	26.8	4.5	19.6	
島根県	0.5	0.5	98.8	0.4	0.4	85.6	33.4	3.0	1.5	-	25.0	
岡山県	1.1	1.0	81.5	1.3	1.3	66.5	25.1	9.6	11.6	3.3	16.5	
広島県	0.9	0.9	97.8	0.5	0.5	83.6	11.6	4.0	7.4	-	15.8	
山口県	0.9	0.8	92.4	0.9	0.8	59.9	10.8	4.3	58.4	3.5	14.7	
徳島県	1.3	1.2	89.1	1.4	1.3	59.6	39.4	5.7	-	-	-	
香川県	1.1	0.7	88.2	1.1	0.8	75.5	15.6	4.8	22.2	0.5	7.7	
愛媛県	0.9	0.9	92.3	0.8	0.8	75.0	18.1	14.4	52.3	4.6	10.7	
高知県	0.2	0.2	89.4	0.1	0.1	76.8	22.3	12.9	11.7	6.7	26.7	
福岡県	0.4	0.3	82.2	0.4	0.4	65.7	8.3	1.4	30.8	0.3	2.2	
佐賀県	1.5	1.5	76.0	1.8	1.8	61.3	25.6	5.1	0.3	-	66.7	
長門県	0.8	0.8	72.6	1.0	1.0	79.5	19.2	2.6	1.0	4.5	13.6	
熊本市	0.6	0.6	79.3	0.7	0.7	84.4	23.6	4.7	5.6	7.5	13.8	
大分県	1.3	1.2	92.6	1.4	1.3	83.2	24.9	5.8	-	-	-	
宮崎県	0.7	0.7	65.9	0.9	0.9	76.7	33.7	8.8	20.0	9.9	7.3	
鹿児島県	1.2	1.1	87.4	1.0	0.9	41.9	28.8	7.2	37.1	6.9	19.2	

第15表 都道府県別 保護児童生徒

(3) 中学校一男・女

の疾病異常の被患率 (精密検診)

保護児童

(%)

区 分	中 学 校 (男)											
	結 核 性 疾 患						寄 生 虫 卵 保 有					
	保護生徒総数に対する結核被患率		定期結核健康診断で判明した者				塗 沫 法 検 査			集 卵 法 検 査		
	全 結 核	呼吸器系	受 検 率	全結核	呼吸器系	受検率	回虫卵	その他卵	受検率	十二指腸虫卵	その他卵	受検率
全 国	0.5	0.5	87.8	0.01	0.5	59.3	15.8	4.8	20.3	4.1	15.4	
北海道 青森 岩手 宮城 秋田	0.4	0.4	90.1	-	0.3	36.8	12.9	0.3	-	-	-	
	0.4	0.4	76.6	-	-	47.1	27.1	1.7	0.9	-	60.0	
	0.5	0.5	84.3	-	0.1	44.7	21.0	1.6	5.4	6.8	28.8	
	0.6	0.5	97.1	0.1	0.4	37.1	16.4	4.5	58.2	4.3	31.5	
	0.4	0.3	92.3	-	0.3	55.8	31.5	5.1	55.8	-	-	
山形 福島 茨城 栃木 群馬	0.3	0.3	94.5	-	0.4	88.8	28.1	6.2	1.4	25.0	8.3	
	0.2	0.2	96.7	-	0.2	89.0	26.1	1.1	0.6	-	20.0	
	0.2	0.2	92.5	-	-	11.7	10.7	-	78.3	10.0	19.0	
	0.4	0.4	90.4	-	0.4	72.4	23.9	2.4	3.9	-	-	
	0.1	0.1	93.9	-	0.2	45.5	12.5	1.0	39.5	4.1	30.7	
埼玉 千葉 東京 神奈川 新潟	0.3	0.3	88.3	-	0.3	25.2	17.4	2.3	59.8	8.8	21.6	
	0.7	0.7	85.3	-	0.7	85.3	15.8	2.5	85.3	1.0	1.6	
	0.6	0.6	80.4	-	0.7	71.6	9.7	1.9	2.6	0	7.1	
	0.1	0.1	92.4	-	0.1	18.1	16.7	7.2	54.7	0.7	14.1	
	-	-	97.4	-	-	36.6	11.3	3.1	37.0	4.1	27.9	
富山 石川 福井 山梨 長野	1.3	1.3	98.2	-	1.2	18.7	10.7	7.1	77.5	1.1	12.9	
	0.8	0.8	96.5	-	0.8	45.8	6.4	2.6	46.0	3.1	11.5	
	1.8	1.4	97.5	0.2	1.5	46.4	28.1	16.8	42.6	2.1	35.7	
	0.1	0.1	92.3	-	0.2	70.7	33.8	15.9	3.4	-	37.5	
	0.4	0.4	99.6	-	0.4	33.8	29.7	5.6	58.6	2.1	25.8	
岐阜 静岡 愛知 三重 滋賀	0.8	0.7	64.1	-	1.0	86.2	18.0	4.6	4.3	-	-	
	1.1	0.8	68.4	-	0.7	67.8	27.5	13.3	-	-	-	
	0.5	0.5	93.0	-	0.3	91.7	7.4	4.5	1.5	-	6.7	
	0.7	0.7	91.0	-	0.8	76.2	21.1	11.9	3.1	-	61.3	
	0.9	0.9	90.9	-	1.0	50.6	37.6	15.1	16.6	0.8	33.9	
京都 大阪 兵庫 奈良 和歌山	0.4	0.4	98.0	-	0.3	78.1	12.7	2.8	3.7	8.3	39.6	
	1.0	1.0	94.2	-	0.9	69.0	4.5	4.0	17.4	-	10.4	
	0.5	0.5	89.6	-	0.6	58.2	7.8	5.9	4.7	8.5	31.9	
	0.6	0.6	85.4	-	0.7	78.2	19.2	12.3	0.6	20.0	-	
	0.3	0.3	77.8	-	0.3	29.9	16.2	7.3	4.7	2.7	16.2	
鳥取 島根 岡山 広島 山口	0.4	0.4	95.0	-	0.3	45.8	13.8	3.1	5.0	-	20.0	
	0.3	0.3	98.4	-	0.3	77.7	18.3	3.3	3.4	10.0	5.0	
	0.3	0.2	89.3	-	0.3	69.0	18.0	8.2	4.7	-	4.9	
	0.2	0.2	96.1	-	0.1	76.1	8.5	3.7	6.7	-	17.5	
	0.6	0.6	89.3	-	0.5	42.5	10.7	2.9	64.7	3.0	12.0	
徳島 香川 愛媛 高松 福岡	0.5	0.3	80.9	0.1	0.2	63.2	26.8	7.1	-	-	-	
	0.9	0.7	84.4	0.1	0.8	74.8	9.1	2.9	48.3	0.8	4.5	
	0.6	0.6	92.7	-	0.6	59.7	18.4	14.0	31.8	3.6	12.5	
	0.5	0.3	84.6	0.1	0.4	62.8	22.0	12.7	5.4	1.5	25.0	
	0.3	0.3	76.8	-	0.2	44.0	11.4	2.1	17.0	3.4	8.4	
佐賀 長門 熊本 大分 鹿児島	1.5	1.3	70.6	-	1.7	36.8	18.8	5.0	2.5	16.0	16.0	
	1.4	1.4	79.6	-	1.6	68.7	18.8	3.2	-	-	-	
	0.5	0.3	88.4	-	0.6	92.0	15.5	4.2	7.8	4.4	4.3	
	0.8	0.8	77.8	0.2	0.9	84.7	23.5	9.6	-	-	-	
	0.4	0.2	37.8	0.2	0.2	87.8	13.7	3.7	87.8	3.8	0.9	

(注) 96ページ参照

区 分	中 学 校 (女)											
	結 核 性 疾 患						寄 生 虫 卵 保 有					
	保護生徒総数に対する結核被患率		定期結核健康診断で判明した者				塗 沫 法 検 査			集 卵 法 検 査		
	全 結 核	呼吸器系	受 検 率	全結核	呼吸器系	受検率	回虫卵	その他卵	受検率	十指腸虫卵	その他卵	受検率
全 国	0.6	0.6	88.0	0.02	0.5	60.8	16.6	5.0	20.9	3.7	16.7	
北海道 青森 岩手 宮城 秋田	0.5	0.5	89.4	-	0.6	36.6	15.1	0.3	-	-	-	
	0.4	0.4	77.5	-	0.3	43.7	29.6	3.6	0.8	-	50.0	
	0.7	0.7	83.3	-	0.1	47.6	22.4	2.5	5.8	10.2	23.7	
	0.7	0.6	97.3	0.1	0.4	36.2	17.1	4.7	59.4	4.8	32.1	
	1.1	0.6	92.3	0.3	0.7	55.5	31.5	5.9	-	-	-	
山形 福島 茨城 栃木 群馬	0.8	0.8	94.1	-	0.8	90.3	29.5	6.1	1.8	7.1	21.4	
	0.5	0.5	96.2	-	0.4	91.0	25.3	1.6	1.8	-	53.3	
	0.5	0.4	92.5	-	0.3	10.9	16.7	-	31.7	7.4	20.3	
	0.3	0.3	88.7	-	0.3	74.0	21.0	3.2	6.0	2.2	-	
	0.5	0.5	93.1	-	0.5	47.1	17.7	2.3	40.4	1.2	26.0	
埼玉 千葉 東京 神奈川 新潟	0.4	0.4	89.6	-	0.4	29.6	26.2	0.6	63.2	8.1	25.3	
	0.7	0.5	80.3	-	0.3	80.3	18.8	3.5	80.3	0.7	1.8	
	0.8	0.8	80.8	-	1.0	72.5	9.4	1.9	3.0	0.0	3.4	
	0.1	0.1	88.5	-	-	21.3	14.9	1.9	53.9	0.5	16.2	
	0.1	0.1	97.3	-	-	37.9	13.0	5.4	38.3	4.0	24.2	
富山 石川 福井 山梨 長野	1.3	1.3	98.7	-	1.1	9.1	9.6	8.5	80.9	1.4	12.2	
	1.3	1.3	95.5	-	1.3	46.3	6.0	2.8	47.0	1.4	10.0	
	1.6	1.2	97.8	0.4	1.0	40.0	27.0	21.3	49.6	-	35.8	
	0.4	0.4	90.5	-	0.5	71.6	34.8	15.7	3.9	-	32.1	
	0.3	0.3	99.8	-	0.2	36.1	29.5	5.9	57.7	1.4	32.1	
岐阜 静岡 愛知 三重 滋賀	0.6	0.6	68.6	-	0.5	90.4	17.3	4.9	6.5	2.9	2.9	
	0.4	0.4	63.1	-	0.6	68.4	23.6	13.2	-	-	-	
	0.1	0.1	95.4	-	0.1	93.6	7.8	3.6	1.5	-	20.0	
	0.2	0.2	93.2	-	0.2	80.6	25.9	12.7	3.7	3.2	52.9	
	0.4	0.4	95.4	-	0.5	54.6	51.0	16.1	20.6	-	41.0	
京都 大阪 兵庫 奈良 和歌山	0.5	0.5	96.7	-	0.5	81.5	13.1	3.1	2.9	12.1	60.6	
	0.9	0.8	93.3	-	0.9	71.4	6.7	4.7	19.9	0.5	15.8	
	0.6	0.6	92.0	-	0.6	63.6	12.5	4.5	5.2	6.5	23.9	
	1.2	1.2	86.5	-	1.4	80.6	16.1	14.4	1.2	-	-	
	0.5	0.5	80.3	-	0.6	31.2	20.2	7.7	4.8	9.4	34.4	
鳥取 島根 岡山 広島 山口	1.2	1.2	95.4	-	1.2	49.6	15.9	4.4	4.9	3.1	25.0	
	0.9	0.8	98.2	-	0.5	76.7	17.0	2.9	3.1	6.3	9.4	
	0.6	0.6	86.1	-	0.6	70.6	16.9	8.4	5.0	2.4	9.8	
	-	-	96.9	-	-	72.8	9.5	5.4	8.8	-	7.7	
	0.3	0.3	90.1	-	0.3	50.1	12.0	4.5	64.4	5.6	13.8	
徳島 香川 愛媛 高松 福岡	0.6	0.5	79.2	0.1	0.2	48.3	39.7	10.2	-	-	-	
	0.7	0.5	87.5	0.1	0.6	75.8	11.2	3.1	48.6	0.6	4.1	
	1.2	1.0	91.2	0.1	1.0	60.3	20.9	15.0	33.2	1.7	14.5	
	0.4	0.2	81.0	0.1	0.3	69.8	17.9	9.3	1.0	8.3	16.7	
	0.7	0.7	79.6	-	0.3	48.6	9.8	3.7	17.8	2.8	9.1	
佐賀 長門 熊本 大分 鹿児島	1.2	1.2	72.1	-	1.5	76.9	18.1	5.6	2.6	7.7	23.1	
	1.0	1.0	76.4	-	1.4	68.9	17.8	2.6	-	-	-	
	1.2	1.2	89.7	0.4	1.3	90.7	16.3	4.3	10.1	7.2	2.2	
	0.6	0.6	79.9	-	0.8	85.4	24.4	11.4	-	-	-	
	0.3	0.4	88.1	-	0.1	88.1	15.5	4.2	38.1	3.2	1.1	