

(1) 幼稚園——男

区 分	栄養要注意	せき柱異常	胸郭異常	伝染性の皮膚疾患	目		耳			鼻
					トラムホ	その他の眼疾	難聴(両耳)	中耳炎	その他の耳疾	増殖腺(アデノイド)症
全 国	1.1	0.5	1.6	1.3	1.5	3.0	0.1	0.5	0.9	1.2
北海道 北青森 岩手 宮城 秋田	2.6	0.7	2.0	4.2	0.8	1.7	0.04	0.3	1.3	0.8
	0.2	0.1	1.0	1.2	1.0	1.0	0.5	0.4	0.6	0.1
	0.6	0.2	1.3	1.1	4.3	4.7	0.05	0.6	0.8	0.9
	0.3	0.2	1.6	0.7	3.2	2.6	0.1	0.5	0.4	0.7
	-	0.4	0.5	2.3	3.4	2.9	-	1.1	1.0	0.4
山形 福島 茨城 栃木 群馬	2.2	1.7	4.9	1.0	1.4	2.1	0.04	0.7	0.7	0.3
	0.3	0.2	2.1	2.3	1.7	1.1	-	0.4	0.1	0.5
	0.7	0.4	1.6	1.4	1.2	2.6	-	0.4	0.1	1.7
	0.7	0.4	2.6	2.8	2.7	2.0	0.04	0.6	0.3	0.4
	0.4	0.5	2.1	1.2	0.8	1.8	-	0.4	0.8	1.1
埼玉県 千葉県 東京都 神奈川県	0.4	0.1	1.5	1.2	0.4	4.5	0.08	0.4	0.5	0.9
	1.6	0.2	1.8	1.2	1.1	4.3	0.1	0.1	0.6	0.2
	1.2	0.5	1.5	1.4	0.3	3.0	0.1	0.5	1.8	2.1
	0.6	0.3	1.4	1.8	1.3	2.3	0.03	0.3	0.5	2.2
	1.1	0.5	3.5	2.0	0.5	2.8	-	0.1	0.8	0.3
富山 石川 福山 山長	1.4	0.5	2.0	1.1	1.0	4.5	-	0.2	0.1	0.6
	1.2	0.5	4.6	0.8	0.2	2.1	0.04	0.1	0.08	0.08
	2.3	2.2	1.8	3.8	2.1	4.2	-	0.6	0.1	0.3
	1.9	3.7	4.3	1.4	3.1	4.2	-	0.4	2.1	1.7
	1.2	0.5	1.9	1.2	-	2.1	0.4	0.2	0.2	1.1
岐阜 静岡 愛三 滋	2.0	0.8	1.4	1.5	1.3	2.2	-	0.4	0.1	0.3
	0.6	0.4	1.3	0.7	1.0	3.3	0.1	0.4	0.8	1.8
	1.7	0.6	1.6	1.4	1.5	2.8	-	0.4	0.4	0.5
	1.5	1.0	0.7	0.3	3.1	0.9	-	0.4	0.3	0.2
	1.6	1.3	2.0	1.4	1.1	1.8	0.2	0.4	0.8	0.6
京都 大阪 兵庫 和歌山	2.1	0.5	1.4	0.3	0.4	3.6	0.03	0.7	0.6	1.3
	1.0	0.7	1.1	0.7	2.0	3.3	0.1	1.0	1.9	2.1
	1.4	0.7	1.0	0.4	2.0	3.5	0.2	0.5	0.3	0.4
	0.7	0.6	0.8	0.5	1.5	1.8	0.1	0.7	0.4	2.6
	1.0	-	1.4	1.1	4.8	4.9	-	0.3	0.2	2.6
鳥取 島岡 岡山 広島	0.9	0.8	4.8	3.7	0.1	1.2	-	0.4	0.7	1.3
	2.5	1.1	6.7	2.8	1.4	1.6	0.3	0.6	2.1	2.2
	0.7	0.6	1.7	0.8	2.3	2.9	0.04	1.0	1.1	1.3
	0.8	0.4	1.3	2.3	0.8	3.8	0.04	0.4	0.6	0.4
	0.8	0.3	1.4	0.5	2.9	3.6	0.9	0.9	1.6	2.9
徳島 香愛 高福	1.0	0.4	1.3	1.0	3.0	3.9	0.1	0.8	0.4	1.6
	0.9	0.3	1.4	0.4	1.8	3.0	0.03	0.5	0.7	0.2
	1.2	0.9	1.2	0.8	1.1	2.2	-	0.2	1.4	0.7
	-	-	0.8	1.1	0.4	1.4	-	0.1	0.6	1.1
	0.6	0.3	1.8	1.8	2.0	3.0	0.2	0.4	0.8	1.0
佐賀 長門 熊大 宮鹿 児	0.8	0.6	1.0	1.5	1.3	1.3	0.1	0.5	0.7	0.9
	0.3	0.3	1.4	1.9	1.2	2.2	-	0.3	0.1	0.05
	0.9	0.6	1.8	1.7	1.2	4.3	0.03	0.3	0.2	0.3
	1.3	0.1	1.4	0.8	2.0	2.9	0.1	0.3	0.1	0.8
	0.2	0.3	1.2	0.4	1.7	4.2	-	0.3	0.3	0.5
	0.6	0.2	1.1	0.3	2.4	3.1	0.1	0.4	0.2	1.7

異常の被患率(一般検診)

およびいんとう				身体 虚 弱	精 神 薄 弱	運 動 機 能	障 害	心 臓 の 疾 患	そ の 他 の 疾 患	お よ び 異 常	幽 歯			の 他 の 歯 疾
蓄 の う 症	へん と う	せん 肥 大	の お ん と う								む し 歯			
											処 置	完 了 者	未 処 置	
0.5	13.1	2.9	0.3	0.05	0.2	0.3	1.0	3.5	83.6	0.4				
0.3	13.5	1.5	0.4	0.03	0.1	0.3	1.6	2.0	88.9	0.1				
0.2	8.2	3.1	-	-	0.1	0.3	2.3	1.9	91.6	-				
0.4	10.3	5.2	0.4	0.04	0.3	0.2	1.2	1.7	89.5	0.4				
0.1	12.0	3.2	0.0	0.0	0.1	0.3	0.9	1.4	88.6	0.1				
0.05	10.0	1.2	-	0.05	0.05	0.1	1.0	1.0	90.1	-				
0.4	10.0	1.8	0.3	0.04	0.1	0.2	1.1	1.8	85.4	0.6				
-	9.6	0.5	0.2	-	0.2	0.1	-	1.9	82.6	0.1				
-	10.7	0.6	0.1	0.1	0.1	0.1	0.1	1.9	89.0	1.2				
0.1	20.3	1.6	0.1	0.03	0.2	0.1	0.9	2.3	90.1	0.05				
0.2	14.8	1.4	0.1	-	0.1	0.2	0.6	2.5	83.0	0.1				
-	13.8	3.4	0.3	-	0.04	0.7	1.1	4.2	77.9	0.2				
0.2	14.5	0.8	0.2	-	0.04	0.5	0.8	5.0	87.3	1.0				
0.6	17.4	3.6	0.3	0.03	0.2	0.3	1.2	7.3	77.5	0.3				
0.8	22.2	3.0	0.05	0.03	0.3	0.3	1.4	5.6	81.0	0.1				
0.1	10.8	2.7	0.1	0.1	0.03	0.2	0.8	8.8	80.5	0.1				
0.5	10.0	3.9	0.7	-	0.1	0.2	0.6	3.6	78.2	0.8				
0.2	12.5	1.8	0.9	0.04	0.1	1.1	2.3	1.4	76.4	0.7				
0.6	8.7	2.1	1.7	0.2	-	0.6	1.9	4.4	86.5	0.2				
0.8	12.7	-	0.01	-	0.01	-	0.5	6.9	90.2	1.4				
1.1	12.2	3.2	-	0.06	-	0.6	1.7	5.1	85.4	-				
0.3	10.9	2.6	0.2	0.04	0.1	0.1	0.8	2.2	62.3	0.1				
0.01	12.0	2.6	0.1	0.1	0.1	0.2	1.2	2.3	83.8	0.00				
0.4	10.0	1.4	0.4	0.03	0.1	0.4	0.3	1.3	91.4	0.03				
0.05	13.1	0.4	0.1	0.06	0.1	0.1	0.7	0.9	91.4	0.06				
0.3	11.2	4.8	0.1	-	0.3	0.7	1.9	1.6	84.9	8.5				
2.1	17.1	6.2	0.6	0.03	0.09	0.8	0.8	1.6	65.9	0.06				
0.7	13.3	4.5	0.9	-	0.2	0.6	1.2	3.7	85.7	0.6				
0.5	12.9	1.9	0.3	0.1	0.2	0.3	0.7	1.8	84.2	0.4				
-	9.8	0.4	0.3	0.2	0.1	0.3	1.0	1.0	83.6	-				
0.3	14.6	2.8	0.1	0.1	0.1	0.3	0.4	3.3	86.8	-				
-	7.7	0.9	0.1	-	0.1	0.2	0.1	2.3	82.2	-				
0.2	13.8	8.0	0.6	0.1	0.2	0.4	2.0	1.6	89.0	0.6				
0.3	12.2	2.5	0.3	0.03	0.2	0.5	0.7	1.6	89.2	0.6				
0.9	13.4	3.6	0.1	-	0.3	0.2	0.9	2.3	84.5	0.1				
0.2	9.9	4.3	0.1	0.04	0.2	0.2	1.2	6.1	79.4	-				
0.8	5.6	2.6	0.1	0.04	0.2	0.2	1.0	0.3	85.4	-				
0.6	10.5	3.4	0.3	0.06	0.2	0.2	0.6	2.5	80.8	0.9				
0.1	8.8	0.7	0.2	0.05	0.1	0.2	1.0	2.1	86.3	0.1				
0.1	6.8	1.1	0.1	-	-	0.1	2.1	0.8	91.5	-				
0.2	10.7	2.6	0.4	0.06	0.1	0.2	0.7	10.7	69.6	0.2				
1.0	11.8	2.5	0.4	0.3	0.2	0.2	0.7	2.4	88.5	0.5				
0.7	16.0	4.1	0.1	0.1	0.05	0.1	2.7	4.9	78.7	1.7				
0.1	9.4	2.5	0.2	-	0.1	0.3	0.6	1.3	84.6	0.5				
0.05	9.1	3.5	0.5	0.2	0.2	0.2	0.6	1.7	88.7	-				
-	12.8	1.2	0.05	0.1	0.05	0.2	0.7	1.2	87.4	-				
0.4	8.8	3.8	0.1	0.07	0.07	0.3	0.8	2.1	86.5	-				

第4表 都道府県別疾病

(1) 幼稚園—女

区 分	栄養 要注意	せき 柱異常	胸郭 異常	伝染 性の 皮膚 疾患	目		耳			鼻 (ノーズ) 増殖 腺腫
					トラ ム	その他 の眼疾	難 聴 (両耳)	中 耳 炎	その他 の耳疾	
全 国	0.9	0.3	0.8	0.9	1.7	3.4	0.1	0.4	0.7	1.0
北海道	2.1	0.3	1.1	3.5	0.6	2.1	-	0.2	1.2	0.7
青森	0.1	0.1	0.5	0.2	1.4	2.2	0.1	0.3	0.4	-
岩手	0.4	0.04	0.8	0.9	5.8	4.9	0.1	0.8	0.7	0.7
宮城	0.2	0.1	0.6	0.4	4.0	2.7	0.1	0.4	0.1	0.5
秋田	-	0.2	0.2	1.4	3.5	3.1	0.1	1.0	0.8	0.1
山形	2.2	0.8	2.8	0.7	1.8	3.1	0.1	0.5	1.1	0.3
福島	0.7	0.2	0.7	0.8	1.8	1.6	-	0.2	0.1	0.3
茨城	0.6	0.1	1.3	0.9	1.1	1.9	-	0.4	0.2	0.3
栃木	0.7	0.3	0.9	1.7	2.7	2.0	0.04	0.3	0.1	0.4
群馬	0.4	0.4	1.1	1.2	1.1	2.3	0.1	0.4	0.7	1.1
埼玉県	0.2	0.08	0.9	0.4	0.5	5.6	0.05	0.3	0.3	0.7
千葉県	1.2	0.3	0.8	1.1	2.1	5.1	0.2	0.1	0.8	0.3
東京都	0.9	0.4	0.8	1.0	0.1	3.3	0.2	0.5	1.8	1.5
神奈川県	0.3	0.1	0.7	1.2	1.6	2.8	0.03	0.1	0.4	2.7
新潟	0.8	0.2	2.0	1.1	0.3	2.9	0.1	0.1	0.4	0.2
富山	1.4	0.2	1.7	0.7	1.0	4.8	-	0.1	0.4	0.3
石川	1.2	0.2	2.1	0.6	0.3	1.8	0.04	0.2	0.1	0.2
福井	2.2	0.4	1.1	1.7	2.1	4.6	0.4	1.0	0.07	-
山梨	0.8	2.9	2.7	1.3	2.3	4.0	0.1	0.3	1.1	2.3
長野	1.0	0.2	0.7	1.0	0.07	3.4	0.2	0.4	0.8	0.9
岐阜	1.5	0.2	1.1	1.2	1.4	2.4	0.1	0.8	0.2	0.7
静岡県	0.6	0.3	0.9	0.5	1.5	4.1	0.03	0.4	0.4	1.8
愛知県	1.5	0.1	0.6	1.1	1.9	2.7	-	0.4	0.5	0.3
三重	1.2	0.7	0.6	0.05	2.9	1.7	-	0.4	0.5	0.1
滋賀	2.9	2.8	1.9	1.7	1.6	3.8	0.09	0.4	1.5	0.5
京都府	1.1	0.2	0.5	0.2	0.4	3.2	0.1	0.6	0.2	0.8
大阪府	0.7	0.4	0.5	0.8	2.4	3.8	0.1	0.7	1.4	1.8
兵庫県	0.8	0.3	0.6	0.5	1.5	3.7	0.1	0.4	0.3	0.4
奈良	0.7	0.4	0.4	0.3	1.7	3.1	0.1	0.3	0.4	2.3
和歌山	0.5	0.1	0.5	0.5	5.6	4.9	0.1	0.3	0.1	2.7
鳥取	0.8	0.3	1.9	1.8	0.1	0.8	-	0.7	0.4	0.9
島根	1.4	0.5	2.7	2.1	1.8	2.2	0.3	0.4	1.5	1.6
岡山	1.6	0.5	1.2	0.9	2.4	3.0	0.2	0.8	0.6	1.3
広島	0.8	0.6	0.4	1.4	1.1	3.5	-	0.5	0.1	1.3
山口	0.8	-	0.4	0.5	3.3	2.8	0.7	0.5	1.0	1.7
徳島	0.7	0.4	0.6	0.5	2.3	3.9	0.4	0.8	0.3	1.3
香川県	0.4	0.3	0.5	0.2	2.5	3.6	0.04	0.5	0.6	0.3
愛媛	1.1	0.5	0.6	0.5	1.1	1.9	0.03	0.1	0.8	0.3
高松	-	-	0.5	-	0.6	0.8	1.4	0.3	0.9	-
福岡	0.7	0.4	0.8	1.4	2.2	3.4	0.1	0.3	0.7	0.7
佐賀	1.0	0.4	0.7	1.0	1.9	1.8	0.04	0.2	0.5	0.7
長門	0.2	0.2	1.0	1.4	1.3	2.9	-	0.1	0.1	0.06
熊本	0.6	0.5	0.8	1.5	1.4	4.6	0.1	0.1	0.2	0.3
大宮	0.7	-	0.7	0.5	1.9	3.5	0.06	0.3	-	0.1
宮鹿	0.2	0.05	0.8	0.4	1.4	4.5	0.1	0.2	0.2	0.2
児	0.6	0.7	0.7	0.1	2.5	2.9	-	0.2	0.2	1.6

異常の被患率(一般検診)

およびいんとう				身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患	お よ び 異 常	歯		
蓄 の う 症	へ ん と う	せ ん 肥 大	そ の お ん 疾 患 の お よ び う							む し 歯	そ の 他	そ の 他
0.4	12.0	2.2	0.3	0.1	0.1	0.3	0.8	3.5	83.9	0.3		
0.3	11.6	1.8	0.4	0.1	0.2	0.2	1.6	2.0	91.2	-		
0.3	13.6	1.9	0.1	-	-	0.2	2.0	1.7	90.3	2.1		
0.4	9.4	4.5	0.3	0.05	0.05	0.2	1.0	3.4	90.0	-		
0.4	9.9	2.3	0.1	0.1	0.1	0.2	0.8	2.0	89.0	-		
0.1	8.4	0.7	0.05	-	0.05	0.1	0.9	1.0	91.7	0.1		
0.7	1.0	2.1	0.4	-	0.2	-	0.4	2.0	87.8	0.2		
-	7.8	0.4	0.1	-	0.1	0.1	0.1	4.1	76.2	0.1		
0.04	9.0	0.7	0.1	0.07	0.04	0.2	0.2	2.8	87.0	1.2		
-	15.9	1.5	0.2	0.1	0.03	0.1	0.9	1.3	89.4	0.2		
0.2	13.1	1.3	0.2	0.1	0.1	0.2	0.6	2.7	83.4	0.1		
0.04	12.6	1.8	0.3	-	0.1	0.3	0.4	3.6	77.7	0.2		
0.2	12.8	1.1	0.1	0.04	0.1	0.3	0.3	3.7	88.2	1.3		
0.4	15.8	2.9	0.3	0.04	0.05	0.2	0.9	8.2	77.8	0.4		
0.9	19.4	3.0	0.03	-	0.1	0.2	1.2	5.3	82.0	0.2		
0.1	9.6	2.1	0.03	0.04	0.1	0.3	0.5	1.5	79.8	-		
0.1	8.8	3.0	0.4	-	-	0.4	0.6	3.0	79.2	0.9		
0.1	10.1	2.0	0.6	0.04	0.09	0.9	1.9	4.0	70.6	1.0		
0.2	8.2	1.5	0.7	0.4	0.3	0.3	1.7	2.0	83.8	-		
0.8	13.4	0.4	-	-	0.1	-	0.5	5.3	86.6	2.7		
0.5	9.9	2.1	0.06	0.06	0.06	0.2	1.1	1.1	83.0	0.07		
0.4	10.6	1.9	0.2	0.1	0.1	0.2	0.6	3.1	60.3	0.9		
0.1	10.8	1.5	0.1	0.05	0.1	0.2	1.2	2.0	86.1	0.1		
0.09	7.0	0.9	0.3	0.09	0.2	0.1	0.5	1.5	91.2	0.09		
-	8.8	0.05	-	0.05	-	0.05	0.3	0.9	90.7	0.06		
0.08	18.1	3.7	0.3	0.2	0.5	1.0	2.3	1.8	92.5	0.2		
0.5	15.6	5.2	0.6	-	0.2	0.3	0.6	1.5	86.8	0.06		
0.8	13.4	3.7	1.0	-	0.3	0.6	1.3	3.4	86.4	0.8		
0.3	12.0	1.4	0.3	0.04	0.1	0.3	0.4	2.1	85.4	0.3		
-	8.6	0.1	0.1	0.1	0.1	0.1	0.6	0.7	82.2	-		
0.1	10.5	3.1	0.1	0.1	-	0.4	0.2	3.1	87.2	-		
0.2	5.9	0.9	-	-	-	-	0.5	1.7	81.7	-		
0.2	12.6	4.8	0.4	-	0.1	0.4	1.2	1.9	89.7	0.4		
0.6	18.9	2.8	0.2	0.04	0.2	0.6	0.9	1.4	91.3	0.5		
0.8	11.4	2.7	0.1	0.1	0.1	0.2	0.4	2.1	83.3	0.1		
0.5	8.6	2.5	0.1	-	0.1	0.3	1.1	5.1	79.5	0.3		
0.5	5.7	1.8	0.04	0.1	0.2	0.3	0.7	0.5	87.0	0.05		
0.3	9.3	3.0	0.4	0.2	0.03	0.1	0.4	2.7	80.5	0.06		
0.03	6.2	0.4	0.2	-	0.03	0.3	0.9	3.8	84.0	0.1		
-	4.1	-	-	-	0.2	-	1.4	0.6	93.4	-		
0.6	9.6	2.2	0.2	0.1	0.2	0.2	0.8	11.8	70.5	0.3		
0.8	9.3	1.7	0.3	0.2	0.1	0.2	0.5	1.8	88.9	1.9		
0.6	13.7	2.4	-	-	0.05	0.4	1.9	4.3	79.9	1.6		
0.03	8.2	1.4	0.2	-	0.08	0.3	0.4	1.4	85.2	0.2		
0.06	9.1	2.4	0.5	0.2	0.2	0.3	0.4	1.8	90.1	-		
0.4	9.7	1.3	-	-	0.2	0.8	0.6	1.6	95.2	-		
0.6	8.0	2.7	0.1	-	0.03	1.9	0.7	1.9	85.2	0.03		

第4表 都道府県別疾病

(2) 小学校—男

区 分	栄養 要注意	せき 柱異常	胸 郭異常	伝皮 染膚 性疾 の患	目							難 (両 耳)
					近 視	遠 視	乱 視	弱 (両 眼)	色 神異常	トラ ホー	そ眼 の他 の疾	
全 国	0.9	0.9	1.2	2.8	8.9	0.3	0.1	0.4	2.9	3.8	3.8	0.4
北海道	0.7	0.4	0.7	3.8	18.6	0.1	0.02	0.3	2.9	2.4	1.8	0.2
青森	0.3	0.2	0.5	1.8	14.5	0.1	0.01	0.8	2.9	8.3	2.2	0.2
岩手	0.3	0.1	0.8	1.3	11.3	0.1	0.04	0.8	3.1	10.8	4.7	0.3
宮城	0.2	0.1	0.8	3.3	7.4	0.1	0.0	0.2	2.5	8.7	2.4	0.2
秋田	0.6	0.9	0.8	2.8	12.0	0.7	0.03	0.7	3.0	6.2	2.3	0.3
山形	3.5	5.3	4.4	5.4	8.2	1.1	0.1	0.3	3.1	6.3	5.0	0.6
福島	0.4	0.6	0.8	1.8	9.3	0.4	0.04	0.5	2.3	6.0	1.8	0.2
茨城	0.4	0.4	1.3	3.3	7.2	0.3	0.1	0.3	3.0	4.1	1.3	0.3
栃木	0.4	0.2	1.2	2.9	5.8	0.3	0.04	0.2	3.2	4.8	3.1	0.3
群馬	1.0	2.1	1.5	4.9	4.7	0.1	0.1	0.3	2.8	1.4	3.0	0.4
埼玉県	0.4	0.5	1.1	2.0	6.8	0.04	0.1	0.4	3.2	2.1	4.1	0.4
千葉県	0.4	0.3	1.2	3.0	7.6	0.3	0.1	0.4	2.6	3.2	5.3	0.2
東京都	0.5	1.1	1.2	3.5	9.8	0.1	0.1	0.1	2.9	2.0	7.2	0.3
神奈川県	0.6	2.2	1.1	2.4	8.0	0.2	0.2	0.3	2.4	2.4	6.5	0.1
新潟県	0.8	0.5	2.6	5.6	8.8	0.5	0.1	0.5	3.3	1.6	5.4	0.3
富山県	1.6	1.3	1.7	5.5	10.8	0.1	0.2	0.7	2.8	1.3	5.7	0.4
石川県	1.1	0.9	2.6	1.5	11.2	0.04	0.03	0.6	2.5	1.9	1.4	0.2
福井県	1.2	0.9	1.0	2.1	10.6	0.05	0.2	0.3	3.9	1.5	3.1	0.5
山梨県	2.4	1.0	1.5	0.8	8.6	0.1	0.1	0.3	2.9	2.7	5.4	0.3
長野県	1.2	1.3	1.0	2.7	4.8	0.02	0.09	0.3	2.8	0.9	4.5	0.2
岐阜県	0.9	0.6	0.7	1.6	8.3	-	0.1	0.8	2.6	2.6	4.7	0.3
静岡県	1.3	1.2	0.8	1.4	8.1	0.04	0.2	0.2	2.6	2.2	2.7	0.4
愛知県	1.4	1.7	1.6	2.1	11.1	0.9	0.5	0.3	3.3	3.8	3.6	0.4
三重県	0.8	0.9	0.6	1.4	11.2	0.5	0.04	0.7	3.7	3.8	2.8	0.3
滋賀県	0.9	0.9	0.6	1.6	7.7	0.2	0.1	0.8	5.2	0.4	2.2	0.5
京都府	1.8	2.2	1.3	1.8	8.7	0.2	0.2	0.05	2.9	1.7	4.8	0.4
大阪府	1.5	0.5	1.1	0.8	7.3	0.03	0.2	0.2	3.1	4.1	4.2	0.3
兵庫県	1.4	1.7	0.7	1.2	7.7	0.1	0.1	0.3	3.3	4.2	2.9	0.3
奈良県	0.8	0.4	1.1	1.4	7.2	0.6	-	0.5	3.9	2.1	3.6	0.3
和歌山県	1.0	1.0	0.8	0.4	8.3	0.1	0.1	0.6	2.8	8.2	2.5	0.4
鳥取県	1.1	1.6	2.1	3.1	10.6	0.01	0.2	0.2	2.7	0.9	2.0	0.5
島根県	1.5	1.1	2.5	5.3	8.0	0.2	0.1	0.5	3.0	2.2	2.0	0.4
岡山県	0.7	0.7	0.7	1.1	7.7	0.03	0.2	0.3	2.5	2.3	3.1	0.8
広島県	1.8	1.0	1.4	5.0	8.2	0.1	0.2	0.2	3.5	3.1	6.1	0.6
山口県	1.5	0.6	1.4	6.4	10.0	0.1	0.1	0.2	3.2	6.5	3.2	0.7
徳島県	1.1	1.0	0.6	1.8	4.6	0.7	0.02	0.3	2.1	3.4	3.0	0.9
香川県	1.0	0.6	0.8	1.4	9.9	0.1	0.09	0.5	2.9	2.5	4.6	0.5
愛媛県	0.6	0.3	0.8	1.5	6.3	0.2	0.1	0.3	2.6	2.9	3.8	0.3
高知県	0.4	0.4	0.7	1.7	3.7	-	-	0.3	2.0	3.0	2.5	0.3
福岡県	0.8	0.5	0.8	4.9	7.6	1.3	0.01	0.9	3.1	8.2	2.8	0.5
佐賀県	0.5	1.1	0.5	2.2	9.3	0.07	0.04	0.5	2.5	2.8	2.0	0.9
長崎県	1.2	0.9	1.6	2.2	9.2	0.04	0.03	0.6	2.4	3.9	2.9	0.5
熊本県	1.5	1.0	1.4	5.5	5.7	0.1	0.1	0.4	3.0	2.9	4.3	0.7
大分県	0.5	0.3	0.8	0.5	8.5	0.4	0.03	0.3	2.3	3.7	2.2	0.5
宮崎県	1.1	0.5	2.2	2.1	5.2	0.6	0.02	0.3	3.3	7.9	4.4	0.3
鹿児島県	0.6	0.4	1.4	2.1	4.1	0.6	0.05	0.5	2.2	6.9	3.1	0.4

異常の被患率(一般検診)

耳		鼻およびいんとう				身 体 虚 弱	精 神 薄 弱	運 動 機 能 害	心 臓 の 疾 患	そ の よ の 他 の 疾 患	歯			そ の 他 の 疾
中 耳 炎	そ の 他 の 疾	せん殖デ ん様ノイ ド増(ア ド)	蓄 の う 症	へん と う 大	そ の よ の 他 の 疾 患						む し 歯	そ の 他 の 疾		
		処 置	完 了 者	未 処 置	歯 者 有 る									
0.7	1.3	0.8	1.1	10.4	4.1	0.5	0.4	0.3	0.3	1.1	3.7	75.3	0.9	
0.6	1.8	0.2	0.6	9.7	1.7	0.5	0.4	0.2	0.5	0.7	2.7	75.9	0.3	
0.3	0.6	0.1	0.01	8.0	1.0	0.2	0.3	0.3	0.2	2.0	1.3	88.1	0.8	
1.1	1.1	2.5	3.0	15.1	9.9	0.7	0.1	0.3	0.5	1.1	2.1	72.8	0.6	
0.7	0.4	0.5	0.5	8.4	1.7	0.6	0.8	0.4	0.2	3.1	2.6	67.2	0.6	
0.7	1.4	2.2	0.6	9.5	3.0	0.3	0.3	0.3	0.2	1.1	0.7	86.5	1.5	
0.8	2.7	0.5	1.6	14.0	3.6	1.1	0.4	0.5	0.6	2.6	5.8	58.3	0.9	
0.6	0.5	0.1	0.2	7.5	1.6	0.5	0.3	0.3	0.2	0.8	1.7	72.8	0.7	
0.5	0.3	0.1	1.0	9.2	1.4	0.6	0.4	0.3	0.6	1.0	1.6	78.0	1.7	
0.6	1.4	0.9	0.4	11.8	2.2	0.2	0.6	0.3	0.2	0.5	2.9	77.8	2.0	
0.7	1.1	2.1	0.6	9.0	2.3	0.5	0.4	0.3	0.3	1.5	4.1	78.9	1.7	
0.4	1.0	0.2	0.2	9.5	6.1	0.2	0.5	0.2	0.3	0.7	5.4	73.7	1.6	
0.5	0.4	0.2	0.5	12.9	3.4	0.3	0.5	0.3	0.2	1.3	4.4	72.4	0.2	
0.6	4.1	1.8	1.2	11.5	8.7	0.3	0.3	0.3	0.2	0.6	6.7	75.5	0.2	
0.5	2.1	0.5	0.6	12.3	4.3	0.2	0.2	0.3	0.3	0.8	5.5	82.7	1.7	
0.9	1.6	1.0	2.1	12.6	7.7	0.2	0.5	0.4	0.2	1.7	3.7	65.3	0.5	
0.6	0.7	0.7	2.1	8.2	8.6	0.8	0.4	0.4	0.3	7.5	4.5	70.6	0.2	
0.3	0.1	0.2	0.1	7.4	0.2	0.6	0.4	0.4	0.4	1.1	2.6	82.1	4.0	
0.4	0.3	0.4	0.3	8.5	1.5	0.8	0.3	0.5	0.4	1.1	2.9	68.2	0.8	
0.7	2.5	1.2	3.8	17.0	2.6	0.5	1.1	0.4	0.1	0.8	4.3	72.5	0.9	
0.3	1.2	1.3	4.3	11.6	5.3	0.6	0.3	0.3	0.4	1.2	3.8	81.8	1.5	
0.5	0.4	1.1	0.4	12.4	2.1	0.9	0.4	0.4	0.3	1.3	6.0	70.7	0.9	
0.5	1.3	1.5	0.7	11.4	2.3	0.8	0.7	0.3	0.2	0.3	3.6	75.1	0.9	
0.5	1.1	0.06	0.09	8.4	1.4	0.3	0.5	0.4	0.2	0.7	3.1	85.1	1.2	
0.3	1.1	0.4	0.08	12.8	3.4	0.4	0.3	0.3	0.4	1.4	3.0	80.3	0.8	
0.5	0.4	0.3	0.3	11.2	1.8	0.4	0.8	0.3	0.4	1.3	3.1	79.9	3.0	
0.8	2.2	0.5	1.8	16.6	7.4	1.1	0.5	0.4	0.6	1.8	4.7	84.5	2.2	
0.8	1.3	1.0	1.7	12.8	6.9	0.7	0.5	0.4	0.5	0.9	4.1	81.6	0.4	
0.5	1.2	0.6	2.1	11.5	2.7	0.8	0.2	0.4	0.4	0.8	5.4	72.5	0.7	
0.7	0.3	0.2	0.1	8.7	0.4	0.2	0.6	0.4	0.3	1.2	7.1	55.1	0.7	
0.5	0.3	0.5	0.3	9.5	2.2	0.3	0.4	0.3	0.3	0.6	4.2	75.9	1.0	
0.6	0.4	0.5	0.3	8.3	1.5	0.3	0.1	0.3	0.4	2.4	3.8	72.2	2.7	
0.6	0.7	1.4	0.6	11.4	3.6	0.5	0.4	0.3	0.4	1.8	1.9	77.2	3.4	
0.9	1.0	0.3	2.7	10.8	4.8	0.2	0.4	0.4	0.5	0.9	5.3	66.7	0.9	
1.1	1.3	0.4	1.9	11.5	4.1	0.4	0.4	0.4	0.4	1.2	3.2	77.9	1.1	
1.5	3.7	4.0	3.1	12.6	10.2	0.4	0.5	0.4	0.3	0.6	2.8	79.7	-	
1.2	0.9	0.9	0.9	8.6	3.8	0.5	0.6	0.3	0.3	0.7	2.7	73.0	0.6	
1.2	1.0	0.3	0.9	10.3	4.7	0.5	0.6	0.4	0.4	0.7	7.6	61.4	0.4	
0.5	0.4	0.7	0.8	7.3	1.7	0.3	0.9	0.3	0.5	0.4	1.8	73.9	0.5	
0.5	0.7	-	1.5	7.9	2.2	0.2	0.8	0.3	0.3	0.8	3.9	68.0	0.4	
0.6	0.8	1.6	1.6	7.5	9.1	0.4	0.5	0.4	0.2	0.2	0.4	71.3	0.5	
0.8	1.8	0.8	1.1	9.7	4.6	0.3	0.5	0.5	0.2	0.7	1.3	71.7	1.2	
1.2	0.5	0.5	0.4	9.8	3.0	0.4	0.4	0.5	0.6	1.1	2.5	78.0	0.8	
0.7	0.8	0.5	0.4	7.6	3.6	0.7	0.4	0.5	0.3	1.4	1.9	68.4	0.9	
0.6	0.3	0.2	0.8	10.5	2.3	0.2	0.3	0.3	0.2	0.4	3.3	65.9	0.9	
0.7	0.5	0.3	0.1	8.6	1.8	0.4	0.7	0.3	0.5	3.3	1.6	79.7	0.7	
0.8	1.1	1.7	1.5	5.6	2.9	0.3	0.3	0.3	0.3	1.2	1.4	79.3	1.8	

第4表 都道府県別疾病

(2) 小学校—女

区 分	栄養 要注意	せき 柱異常	胸 郭異常	伝皮 染膚 性疾 の患	目							難 (両 耳)
					近 視	遠 視	乱 視	弱 (両 眼)	色 神異常	ト ム ホー	そ の 他 の 疾	
全 国	0.9	0.7	0.8	1.8	10.7	0.2	0.1	0.4	0.3	4.7	4.3	0.3
北海道	0.9	0.3	0.5	2.6	24.9	0.02	0.06	0.3	0.8	3.0	1.7	0.2
青森	0.3	0.2	0.2	1.1	19.0	0.03	0.01	1.0	0.5	9.8	2.2	0.2
岩手	0.3	0.06	0.4	0.8	14.5	0.05	0.04	0.9	0.1	13.4	5.5	0.3
宮城	0.2	0.1	0.7	2.6	9.0	0.0	0.0	0.2	0.4	10.4	2.5	0.2
秋田	0.6	0.7	0.5	1.5	14.6	0.5	0.1	0.9	0.4	8.2	3.1	0.3
山形	3.2	4.7	3.4	3.3	10.1	0.4	0.1	0.4	0.2	8.7	5.9	0.5
福島	0.4	0.5	0.5	1.3	11.3	0.3	0.1	0.4	0.3	7.0	1.9	0.1
茨城	0.4	0.3	0.7	2.5	7.6	0.3	0.1	0.3	0.3	5.0	1.6	0.3
栃木	0.3	0.1	0.7	2.4	6.2	0.1	0.02	0.3	0.2	6.1	3.7	0.2
群馬	1.1	1.5	1.0	2.8	5.0	0.04	0.2	0.2	0.2	1.9	3.2	0.2
埼玉県	0.4	0.3	1.0	1.5	7.1	0.08	0.1	0.5	0.5	2.8	4.9	0.4
千葉県	0.4	0.2	0.9	2.7	9.6	0.3	0.04	0.5	0.3	4.4	6.6	0.2
東京都	0.4	0.5	0.9	2.1	11.5	0.1	0.1	0.2	0.3	2.5	8.2	0.2
神奈川県	0.8	1.5	0.7	1.7	10.4	0.1	0.3	0.2	0.2	3.2	7.1	0.1
新潟	0.9	0.4	1.6	3.4	9.9	0.5	0.2	0.4	0.4	2.4	6.9	0.2
富山	1.4	1.1	0.8	3.5	14.1	0.01	0.1	0.7	0.2	1.4	7.1	0.3
石川	1.0	0.8	1.6	0.8	14.3	0.02	0.01	0.6	0.2	2.6	1.7	0.2
福井	1.1	0.9	0.7	1.0	11.9	0.06	0.1	0.4	0.4	2.0	3.6	0.4
山梨	2.3	0.9	0.8	0.7	9.5	0.7	0.06	0.4	0.2	3.3	6.6	0.2
長野	1.0	0.9	0.8	1.4	6.2	0.07	0.1	0.3	0.1	1.2	5.7	0.4
岐阜	1.0	0.6	0.8	0.8	9.3	0.03	0.1	0.6	0.2	3.2	5.2	0.2
静岡県	1.4	0.8	0.4	0.9	10.3	0.03	0.2	0.2	0.2	2.8	3.3	0.3
愛知県	1.3	1.4	1.3	1.4	12.7	0.9	0.7	0.2	0.4	4.7	3.8	0.3
三重	0.8	0.9	0.4	1.0	14.0	0.5	0.08	0.8	0.5	5.3	2.6	0.1
滋賀	0.9	0.5	0.5	1.1	9.8	0.2	0.07	0.4	0.9	0.5	2.1	0.3
京都府	1.9	1.6	0.9	0.8	9.6	0.2	0.2	0.1	0.4	1.8	5.1	0.4
大阪府	1.5	0.3	0.8	0.3	8.7	0.1	0.2	0.3	0.2	4.9	5.6	0.3
兵庫県	1.5	1.4	0.4	0.7	8.8	0.08	0.1	0.3	0.3	5.5	3.6	0.1
奈良	0.8	0.3	0.8	0.9	8.1	0.5	0.03	0.4	0.4	2.4	3.8	0.3
和歌山	0.7	0.8	0.5	0.4	9.6	0.1	0.1	0.8	0.2	9.1	2.8	0.4
鳥取	1.2	1.3	1.5	1.9	11.7	0.03	0.1	0.2	0.2	1.0	2.0	0.3
島根	1.0	0.6	1.4	2.9	9.7	0.1	0.2	0.6	0.2	2.7	2.3	0.2
岡山	0.6	0.6	0.5	0.5	9.6	0.1	0.2	0.3	0.3	0.3	3.5	0.6
広島	1.9	0.7	0.9	2.9	10.4	0.1	0.2	0.2	0.4	4.1	7.3	0.5
山口	1.6	0.5	0.8	3.6	11.9	0.1	0.2	0.1	0.4	7.6	0.4	0.5
徳島	0.9	0.6	0.4	1.4	5.0	0.6	0.02	0.2	0.3	3.4	3.4	0.7
香川県	0.8	0.3	0.5	0.5	12.3	0.1	0.2	0.5	0.3	2.9	4.8	0.5
愛媛	0.6	0.2	0.7	1.0	8.2	0.2	0.05	0.5	0.4	3.7	4.3	0.3
高松	0.4	0.3	0.5	1.0	4.9	0.2	-	0.4	0.2	3.7	2.8	0.3
福岡	0.9	0.4	0.5	3.1	9.5	0.9	0.06	0.9	0.2	9.0	3.4	0.4
佐賀	0.4	0.9	0.4	1.2	11.2	0.02	0.04	0.6	0.3	2.6	2.2	1.1
長門	1.3	0.8	1.0	1.3	11.7	0.1	0.06	0.6	0.3	4.4	3.1	0.5
熊本	1.5	0.6	1.0	3.5	6.9	0.2	0.04	0.6	0.3	3.4	4.8	0.4
大分	0.5	0.1	0.6	0.3	10.5	0.3	-	0.2	0.2	4.7	2.2	0.2
宮崎	1.0	0.3	1.4	1.4	5.6	0.4	0.02	0.3	0.4	6.1	3.3	0.4
鹿児島	0.6	0.3	0.9	1.0	4.7	0.4	0.07	0.7	0.1	8.4	3.9	0.3

異常の被患率(一般検診)

耳		鼻およびいんとう				身 体 虚 弱	精 神 薄 弱	運 動 機 能 害	心 臓 の 疾 患	そ お の 他 の 疾 患	歯			
中 耳 炎	そ の 他 の 疾	せ 殖 デ ン 症 (イ ド)	蓄 の う 症	へ ん 肥 大	そ お の 他 の 疾 患						む し 歯	そ の 他 の 疾		
0.4	1.2	0.7	0.9	10.3	3.2	0.5	0.4	0.3	0.3	0.81	4.7	76.4	0.9	
0.6	1.5	0.1	0.9	9.3	1.3	0.4	0.3	0.3	0.5	0.5	3.4	77.1	0.2	
0.2	0.5	0.1	0.1	8.4	0.8	0.1	0.2	0.2	0.1	1.4	1.8	88.0	0.9	
0.7	0.8	1.6	2.8	13.9	9.5	0.6	0.1	0.4	0.4	0.8	2.3	74.4	0.4	
0.5	0.3	0.4	0.4	7.8	1.6	0.6	0.7	0.4	0.2	2.2	3.6	70.1	0.4	
0.4	1.0	2.2	0.4	9.8	2.2	0.3	0.2	0.3	0.3	0.7	0.8	86.6	1.2	
0.4	2.6	0.3	1.5	13.9	2.6	1.0	0.3	0.4	0.6	1.8	6.9	61.6	0.9	
0.2	0.4	0.1	0.2	7.3	1.2	0.5	0.2	0.3	0.3	0.6	2.3	75.5	0.6	
0.2	0.2	0.1	0.6	9.6	1.2	0.5	0.3	0.2	0.6	0.6	1.6	75.7	4.5	
0.4	1.0	0.8	0.4	11.8	1.7	0.2	0.5	0.3	0.2	0.4	3.7	79.0	1.7	
0.5	1.0	1.3	0.4	9.4	1.6	0.6	0.5	0.3	0.3	1.1	4.3	81.5	1.2	
0.3	0.9	0.2	0.1	9.8	4.5	0.2	0.4	0.3	0.3	0.6	6.8	76.2	1.5	
0.4	0.3	0.1	0.3	13.8	2.7	0.2	0.3	0.3	0.2	0.9	5.4	74.0	0.2	
0.4	3.7	1.5	1.1	11.2	6.5	0.4	0.3	0.2	0.1	0.5	8.2	76.8	0.2	
0.3	1.7	0.5	0.5	12.5	3.0	0.1	0.2	0.2	0.3	0.6	6.9	83.5	1.6	
0.5	1.1	0.7	1.7	12.4	6.1	0.3	0.4	0.3	0.4	1.4	5.7	67.7	0.5	
0.4	0.7	0.7	1.9	8.8	6.4	0.7	0.4	0.4	0.2	0.4	6.0	71.7	0.1	
0.2	0.05	0.3	0.03	7.2	0.2	0.7	0.2	0.3	0.5	0.7	4.0	82.9	4.2	
0.2	0.2	0.2	0.3	9.0	1.0	0.8	0.3	0.4	0.5	0.9	3.3	69.1	0.7	
0.4	2.0	1.0	2.4	17.0	2.0	0.6	0.9	0.3	0.1	0.4	4.5	72.4	0.9	
0.3	1.3	1.5	3.6	12.0	4.0	0.5	0.2	0.4	0.3	1.0	4.9	81.1	1.4	
0.3	0.4	0.8	0.5	11.0	1.9	0.8	0.2	0.4	0.2	1.0	7.9	72.2	0.8	
0.3	1.1	1.6	0.6	11.0	1.7	1.0	0.6	0.3	0.2	0.3	4.1	76.8	0.8	
0.3	1.2	0.00	0.2	9.0	1.0	0.4	0.4	0.3	0.2	0.6	3.9	85.2	1.1	
0.2	1.0	0.03	0.1	13.1	2.6	0.4	0.3	0.3	0.4	1.2	4.5	81.7	0.9	
0.3	0.3	0.3	0.2	10.8	1.4	0.5	0.8	0.3	0.4	0.9	4.3	80.5	2.7	
0.6	2.0	0.5	1.5	15.8	5.1	1.1	0.4	0.4	0.5	1.4	5.6	83.9	1.1	
1.0	0.8	1.3	12.3	5.4	0.8	0.4	0.4	0.7	0.7	0.7	5.3	80.8	0.3	
0.5	1.0	0.5	1.7	11.4	2.1	0.8	0.1	0.3	0.3	0.6	6.1	73.3	0.7	
0.4	0.3	0.1	-	9.0	0.4	0.3	0.5	0.3	0.4	1.1	8.9	56.9	0.7	
0.2	0.2	0.5	0.3	9.8	1.6	0.4	0.2	0.3	0.3	0.7	5.5	77.6	1.1	
0.5	0.3	0.3	0.2	8.6	1.0	0.4	0.1	0.3	0.3	1.6	4.9	72.8	2.1	
0.5	0.5	1.1	0.5	10.9	2.9	0.4	0.3	0.3	0.4	1.2	2.4	78.0	2.5	
0.6	0.8	0.2	2.2	10.6	3.2	0.3	0.3	0.3	0.5	0.7	6.4	67.2	0.8	
0.8	1.0	0.4	1.7	10.7	3.2	0.3	0.3	0.2	0.4	1.1	4.4	78.3	1.0	
1.1	3.2	4.4	2.9	12.3	8.0	0.4	0.4	0.4	0.3	0.5	4.3	78.2	0.6	
0.8	0.7	0.7	0.6	8.0	2.7	0.4	0.6	0.2	0.3	0.8	3.0	73.5	1.6	
0.6	0.9	0.2	0.7	10.5	3.3	0.5	0.4	0.3	0.4	0.6	10.4	63.2	0.3	
0.2	0.3	0.6	0.6	6.9	0.9	0.5	0.8	0.3	0.5	0.3	2.3	73.8	0.4	
0.3	0.5	0.1	1.2	7.8	1.5	0.1	0.7	0.2	0.2	0.4	5.1	69.8	0.3	
0.4	0.8	1.2	1.1	7.0	5.5	0.6	0.4	0.4	0.2	1.3	4.3	73.4	0.4	
0.4	1.2	0.8	1.1	9.6	3.8	0.3	0.5	0.4	0.3	0.5	1.4	73.9	1.0	
1.0	0.5	0.4	0.2	9.1	2.2	0.5	0.3	0.4	0.5	0.8	2.5	80.3	0.8	
0.4	0.6	0.3	0.2	8.0	2.6	0.7	0.4	0.5	0.4	1.1	2.4	68.2	0.6	
0.4	0.2	0.1	7.0	10.5	1.6	0.3	0.2	0.2	0.2	0.3	4.2	67.5	0.5	
0.5	0.3	0.1	0.07	8.9	1.5	0.4	0.5	0.3	0.5	2.0	1.9	80.2	0.6	
0.4	0.9	1.2	1.3	5.6	2.0	0.3	0.3	0.3	0.3	0.9	1.8	81.1	1.4	

第4表 都道府県別疾病

(3) 中学校——男

区 分	栄養 要注意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	目								難 (両 耳)
					近 視	遠 視	乱 視	弱 (両 眼)	色 神異 常	トラ ホー	そ眼 の他 の疾		
全 国	0.7	0.7	0.6	2.3	15.1	0.6	0.3	0.8	3.9	4.0	3.7	0.7	
北海道 北青岩宮秋	0.5	0.7	0.3	3.7	23.5	0.1	0.2	0.9	3.1	2.4	2.2	0.6	
	0.3	0.4	0.3	1.5	17.2	2.4	0.1	1.1	4.6	9.5	3.2	0.8	
	0.4	0.4	0.5	2.6	12.6	0.2	0.02	1.3	3.6	12.8	3.3	0.3	
	0.2	0.3	0.4	5.5	12.8	0.2	0.3	0.1	3.5	9.0	2.5	0.2	
	0.7	1.0	0.7	3.3	15.7	0.5	0.05	1.6	3.6	7.7	1.7	0.9	
山形 福島 茨城 栃木	3.4	3.4	1.6	4.1	16.4	0.1	0.5	1.3	4.1	4.7	4.8	1.0	
	0.3	0.5	0.4	1.1	12.5	0.4	0.2	1.7	2.9	9.1	2.5	0.2	
	0.6	0.6	0.8	3.0	10.4	0.3	0.4	0.5	3.6	2.6	1.6	0.4	
	0.5	0.5	0.6	5.4	9.6	0.6	0.6	0.9	4.3	5.8	5.6	0.5	
	0.8	0.9	0.9	3.5	11.9	0.03	0.2	0.9	4.0	1.9	3.0	0.7	
埼玉 千東神新	0.5	0.7	0.7	2.3	10.2	0.3	0.5	0.4	3.4	2.0	3.7	0.5	
	0.2	0.2	0.6	1.6	9.6	0.3	0.1	0.8	3.0	3.1	3.3	0.5	
	0.3	0.6	0.8	3.2	20.4	0.5	0.2	0.9	4.2	1.2	6.9	0.7	
	0.6	0.4	0.6	0.6	13.1	0.1	1.0	0.5	4.3	2.3	3.6	0.4	
	0.8	0.6	1.0	4.6	15.2	1.1	0.5	1.5	3.8	1.4	4.2	1.1	
富山 石福山長	0.8	0.6	0.5	1.9	16.1	-	0.1	0.7	3.9	1.6	4.0	0.6	
	0.7	0.3	0.7	1.1	19.5	0.1	0.2	1.5	3.8	1.6	2.7	0.4	
	0.8	2.0	0.6	1.6	18.5	0.2	0.1	0.7	4.3	2.1	3.1	1.3	
	1.1	0.4	0.6	2.8	10.3	0.3	0.2	0.6	3.9	2.3	6.9	0.6	
	0.8	1.4	0.4	1.2	14.9	0.3	0.4	0.4	3.8	0.7	5.5	0.4	
岐阜 静愛三滋	0.9	0.5	0.4	1.4	12.9	0.2	0.3	0.4	3.3	3.4	6.4	0.2	
	0.9	0.2	0.4	1.1	16.1	0.2	0.3	0.5	3.6	1.7	1.6	0.8	
	1.3	1.5	0.8	1.8	19.7	1.0	1.1	0.7	3.8	5.4	2.1	0.6	
	0.5	0.4	0.3	1.4	15.0	0.5	0.2	0.8	4.9	3.9	1.5	0.5	
	0.7	0.5	0.6	1.0	10.9	0.3	0.2	0.2	3.7	0.4	1.1	0.5	
京大兵奈和 歌	1.5	2.7	0.8	0.7	17.9	1.0	0.3	0.4	4.4	1.7	4.3	0.6	
	1.1	0.7	0.4	0.4	19.7	1.5	0.3	0.6	5.4	4.1	4.6	0.6	
	0.7	0.3	0.5	0.5	16.9	2.3	0.4	0.8	4.4	6.4	4.8	1.1	
	0.5	0.6	0.4	0.6	13.0	0.3	0.6	0.6	3.9	2.5	3.2	0.6	
	0.6	0.5	0.3	1.9	11.7	1.3	0.03	1.0	3.8	9.9	3.7	0.8	
鳥島岡広山 口	0.7	0.5	0.3	1.5	14.0	0.1	0.5	0.3	4.4	1.8	3.8	0.6	
	0.6	0.6	0.9	6.0	11.1	0.2	0.4	1.3	4.1	2.7	2.1	0.9	
	1.0	0.4	0.8	0.7	15.3	0.4	0.5	1.3	3.5	4.1	2.8	0.6	
	0.7	0.2	0.5	2.1	12.9	0.1	0.5	0.9	3.6	2.8	2.5	0.7	
	0.5	0.4	0.4	5.1	15.4	0.02	0.3	0.4	4.6	6.1	4.3	0.8	
徳香愛高福 岡	0.7	0.4	0.3	0.3	10.2	3.9	-	0.5	3.1	4.9	3.5	1.6	
	0.8	0.3	0.4	0.3	16.2	0.6	0.03	0.7	3.9	3.2	2.7	1.2	
	0.4	0.2	0.4	1.2	10.4	-	0.1	0.8	3.5	4.2	3.7	1.1	
	0.2	0.6	2.3	2.4	6.8	0.2	0.1	0.5	3.2	2.3	2.8	1.0	
	0.9	0.6	0.2	3.5	14.9	0.7	0.3	0.8	4.0	6.5	2.5	1.8	
佐長熊大宮鹿 児	0.4	0.3	0.4	2.3	13.7	0.1	0.05	0.9	4.1	4.0	2.2	0.9	
	0.7	0.6	0.6	2.2	13.3	0.5	0.2	1.0	3.4	3.6	4.2	0.7	
	0.8	0.5	0.6	2.7	8.6	0.1	0.04	0.6	3.7	2.5	3.8	0.8	
	0.3	0.3	0.3	0.9	12.1	0.08	0.02	0.6	3.7	4.5	1.6	1.0	
	0.6	0.8	0.4	0.8	6.3	0.02	0.03	0.6	4.1	5.3	2.0	1.0	
0.9	2.5	0.6	2.0	8.7	3.1	0.1	0.6	2.9	7.0	5.0	0.7		

異常の被患率(一般検診)

耳	鼻およびいんとう					身 体 虚 弱	精 神 薄 弱	運 動 機 能 害	心 臓 の 疾 患	そ の よ び の 疾 患	歯		
	中 耳 炎	そ の 他 の 疾	せ 殖 デ ノ イ ド 増 殖 症 (ア ド)	蓄 の う 症	へ せ ん 肥 大 う と う						む し 歯	未 歯 者 の 他 の 疾	そ の 他 の 疾
	0.9	0.8	0.2	1.9	7.7	2.7	0.4	0.5	0.4	0.8	9.2	51.0	3.8
北海道 青森 岩手 宮城 秋田	0.6	0.2	0.04	0.7	6.8	1.2	0.4	0.2	0.4	0.8	6.1	50.8	2.5
	0.7	0.7	0.5	0.9	7.3	1.2	0.2	0.4	0.2	1.7	4.6	58.4	2.6
	0.9	0.9	0.05	3.8	9.2	4.0	0.4	1.0	0.3	1.9	5.6	50.2	3.6
	1.3	0.6	0.1	3.4	9.9	3.2	0.4	1.6	0.4	0.8	5.1	59.0	1.8
	0.9	0.5	0.2	0.6	8.9	2.0	0.6	0.4	0.4	1.2	4.4	56.4	3.2
山形 福島 茨城 栃木 群馬	1.1	0.6	0.1	2.9	8.8	2.3	1.9	0.4	0.5	1.6	12.3	42.7	2.0
	0.4	0.3	0.03	1.0	6.4	1.2	0.2	0.3	0.3	2.1	3.5	50.7	3.5
	0.8	0.3	0.2	1.7	6.6	1.4	0.8	0.5	0.4	1.2	5.9	54.6	5.7
	0.5	0.6	0.1	1.5	10.2	1.6	0.4	1.1	0.6	0.5	6.0	50.0	6.0
	0.7	0.7	0.1	1.4	10.4	2.1	0.2	0.3	0.3	0.4	7.3	59.4	8.4
埼玉 千葉 東京 神奈 新潟	0.8	0.6	0.3	1.4	7.0	2.9	0.2	0.5	0.4	0.7	9.5	59.8	8.1
	0.5	0.7	0.1	0.4	12.8	1.8	0.1	0.3	0.2	0.8	8.3	57.0	1.9
	1.0	2.3	0.1	2.5	8.3	5.2	0.1	0.04	0.2	0.3	16.6	51.4	3.2
	0.7	1.5	0.3	1.1	6.8	2.4	0.2	0.5	0.4	0.3	16.0	58.5	5.6
	1.0	1.1	0.2	1.9	6.5	4.6	0.5	0.4	0.3	1.2	9.5	42.1	1.8
富山 石川 福井 山梨 長野	0.6	0.6	0.04	3.3	5.4	2.5	0.5	1.0	0.5	0.8	9.6	49.8	1.0
	0.2	0.2	0.3	0.3	5.4	0.3	0.7	0.1	0.3	0.7	7.2	58.2	2.1
	0.6	0.3	0.03	0.8	8.6	1.3	0.4	0.8	0.5	1.3	9.0	42.3	2.9
	1.2	1.4	0.2	6.3	10.3	3.2	0.4	1.7	0.5	1.2	7.2	57.7	5.9
	0.8	1.0	0.07	4.0	7.4	4.6	0.4	0.4	0.4	1.3	12.7	55.0	5.1
岐阜 静岡 愛知 三重 滋賀	0.8	0.3	0.1	2.7	7.1	2.8	0.5	0.8	0.4	0.8	9.5	41.8	2.6
	1.0	0.8	0.01	2.9	7.2	1.7	0.5	0.9	0.4	0.4	11.5	56.4	3.2
	1.0	0.4	0.2	1.1	9.4	1.4	0.3	0.4	0.4	0.9	9.4	56.4	2.4
	0.6	0.4	0.1	0.3	6.2	0.7	0.3	0.6	0.3	0.5	8.2	60.8	4.6
	0.8	0.5	0.1	1.0	8.1	1.8	0.5	0.7	0.6	0.9	6.7	51.9	5.6
京都 大阪 兵庫 奈良 和歌	1.4	0.7	0.3	4.9	10.1	5.2	0.3	0.3	0.4	0.3	10.6	52.2	2.1
	1.1	0.4	1.2	0.6	6.2	3.0	0.3	0.6	0.5	0.8	13.2	57.9	4.7
	0.4	0.4	0.1	0.7	7.9	1.3	0.3	0.2	0.3	0.4	10.8	52.9	4.8
	0.4	0.2	0.1	0.2	8.1	0.7	0.4	0.8	0.3	0.7	12.8	49.4	2.0
	0.6	0.7	0.4	1.0	8.3	3.1	0.1	0.3	0.3	0.4	14.2	46.5	2.7
鳥取 島根 岡山 広島 山口	1.3	1.9	0.5	1.6	7.5	5.2	0.3	0.2	0.3	0.7	7.0	44.9	6.8
	0.7	0.7	0.1	1.1	9.1	1.7	0.3	0.4	0.4	2.3	7.5	49.1	8.5
	1.2	0.6	0.1	2.0	7.3	2.5	0.2	0.7	0.3	0.7	11.1	40.6	5.9
	0.8	0.3	0.1	1.7	6.7	1.7	0.4	0.4	0.4	0.4	8.4	43.4	7.1
	1.1	0.7	0.8	3.7	8.3	3.6	0.3	0.8	0.5	0.5	8.8	48.2	3.6
徳島 香川 愛媛 高松 福岡	1.1	0.6	0.03	3.7	5.9	2.0	0.3	0.6	0.3	0.6	4.8	49.5	2.6
	1.2	0.8	0.1	1.7	5.9	3.3	0.4	0.4	0.3	0.9	15.1	47.2	4.4
	0.9	1.0	0.2	1.0	7.0	1.1	0.3	1.3	0.3	0.4	4.9	49.6	4.6
	0.6	0.3	-	2.2	7.8	1.2	0.2	0.4	0.2	1.1	10.9	49.3	4.1
	1.3	1.7	0.1	2.5	7.2	4.9	0.4	0.8	0.4	0.5	6.8	59.9	1.9
佐賀 長門 熊本 大分 宮崎 鹿児島	1.8	1.1	0.09	0.6	8.2	9.0	0.2	0.3	0.5	0.4	4.1	47.2	3.5
	1.1	0.4	0.1	1.8	7.9	2.3	0.4	0.3	0.4	1.1	6.2	51.2	5.9
	1.1	0.6	0.2	1.6	7.7	2.2	0.4	0.5	0.6	1.4	5.1	41.2	2.0
	0.7	1.0	0.1	1.2	6.6	1.5	0.2	0.2	0.3	0.5	8.8	48.9	2.5
	0.7	0.2	0.03	0.5	5.4	0.7	0.3	0.3	0.4	0.6	3.9	44.8	1.0

第4表 都道府県別 疾病

(3) 中学校——女

区 分	栄養 要注意	せき 柱異常	胸 郭異常	伝皮 染膚 性疾 の患	目							難 (両 耳)
					近 視	遠 視	乱 視	弱 (両 眼)	色 神異常	ト ム ホー	そ の 他 の 疾	
全 国	0.6	0.6	0.4	1.2	18.9	0.5	0.4	1.0	0.4	4.5	4.0	0.6
北海道 青森 岩手 宮城	0.3	0.7	0.2	1.8	32.1	0.03	0.3	0.9	0.5	3.3	2.2	0.6
	0.2	0.2	0.1	0.7	23.2	1.5	0.01	2.2	0.8	9.7	3.6	0.5
	0.4	0.2	0.4	1.2	18.6	0.2	0.04	1.8	0.7	14.8	3.7	0.3
	0.3	0.2	0.3	3.1	17.2	0.3	0.4	0.2	0.2	10.4	2.5	0.2
山形 福島 茨城 栃木	0.8	1.0	0.5	2.1	20.4	0.3	0.02	2.1	0.4	10.6	1.3	0.6
	2.6	3.2	1.1	2.4	18.7	0.1	0.6	1.3	0.7	6.6	6.7	1.0
	0.4	0.2	0.2	0.7	16.8	0.4	0.4	2.5	0.3	10.6	2.9	0.2
	0.6	0.7	0.3	1.9	13.8	0.3	0.5	0.9	0.2	3.1	2.3	0.3
埼玉 千葉 東京 神奈	0.4	0.4	0.4	3.9	13.2	0.4	0.4	1.0	0.2	6.1	7.8	0.5
	1.0	0.5	0.5	2.5	13.4	0.1	0.3	0.7	0.3	2.3	3.1	0.4
	0.3	0.4	0.4	1.1	13.0	0.2	0.3	0.7	0.2	2.5	3.8	0.3
	0.2	0.1	0.3	1.1	12.7	0.3	0.06	1.0	0.4	4.0	3.7	0.4
富山 石川 福井 山梨	0.2	0.4	0.5	1.3	25.2	0.3	0.4	0.7	0.2	0.9	6.5	0.6
	0.5	0.2	0.2	0.3	20.2	0.2	1.2	1.0	0.3	3.0	3.8	0.3
	0.9	0.4	0.8	3.1	19.5	0.6	0.8	1.7	0.6	1.8	5.0	0.6
	0.7	0.5	0.2	1.3	18.8	0.02	0.1	0.8	0.7	2.1	4.1	0.4
岐阜 愛知 三重 滋賀	0.6	0.4	0.4	0.4	22.7	0.1	0.2	2.1	0.2	1.5	3.7	0.2
	0.8	2.0	0.5	0.6	22.0	0.09	0.09	0.6	0.4	2.2	3.8	0.8
	1.2	0.4	0.6	1.4	14.2	0.1	0.2	0.3	0.3	2.8	7.5	0.5
	0.6	1.3	0.3	0.5	16.2	0.3	0.4	0.6	0.3	1.0	6.2	0.2
京都 大阪 兵庫 奈良	1.0	0.3	0.2	0.3	14.2	0.1	0.2	0.5	0.3	4.2	7.7	0.2
	0.6	0.3	0.2	1.0	19.0	0.2	0.5	0.7	0.5	2.6	2.8	1.0
	0.9	1.1	0.7	1.2	22.2	1.3	1.1	0.6	0.3	6.6	2.4	0.6
	0.3	0.3	0.3	0.8	18.5	0.2	0.2	0.9	0.5	4.6	1.5	0.3
奈良 和歌 鳥取 岡山	0.7	0.6	0.3	0.5	13.7	0.2	0.3	0.4	0.6	0.4	1.1	0.5
	1.7	2.1	0.5	0.7	20.7	1.1	0.4	0.5	0.4	1.9	4.9	0.4
	0.8	0.4	0.2	0.1	24.5	0.9	0.6	0.7	0.6	4.3	4.5	0.5
	0.7	0.4	0.4	0.2	19.4	1.6	0.3	0.7	0.4	6.1	5.2	0.9
徳島 香川 愛媛 高松	0.4	0.3	0.2	0.6	15.7	0.3	0.8	0.9	0.4	3.1	3.0	0.5
	0.4	0.3	0.2	1.0	14.7	0.7	0.02	1.3	0.5	11.0	3.9	0.5
	0.4	0.6	0.4	0.8	14.8	0.1	0.7	0.2	0.2	2.3	3.6	0.5
	0.8	0.5	0.4	3.5	12.8	0.1	0.4	1.5	0.5	3.1	2.0	0.6
高松 愛媛 高松 徳島	0.8	0.5	0.3	0.4	18.7	0.2	0.5	0.8	0.5	3.4	3.2	0.4
	0.4	0.1	0.2	1.0	18.1	0.1	0.8	1.9	0.5	2.8	2.9	0.5
	0.5	0.4	0.3	1.9	19.5	0.04	0.4	0.6	0.7	7.7	4.5	0.7
	0.6	0.2	0.1	0.2	12.3	2.5	0.2	0.6	0.5	6.6	3.7	1.2
徳島 香川 愛媛 高松	0.5	0.1	0.3	0.1	20.5	0.3	0.06	0.8	0.3	3.8	3.1	1.0
	0.5	0.1	0.1	0.9	13.9	0.02	0.1	1.0	0.3	4.6	4.2	0.7
	0.2	0.7	0.2	1.6	8.9	0.1	0.1	0.9	0.7	2.7	3.3	0.9
	0.7	0.3	0.5	1.6	18.3	0.7	0.3	1.9	0.5	8.0	3.0	1.1
高松 愛媛 高松 徳島	0.4	0.2	0.3	1.2	16.4	0.09	0.04	0.9	0.3	4.0	2.4	0.9
	0.8	0.4	0.3	1.0	18.8	0.2	0.3	1.3	0.4	3.4	4.8	0.4
	0.7	0.5	0.3	1.7	10.9	0.3	0.08	0.8	0.4	2.6	4.2	0.4
	0.3	0.3	0.2	0.4	14.1	0.1	0.1	0.5	0.4	5.2	1.5	0.9
高松 愛媛 高松 徳島	0.4	1.0	0.4	0.4	8.4	0.01	0.08	0.8	0.4	6.3	2.2	0.6
	0.8	2.6	0.4	1.0	10.5	0.2	0.07	0.6	0.4	7.5	5.0	0.7

異常の被患率(一般検診)

耳		鼻およびいんとう					身 体 虚 弱	精 神 薄 弱	運 動 機 能 害	心 臓 の 疾 患	そ の よ の 他 の 疾 患	歯		
中 耳 炎	そ の 他 の 疾	せ ん 症 ノ イ ド (ア ド)	蓄 の う 症	へ ん 肥 大 の う 症	そ の よ の 他 の 疾 患	む し 歯						そ の 他 の 疾		
0.6	0.6	0.2	1.8	8.3	2.2	0.4	0.4	0.3	0.4	0.6	11.5	56.1	3.0	
0.4	0.1	0.1	1.0	8.1	1.3	0.5	0.2	0.3	0.5	0.7	6.8	57.5	1.9	
0.7	0.3	0.3	0.6	7.8	1.1	0.1	0.3	0.3	0.2	1.0	5.1	63.1	2.5	
0.6	0.7	0.2	3.9	9.7	3.8	0.4	0.5	0.4	0.5	1.2	7.0	59.1	2.9	
1.0	0.5	0.1	3.3	11.5	3.3	0.4	1.3	0.4	0.3	0.7	4.8	47.6	1.2	
0.5	0.3	0.2	0.5	9.5	2.2	0.4	0.2	0.4	0.5	1.1	4.9	63.6	2.8	
0.7	0.2	0.1	2.3	11.4	1.7	1.7	0.4	0.6	0.3	1.3	16.0	48.9	1.3	
0.4	0.2	0.03	0.7	6.9	1.1	0.2	0.2	0.2	0.3	1.1	5.0	58.8	2.7	
0.5	0.3	0.3	1.9	7.6	1.1	0.8	0.3	0.3	0.2	0.7	7.8	58.7	3.9	
0.5	0.4	0.1	0.9	12.0	1.3	0.4	1.0	0.5	0.5	0.3	8.1	55.8	4.6	
0.3	0.6	0.04	0.9	11.3	1.7	0.3	0.3	0.2	0.3	0.4	8.4	63.7	7.4	
0.5	0.6	0.4	1.2	8.1	2.1	0.2	0.3	0.4	0.2	0.2	15.2	63.8	5.9	
0.4	0.7	0.1	0.6	13.4	1.7	0.2	0.3	0.2	0.2	0.7	9.3	61.7	1.3	
0.8	1.3	0.2	2.0	7.3	3.8	0.1	0.04	0.1	0.3	0.4	22.6	54.9	2.5	
0.4	0.9	0.4	0.7	6.8	1.9	0.3	0.4	0.3	0.5	0.4	15.7	65.5	6.0	
0.6	0.7	0.1	1.9	7.6	4.2	0.6	0.3	0.3	0.3	0.8	10.7	48.8	1.6	
0.7	0.5	0.05	3.0	6.0	2.2	0.6	1.0	0.5	0.3	0.5	13.2	55.6	0.6	
0.2	0.3	0.2	0.3	5.5	0.3	1.2	0.1	0.6	0.7	0.6	8.8	62.5	1.8	
0.5	0.2	0.01	0.4	9.0	1.4	0.5	0.9	0.4	0.8	0.9	10.9	46.3	2.3	
0.7	1.0	0.2	4.8	11.1	2.1	0.4	1.5	0.5	0.3	0.7	9.7	62.5	3.8	
0.6	0.7	0.04	3.6	6.9	3.5	0.4	0.4	0.4	0.4	0.9	16.3	59.2	3.5	
0.5	0.2	0.03	2.8	7.5	2.5	0.7	0.9	0.4	0.4	0.6	13.0	49.1	2.2	
0.9	0.7	0.03	2.5	7.6	2.0	0.7	0.8	0.4	0.3	0.4	14.8	63.5	2.5	
0.5	0.3	0.2	0.8	9.6	0.9	0.3	0.4	0.4	0.2	0.7	10.5	60.8	2.1	
0.4	0.3	0.1	0.3	6.3	0.3	0.3	0.6	0.4	0.3	0.5	10.6	66.5	2.5	
0.5	0.4	0.1	1.0	8.8	1.5	0.5	0.7	0.4	0.3	0.5	8.3	57.2	4.3	
1.1	0.4	0.6	4.9	10.5	4.5	0.4	0.4	0.3	0.6	0.5	14.2	54.1	1.7	
0.7	0.3	0.4	0.5	6.8	1.8	0.4	0.5	0.4	0.9	0.7	16.0	61.3	4.1	
0.4	0.4	0.1	1.0	9.3	1.2	0.5	0.2	0.3	0.3	0.4	13.2	58.6	3.9	
0.3	0.2	0.1	0.2	8.5	0.8	0.3	0.9	0.4	0.4	0.6	16.3	53.9	1.8	
0.3	0.4	0.4	0.8	9.4	2.1	0.06	0.3	0.3	0.4	0.3	16.8	47.7	2.1	
1.1	1.8	0.5	2.0	9.5	3.6	0.2	0.1	0.4	0.4	0.5	8.5	52.4	4.8	
0.5	0.5	0.1	1.3	10.7	1.5	0.6	0.2	0.4	0.5	1.4	9.7	53.9	6.5	
0.6	0.6	0.1	1.2	7.8	1.7	0.4	0.6	0.2	0.4	0.6	14.4	43.6	3.9	
0.5	0.4	0.1	2.6	7.8	2.0	0.3	0.3	0.2	0.4	0.7	10.8	50.6	5.1	
1.0	0.4	0.7	3.7	8.6	3.4	0.4	0.4	0.6	0.4	0.5	10.9	52.1	2.5	
0.7	0.4	0.03	3.6	6.5	1.8	0.3	0.6	0.3	0.3	0.5	6.1	55.3	1.8	
0.9	0.5	0.1	1.5	6.7	2.5	0.4	0.3	0.2	0.4	0.6	20.0	50.7	2.7	
0.7	0.9	0.1	0.6	7.3	0.8	0.4	1.2	0.3	0.4	0.4	6.5	53.3	4.3	
0.5	0.2	-	2.2	8.7	0.5	0.3	0.3	0.3	0.4	0.9	14.5	56.4	3.1	
1.0	1.2	0.04	2.7	8.3	3.7	0.5	1.1	0.3	0.4	0.4	9.7	44.6	1.7	
1.4	0.9	0.06	6.5	7.4	7.1	0.2	0.3	0.5	0.4	0.3	4.9	53.2	2.6	
0.7	0.3	0.1	1.2	8.6	1.7	0.4	0.2	0.3	0.4	0.8	6.5	56.8	3.4	
0.9	0.7	0.2	1.7	8.4	2.2	0.5	0.2	0.3	0.6	1.1	5.8	44.5	2.4	
0.6	0.6	0.1	1.0	6.9	1.7	0.2	0.2	0.3	0.4	0.5	11.7	53.6	2.8	
0.5	0.2	0.03	0.5	7.0	0.7	0.2	1.8	0.5	0.3	0.4	5.2	51.4	0.7	
0.8	0.5	0.3	2.6	6.4	2.4	0.6	0.4	0.3	0.5	1.0	4.6	55.5	0.2	

第4表 都道府県別 疾病

(4) 高等学校——男

区 分	栄養 要注意	せき 柱異常	胸郭 異常	伝皮 染膚 性疾 の患	目							難 (両 耳)
					近 視	遠 視	乱 視	弱 (両 視)	色 神 異常	ト ム ホー	そ の 他 の 疾	
全 国	0.3	0.5	0.4	0.3	26.9	0.4	0.9	0.9	3.8	2.5	3.4	0.4
北海道 青森 岩手 宮城 秋田	0.2	0.3	0.2	0.4	35.6	0.3	0.7	0.8	3.6	1.6	2.3	0.3
	0.4	0.1	0.3	0.5	25.0	0.2	0.2	0.6	4.7	8.2	2.4	0.2
	0.2	0.1	0.3	0.03	26.4	1.5	0.1	1.1	3.6	8.0	2.9	0.5
	0.0	1.0	0.06	0.6	23.8	0.04	0.4	0.1	3.0	6.2	2.4	0.07
山形 福島 茨城 栃木 群馬	0.1	0.1	0.05	0.1	25.8	0.02	0.02	0.9	3.2	6.4	1.4	0.4
	1.0	1.8	0.9	0.1	30.2	0.3	0.7	0.5	4.8	3.5	4.9	0.5
	-	0.1	0.1	0.2	30.6	0.1	0.2	1.4	2.8	2.6	0.8	0.2
	0.2	0.4	0.5	0.3	21.0	-	0.7	2.7	2.2	2.4	2.2	0.2
埼玉県 千葉県 東京都 神奈川県	0.3	0.4	0.5	0.02	12.5	0.1	0.6	0.7	3.5	4.1	5.2	0.2
	0.3	0.5	0.5	0.1	20.7	0.1	0.4	0.4	4.5	1.0	3.9	0.1
	0.1	0.1	0.3	0.4	20.8	0.9	1.6	1.5	4.3	2.3	4.4	0.2
	0.2	0.2	0.9	0.2	19.8	0.4	0.2	1.3	3.4	4.8	6.2	0.6
富山 石川 福井 山梨 長野	0.2	0.4	0.5	0.2	29.7	0.4	1.1	0.4	3.3	0.5	2.9	0.4
	0.1	0.4	0.4	0.1	22.1	0.6	1.1	0.8	3.8	0.3	1.5	0.3
	0.4	0.4	0.6	2.4	26.9	0.1	0.6	0.7	4.4	1.2	4.0	0.4
	0.3	0.7	0.3	0.2	37.2	0.07	0.2	0.09	4.5	1.7	8.4	0.2
岐阜 愛知 三重 滋賀	0.8	0.7	0.4	0.2	30.0	0.05	0.2	6.1	4.1	3.5	2.5	0.3
	1.6	0.7	0.7	0.5	33.8	0.05	0.3	1.2	4.7	1.9	2.6	0.3
	0.5	1.0	0.7	0.5	22.7	0.08	1.7	0.1	5.0	0.7	3.8	0.3
	0.4	0.8	0.4	0.4	26.3	0.6	1.5	0.8	3.9	0.6	0.4	0.1
静岡県 愛媛 高知 徳島	0.6	0.6	0.5	0.3	27.2	1.2	0.2	5.6	2.9	2.1	6.3	0.4
	0.3	0.5	0.4	0.03	29.5	0.05	1.4	1.1	3.8	3.1	3.3	0.8
	0.3	0.4	0.5	0.3	35.1	2.2	3.2	0.1	4.2	2.8	2.3	0.4
	0.4	0.4	0.7	0.01	26.5	0.2	0.6	0.6	4.8	4.9	2.5	0.7
大阪府 奈良 和歌山	0.4	2.9	0.3	0.5	32.0	0.09	0.8	-	5.1	1.1	2.2	0.3
	1.2	0.3	0.7	0.01	29.1	1.3	1.2	3.2	3.6	0.3	1.8	0.6
	0.6	0.4	0.4	0.2	34.1	0.1	1.0	0.5	4.6	2.6	5.3	0.3
	0.2	0.6	0.3	0.1	26.3	0.1	0.9	0.5	3.9	3.8	3.7	0.3
鳥取 島根 岡山 広島	0.1	0.03	0.1	0.1	21.0	0.5	0.3	1.7	3.9	2.1	4.0	0.4
	0.4	0.1	0.4	0.05	25.0	0.7	-	0.3	4.6	9.4	2.8	0.2
	0.2	0.1	0.5	0.2	25.2	0.02	0.5	0.02	4.0	1.5	2.5	0.1
	0.1	0.1	0.3	0.9	20.4	0.6	1.7	0.7	4.8	0.9	0.5	0.7
徳島 香川 愛媛 高松	0.3	0.1	0.3	0.1	26.9	1.0	1.3	0.2	3.6	2.2	2.9	0.5
	0.2	0.4	0.6	0.1	22.0	0.1	1.3	1.0	3.8	1.4	5.2	0.7
	0.4	0.3	0.3	0.6	29.9	0.3	0.7	12.4	4.1	2.0	2.1	0.7
	0.4	0.1	0.4	0.04	24.6	2.5	0.6	1.2	3.0	3.4	4.3	0.4
佐賀 長門 熊野 大分 宮崎	0.6	0.3	0.2	0.2	24.6	0.08	0.3	0.3	4.3	1.5	1.9	1.1
	0.06	0.7	0.2	0.02	21.9	0.1	0.3	1.4	4.1	1.1	1.9	0.3
	-	0.2	0.6	0.1	17.8	-	-	2.1	4.3	3.8	2.9	0.6
	0.1	0.3	0.3	0.2	26.4	0.8	0.9	1.6	3.8	3.1	3.7	1.0
佐賀 長門 熊野 大分 宮崎	0.1	0.1	0.1	0.5	26.4	0.02	0.3	0.8	3.6	3.9	6.1	0.2
	0.4	1.0	0.7	0.7	24.7	-	0.3	0.6	3.9	1.6	2.0	0.8
	0.4	0.4	0.5	0.07	19.5	0.1	0.2	0.2	4.3	1.6	3.4	0.5
	0.3	0.1	0.1	0.03	19.6	0.3	0.7	0.02	4.0	2.8	3.1	1.0
佐賀 長門 熊野 大分 宮崎	0.2	1.2	0.6	0.04	15.2	0.07	0.5	0.6	2.5	5.2	5.5	0.6
	0.1	0.6	0.5	0.3	16.8	0.03	0.2	0.9	3.1	6.3	2.6	0.7

異常の被患率(一般検診)

耳		鼻およびいんとう					身 体 虚 弱	精 神 薄 弱	運 障 動 機 能 害	心 臓 の 疾 患	そ お の よ び 他 の 疾 患 常	菌		
中 耳 炎	そ の 他 の 疾	せ ん 症 (ア ド)	蓄 の う 症	へ ん ん 大	そ お の よ び 他 の 疾 患	む し 菌						そ の 他 の 疾		
						処 置							完 了 者	未 処 置
0.7	0.7	0.1	2.0	4.6	3.0	0.09	0.02	0.2	0.3	0.6	13.9	46.0	4.0	
0.6	0.2	0.3	1.2	3.4	1.8	0.09	-	0.2	0.4	0.4	9.6	53.4	2.8	
0.3	0.7	0.01	1.9	4.6	1.9	0.1	-	0.2	0.5	0.2	17.1	51.2	2.7	
0.7	0.4	0.07	4.2	3.7	4.6	0.09	-	0.3	0.5	0.5	5.1	49.9	3.2	
0.4	0.09	0.02	2.3	3.3	1.3	0.05	-	0.2	0.3	0.5	9.4	30.0	1.4	
0.2	0.2	0.02	0.8	4.5	1.8	0.1	-	0.3	0.2	0.8	6.4	53.7	3.4	
1.7	0.7	-	5.7	6.0	2.4	0.02	-	0.2	0.3	0.8	16.4	34.9	2.2	
0.5	0.5	0.01	2.1	4.7	1.0	0.01	-	0.1	0.1	0.3	11.9	50.1	2.0	
0.5	0.2	-	1.3	2.5	1.5	0.01	-	0.1	0.2	0.4	11.2	47.3	1.0	
0.6	0.5	0.02	4.3	5.9	7.5	0.04	-	0.04	0.2	0.8	9.4	53.6	6.7	
0.6	0.2	0.1	3.5	5.4	2.3	0.03	-	0.1	0.1	0.1	15.1	40.0	1.8	
0.7	0.8	0.03	3.1	4.2	3.4	0.03	-	0.1	0.3	0.2	19.9	45.3	8.1	
0.6	0.3	0.03	1.3	5.7	3.0	0.3	-	0.2	0.2	0.8	14.0	50.7	4.4	
0.6	0.8	0.2	1.5	4.8	2.7	0.1	0.02	0.1	0.2	0.4	18.1	48.5	3.1	
0.3	0.2	0.1	0.5	3.2	1.7	0.02	-	0.2	0.3	0.6	15.5	58.2	2.5	
0.6	0.7	0.2	1.0	3.7	2.9	0.1	-	0.1	0.4	0.9	11.4	41.6	2.2	
0.8	1.3	0.06	7.9	4.3	4.7	0.06	-	0.2	0.2	1.2	14.2	47.6	0.6	
0.5	0.04	-	1.6	5.7	1.2	0.1	-	0.2	0.4	0.4	14.0	50.5	2.1	
0.6	1.0	0.05	0.6	1.5	1.1	-	-	0.2	0.6	3.3	10.9	35.6	6.3	
0.8	0.3	-	5.6	6.6	4.5	0.02	-	0.2	0.7	0.4	13.0	52.3	3.0	
0.5	0.4	0.05	2.6	4.5	4.4	0.1	-	0.3	0.3	0.7	15.2	52.3	8.1	
0.4	0.4	0.1	0.4	4.1	0.9	0.1	0.02	0.03	0.7	0.8	15.5	40.9	3.7	
1.2	2.3	0.01	1.0	4.8	4.1	0.04	-	0.2	0.4	0.3	10.4	47.7	2.2	
0.9	0.8	0.8	1.6	3.6	3.7	0.1	-	0.3	0.2	0.4	14.1	46.5	5.6	
1.4	0.1	0.1	3.4	7.1	3.2	0.03	-	0.2	0.5	1.1	12.9	58.7	1.3	
0.6	0.06	0.02	0.4	7.3	0.07	0.07	-	0.3	0.1	0.5	16.0	38.9	8.5	
0.4	0.5	0.03	0.9	5.9	2.5	0.5	-	0.2	0.4	0.5	14.9	45.3	4.9	
1.4	1.0	0.02	3.6	5.5	5.1	0.2	0.3	0.2	0.4	0.5	18.6	45.3	2.6	
0.6	0.8	-	0.8	2.5	1.2	0.1	-	0.3	0.4	0.6	17.4	42.3	3.8	
0.03	0.03	-	0.03	2.7	0.03	-	-	0.2	0.1	0.1	16.3	36.9	1.3	
0.5	0.5	0.1	0.4	5.2	1.2	-	-	0.2	0.3	1.1	18.1	33.7	1.9	
0.5	0.5	-	1.7	2.2	0.3	-	-	0.2	0.3	0.2	16.2	37.8	0.6	
0.3	0.2	-	0.5	2.4	0.2	0.2	-	0.3	0.7	0.2	9.1	56.2	15.3	
0.7	1.2	0.2	1.9	3.1	4.7	0.04	-	0.3	0.3	1.1	13.4	40.1	5.6	
1.2	0.6	0.04	2.8	4.7	5.3	0.04	-	0.2	0.5	0.3	12.5	36.3	10.1	
1.4	0.9	0.08	4.1	11.4	8.4	0.1	0.02	0.2	0.3	0.3	15.2	44.9	2.4	
0.7	0.6	-	2.7	2.8	2.0	0.5	-	0.2	0.4	0.5	14.1	44.0	7.6	
0.7	0.4	0.1	1.5	4.7	0.9	0.09	-	0.2	0.9	0.5	19.2	37.2	2.0	
0.2	0.3	0.1	0.6	4.6	0.9	0.02	-	0.1	0.2	0.6	13.7	42.5	8.9	
0.5	0.4	-	3.2	4.4	1.6	0.2	-	0.4	0.7	0.3	10.1	54.6	3.9	
0.8	0.4	0.07	0.9	4.8	4.5	0.04	0.01	0.2	0.4	0.5	12.5	40.2	2.5	
1.1	2.2	-	1.5	6.1	12.9	0.1	-	0.2	0.2	0.7	7.9	45.2	2.6	
1.1	0.8	0.02	3.8	5.7	1.3	0.09	-	0.1	0.3	0.8	10.1	50.3	6.0	
0.8	0.2	-	1.9	3.9	4.3	-	-	0.3	0.4	1.4	7.8	39.1	16.5	
0.6	0.9	0.08	5.1	5.1	1.0	0.3	-	0.2	0.3	1.2	10.8	48.1	1.7	
0.4	0.7	0.04	1.1	5.0	0.5	-	-	0.07	0.4	0.4	9.6	47.7	2.6	
0.9	0.3	0.04	0.6	3.9	1.8	0.2	-	0.2	0.4	0.4	7.5	52.2	5.0	

第4表 都道府県別疾病

(4) 高等学校——女

区 分	栄養 要注意	せき 柱異常	胸 郭異常	伝皮 染膚 性疾 の患	目							難 (両 耳)
					近 視	遠 視	乱 視	弱 (両 眼)	色 神 異常	ト ラ ホ ー	その 他 の 疾	
全 国	0.3	0.2	0.2	0.1	28.9	0.6	0.9	1.1	0.3	2.1	3.0	0.4
北海道	0.2	0.1	0.02	0.1	42.6	0.4	1.0	1.7	0.4	1.4	2.0	0.3
青森	0.1	0.01	—	0.03	28.3	0.3	0.5	0.4	0.2	5.1	2.6	0.01
岩手	0.1	0.1	0.2	0.05	30.3	0.4	0.6	2.4	0.2	7.8	4.1	0.4
宮城	0.02	0.01	0.04	—	23.4	—	0.6	0.3	0.1	5.5	0.9	0.2
秋田	—	0.02	0.02	0.02	33.8	—	0.05	0.6	0.1	6.3	1.3	0.3
山形	0.3	1.9	0.2	0.1	27.2	0.02	1.3	0.7	0.6	2.9	4.5	0.2
福島	0.1	0.1	0.1	0.01	26.8	0.2	0.1	2.5	0.7	4.1	0.6	0.4
茨城	0.1	0.01	0.01	—	25.3	0.3	0.8	0.6	0.1	1.7	2.3	0.1
栃木	0.3	0.1	0.1	0.1	27.9	0.3	1.7	1.0	0.3	2.4	2.1	0.1
群馬	0.1	0.01	0.01	0.04	21.4	0.04	0.7	0.08	0.2	1.3	2.3	0.4
埼玉県	0.4	0.2	0.1	0.4	26.5	0.9	0.8	0.5	0.3	1.1	5.9	0.2
千葉県	0.1	0.1	0.3	0.04	22.8	0.5	0.2	2.1	0.4	4.7	5.7	0.3
東京都	0.2	0.1	0.2	0.1	35.6	1.0	1.0	0.4	0.3	0.6	4.1	0.3
神奈川県	0.6	0.2	0.2	0.1	24.2	0.4	0.6	2.6	0.1	1.4	2.4	0.1
新潟	0.3	0.2	0.1	0.4	30.0	0.2	0.5	0.7	0.3	1.1	4.4	0.6
富山	0.04	0.6	0.2	0.02	31.6	—	0.5	0.2	0.1	1.7	6.1	0.1
石川	0.9	0.6	0.1	0.1	30.4	0.06	0.4	5.3	0.5	3.1	2.1	0.2
福井	0.8	0.4	0.3	0.1	35.2	0.3	0.6	1.3	0.2	1.2	1.3	0.5
山梨	0.4	0.3	0.1	0.2	23.5	0.03	0.9	0.1	0.5	1.0	4.0	0.6
長野	0.2	0.9	0.1	0.05	23.4	0.2	1.3	0.9	0.2	0.3	3.6	0.09
岐阜	0.5	0.4	0.1	0.1	26.9	4.3	0.1	2.1	0.3	0.9	1.8	0.3
静岡県	0.1	0.1	0.2	—	28.8	0.2	1.2	2.1	0.3	1.2	3.9	0.1
愛知県	0.3	0.4	0.7	0.1	35.6	0.9	1.4	0.1	0.2	1.7	2.3	0.2
三重	0.2	0.3	0.4	0.01	29.9	0.5	0.9	0.2	0.2	3.8	1.7	0.6
滋賀	0.2	—	0.08	0.2	27.4	0.06	1.0	—	0.04	0.04	3.1	0.2
京都府	1.3	0.3	1.3	0.2	26.3	2.6	1.2	2.5	0.1	0.05	1.7	0.4
大阪府	0.6	0.2	0.1	0.1	34.2	0.1	1.1	0.9	0.4	1.5	3.3	0.3
兵庫県	0.2	0.2	0.09	0.07	28.3	0.2	0.8	0.8	0.4	2.7	3.3	0.4
奈良	0.1	0.02	0.1	—	18.7	0.2	0.3	2.0	0.3	1.5	2.4	0.4
和歌山	0.2	—	0.02	0.04	25.2	0.4	—	0.2	0.1	8.1	2.6	0.1
鳥取	0.03	—	0.1	0.1	27.1	0.1	0.4	0.1	0.2	1.5	3.9	0.1
島根	0.6	0.1	0.1	0.6	22.4	0.3	1.4	0.1	0.2	0.9	0.6	0.2
岡山	0.2	0.2	0.3	0.1	33.8	1.1	2.5	0.1	0.2	1.5	3.2	0.6
広島	0.1	1.1	0.2	0.2	23.7	0.1	1.3	1.3	0.3	1.5	3.5	0.5
山口	0.2	0.1	0.2	0.1	32.7	0.5	0.9	0.7	0.3	1.2	1.9	0.7
徳島	0.5	0.1	0.2	0.1	19.4	2.3	0.5	1.6	0.3	2.7	3.3	0.4
香川県	0.09	0.1	0.05	0.08	26.3	0.02	0.2	0.2	0.2	1.1	1.6	0.3
愛媛	0.2	0.2	0.04	0.04	19.3	0.01	0.3	3.3	0.1	0.4	1.2	0.2
高松	—	—	0.1	—	17.2	—	—	1.8	0.5	4.2	3.1	0.4
福岡	0.08	0.08	0.1	0.03	30.2	0.9	0.6	2.6	0.6	2.7	2.2	0.8
佐賀	0.03	0.2	0.08	0.2	33.9	—	0.06	0.4	0.2	3.9	7.4	0.1
長門	0.5	0.3	0.3	0.1	24.8	0.2	0.1	1.6	0.4	0.8	0.8	0.4
熊本	0.4	0.08	0.2	—	23.3	0.1	0.6	0.1	0.3	1.2	3.8	0.5
大分	0.2	0.06	0.03	0.04	21.3	0.3	0.5	—	0.2	1.8	2.2	0.5
宮崎	0.01	0.7	0.01	—	14.7	—	0.8	0.5	0.3	6.2	5.7	0.3
鹿児島	0.3	0.5	0.3	0.5	16.2	0.2	0.1	1.1	0.5	6.3	3.2	0.3

異常の被患率(一般検診)

耳	中 耳 炎	その 他 の 疾	鼻およびいんとう				身 体 虚 弱	精 神 薄 弱	運 動 機 能 害	心 臓 の 疾 患	そ の 他 の 疾 患	歯		
			せ ん 症 増 (ア ド)	蓄 の う 症	へ ん と う 大	そ お と う の 疾 患						む し 歯	未 処 置 者	そ の 他 の 疾
全 国	0.6	0.6	0.06	1.6	5.1	2.3	0.09	0.001	0.1	0.4	0.6	17.3	49.2	3.7
北海道	0.3	0.2	0.03	0.7	3.7	1.2	0.05	—	0.08	0.6	0.6	12.6	56.7	2.5
青森	0.8	1.6	—	1.6	8.0	5.0	0.01	—	0.03	0.4	0.1	15.2	63.1	5.2
岩手	0.7	0.3	0.1	2.4	4.8	7.6	0.2	—	0.2	0.8	1.2	9.7	46.4	2.4
宮城	0.3	0.08	—	2.5	6.5	0.7	0.03	—	0.1	0.2	0.3	12.8	38.3	0.4
秋田	1.0	0.4	0.02	2.4	2.7	2.0	—	—	0.2	0.1	0.1	7.7	65.4	7.3
山形	0.6	1.1	—	4.5	4.0	2.3	0.03	—	0.2	0.3	0.7	24.2	45.2	0.9
福島	0.5	0.6	—	2.8	3.9	1.3	0.01	—	0.2	0.2	0.1	12.8	51.0	1.2
茨城	0.1	0.02	—	0.04	4.6	1.2	—	—	0.1	0.3	0.4	17.8	41.0	10.3
栃木	0.4	0.3	0.02	3.1	6.8	3.0	0.01	—	0.1	0.2	0.6	17.4	53.4	5.4
群馬	0.5	0.8	—	2.7	8.2	3.1	—	—	0.1	0.5	0.2	12.4	60.6	2.0
埼玉県	1.0	0.7	0.1	3.1	6.3	2.9	0.1	—	0.1	0.4	0.4	24.5	47.7	11.0
千葉県	0.5	0.4	0.1	0.4	5.3	2.2	0.05	0.01	0.07	0.2	1.0	16.6	53.5	3.4
東京都	0.5	1.0	0.1	1.2	5.8	2.8	0.1	0.004	0.1	0.3	0.6	18.3	59.4	3.1
神奈川県	0.5	0.6	—	0.6	4.4	2.4	0.05	—	0.1	0.3	0.3	20.7	54.5	4.6
新潟	0.5	0.9	0.02	3.3	3.2	3.8	—	—	0.2	0.4	0.6	15.7	47.3	1.0
富山	0.5	0.5	—	4.1	3.9	2.3	0.04	—	0.1	0.8	1.6	22.0	48.8	0.2
石川	0.4	0.2	—	1.1	7.3	1.1	0.2	—	0.2	0.6	0.9	15.2	58.0	3.5
福井	0.6	0.4	0.03	0.8	1.4	1.3	0.1	—	0.1	0.4	0.8	14.1	40.2	3.9
山梨	0.5	1.1	0.1	1.4	5.7	1.6	0.03	—	0.1	0.2	0.5	21.1	49.0	9.6
長野	0.5	0.2	0.06	2.9	6.3	6.6	0.06	—	0.1	0.3	0.4	17.0	59.6	7.2
岐阜	0.6	2.0	0.2	0.1	4.7	3.0	0.1	—	0.03	0.3	1.0	12.4	54.2	3.3
静岡県	0.9	0.8	0.05	1.9	6.3	3.1	0.05	—	0.1	0.3	0.4	15.7	54.6	3.9
愛知県	0.3	0.3	0.3	0.8	4.9	1.5	0.04	—	0.2	0.2	0.4	21.1	44.3	3.9
三重	0.7	0.1	0.02	3.1	9.6	1.2	0.1	—	0.03	0.7	0.9	19.2	60.8	1.0
滋賀	0.2	0.2	—	0.1	6.9	—	0.03	—	0.2	0.3	0.5	18.7	44.6	8.4
京都府	0.7	0.3	—	0.8	6.2	1.3	0.5	—	0.2	0.8	1.0	12.3	57.8	3.1
大阪府	0.6	0.7	0.02	2.4	5.4	2.6	0.1	—	0.1	0.4	1.1	21.0	49.0	2.6
兵庫県	0.4	0.5	—	0.5	3.8	1.4	0.06	—	0.2	0.5	0.6	20.8	48.5	2.9
奈良	0.03	0.1	0.1	0.1	2.3	0.1	0.1	—	0.2	0.2	0.1	16.4	26.9	0.7
和歌山	0.5	0.8	0.02	0.5	6.4	1.5	—	—	0.1	0.3	1.1	25.2	33.8	2.3
鳥取	0.1	0.1	—	0.6	1.3	0.3	—	—	—	0.3	0.1	19.4	43.2	0.3
島根	0.4	0.4	0.1	0.6	3.4	0.4	0.1	—	0.6	0.6	0.9	13.4	54.8	16.5
岡山	0.6	1.5	—	1.1	5.2	3.9	0.1	—	0.3	0.5	0.8	18.7	39.2	5.8
広島	0.8	0.6	0.04	2.1	6.0	3.7	0.04	—	0.1	0.3	0.4	20.0	39.6	5.0
山口	1.0	0.4	0.3	2.0	5.2	2.2	—	—	0.1	0.8	0.7	18.0	47.3	1.6
徳島	0.7	0.4	—	2.4	3.6	0.6	0.3	—	0.2	0.6	0.4	14.5	43.9	6.3
香川県	1.4	0.2	0.04	1.5	3.7	0.6	0.1	0.02	0.1	0.6	0.4	26.6	43.9	2.8
愛媛	0.09	0.05	0.2	0.2	2.6	0.3	0.3	—	0.2	0.5	0.7	16.6	37.0	5.6
高松	0.5	0.2	—	2.6	5.0	0.3	0.1	—	0.2	0.4	0.8	15.5	53.2	3.0
福岡	0.7	0.3	0.08	1.0	3.7	3.1	0.2	—	0.05	0.2	0.4	18.5	38.6	1.6
佐賀	1.1	1.2	0.03	1.5	7.3	7.4	0.6	—	0.1	0.2	1.3	12.3	47.6	2.2
長門	0.6	0.3	0.1	1.0	6.6	0.3	0.05	—	0.8	0.5	0.8	13.4	58.1	3.6
熊本	0.5	0.2	—	1.8	6.5	4.2	0.07	—	0.2	0.4	2.0	15.1	31.6	8.2
大分	0.4	0.4	0.03	2.6	4.3	0.2	0.1	—	0.04	0.3	0.3	12.8	49.1	1.8
宮崎	0.4	0.5	0.02	1.2	5.9	—	0.01	—	0.03	0.02	0.07	13.2	50.9	3.1
鹿児島	0.4	0.05	0.02	1.3	3.6	0.9	0.2	—	0.1	0.3	0.4	5.4	59.3	3.2