

第 5 表 年齢別 一般検診の被患率
(1) 総 括 (男女の計)

区 分		栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝 染 性 の 皮 膚 疾 患	目						
						近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異 常	ト ラ ホ ー ム	そ の 他 の 眼 疾
幼 稚 園	計	0.99	0.52	1.36	1.10	—	—	—	—	—	1.69	3.19
	3 才	0.63	0.40	1.67	0.77	—	—	—	—	—	0.83	2.83
	4 才	0.93	0.43	1.41	1.07	—	—	—	—	—	1.10	3.33
	5 才	1.01	0.55	1.33	1.12	—	—	—	—	—	1.86	3.17
	6才以上	2.04	0.55	2.10	1.27	—	—	—	—	—	1.13	2.73
小 学 校	計	0.97	0.81	1.04	2.34	9.61	0.25	0.13	0.46	1.69	4.53	3.82
	6 才	1.08	0.82	1.41	2.20	—	—	—	—	—	4.65	4.34
	7 才	1.14	0.82	1.26	2.55	—	—	—	—	—	4.51	4.04
	8 才	0.99	0.78	1.03	2.37	9.38	0.22	0.10	0.35	1.68	4.42	3.62
	9 才	0.92	0.80	0.90	2.31	9.22	0.23	0.09	0.44	1.65	4.38	3.56
	10 才	0.84	0.80	0.80	2.37	9.63	0.28	0.13	0.48	1.70	4.52	3.73
	11 才	0.77	0.81	0.72	2.17	10.65	0.33	0.23	0.65	1.77	4.89	3.59
	12才以上	1.70	2.23	0.89	2.01	10.13	0.18	0.11	1.24	1.41	4.43	3.14
中 学 校	計	0.68	0.71	0.51	1.72	17.03	0.47	0.29	0.92	2.15	4.53	3.56
	12 才	0.84	0.75	0.58	1.78	14.66	0.50	0.23	0.80	2.29	4.62	3.59
	13 才	0.65	0.68	0.50	1.84	16.76	0.49	0.29	0.93	2.06	4.47	3.61
	14 才	0.55	0.80	0.45	1.53	19.50	0.43	0.35	1.03	2.13	4.51	3.50
	15才以上	0.73	1.72	0.89	1.65	19.10	0.47	0.37	1.05	1.64	4.53	3.17
高 等 学 校	計	0.37	0.43	0.33	0.21	26.49	0.57	0.74	1.24	2.28	2.51	2.93
	15 才	0.47	0.45	0.36	0.29	25.04	0.59	0.66	1.06	2.42	2.81	3.10
	16 才	0.34	0.44	0.32	0.20	26.96	0.58	0.66	1.23	2.30	2.52	2.87
	17 才	0.28	0.37	0.29	0.13	28.40	0.55	0.85	1.34	2.12	2.26	2.84
	18 才	0.33	0.55	0.35	0.17	23.26	0.52	0.58	1.12	2.00	2.14	2.78
	19 才	0.40	0.32	0.40	0.25	24.27	0.37	0.55	1.13	2.44	1.66	2.84
	20才以上	0.32	0.40	0.47	0.09	24.32	0.41	0.59	1.11	2.15	1.23	1.95
	計	0.37	0.42	0.32	0.20	27.55	0.59	0.80	1.33	2.29	2.47	2.88
	15 才	0.47	0.44	0.35	0.28	25.71	0.63	0.71	1.25	2.41	2.73	3.04
	16 才	0.34	0.43	0.30	0.19	27.90	0.58	0.80	1.32	2.29	2.45	2.81
学 校 定 時 制	17 才	0.28	0.37	0.28	0.12	29.38	0.56	0.91	1.42	2.13	2.21	2.80
	18 才	0.53	0.80	0.44	0.13	27.31	0.47	0.87	1.60	2.27	1.95	2.44
	19 才	1.31	1.31	0.82	0.33	26.48	0.59	0.60	1.95	2.07	2.47	2.31
	20才以上	2.17	1.36	1.90	—	30.06	0.63	0.65	2.73	2.51	1.64	1.92
	計	0.34	0.45	0.38	0.26	21.29	0.44	0.43	0.83	2.27	2.71	3.15
	15 才	0.53	0.57	0.42	0.38	20.74	0.32	0.36	0.84	2.49	3.29	3.48
	16 才	0.33	0.48	0.41	0.26	21.05	0.53	0.45	0.80	2.38	3.01	3.25
	17 才	0.26	0.40	0.35	0.22	21.26	0.43	0.45	0.78	2.07	2.64	3.13
校 時 制	18 才	0.21	0.39	0.29	0.19	20.80	0.55	0.41	0.83	1.94	2.25	2.99
	19 才	0.25	0.15	0.33	0.23	23.90	0.33	0.54	1.00	2.50	1.53	2.93
	20才以上	0.25	0.37	0.42	0.09	24.11	0.40	0.59	0.83	2.14	1.22	1.95

耳			鼻およびいんとう				歯			が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患 お 常
難 聴 (両耳)	中 耳 炎	その他の耳疾	せん (アデノイド) 様増殖症	蓄 の う 症	肥 へん と う せ ん 大	その の 他 の い ん と う の 疾 患	む し 歯 の 有 無 を 記 す	了 る 者 を 記 す	未 処 置 者 を 記 す						
0.08	0.53	0.65	1.07	0.44	12.47	2.99	3.3	82.9	0.6	0.24	0.06	0.13	0.30	0.81	
0.10	0.81	0.75	0.74	0.22	9.48	3.08	4.3	68.9	1.0	0.27	0.02	0.09	0.09	0.97	
0.07	0.52	0.72	1.19	0.44	13.43	3.22	4.6	77.9	0.5	0.25	0.02	0.08	0.28	0.82	
0.09	0.53	0.63	1.05	0.44	12.32	2.94	3.0	84.4	0.6	0.23	0.06	0.13	0.31	0.80	
0.23	0.17	0.33	0.16	0.32	10.99	2.42	7.5	76.3	1.5	1.30	1.85	1.69	0.27	1.90	
0.34	0.65	1.12	1.00	1.06	11.25	3.96	3.4	75.6	1.0	0.49	0.40	0.35	0.28	0.99	
0.23	0.72	1.22	1.71	0.84	12.13	4.65	1.0	79.0	0.5	0.52	0.26	0.34	0.29	1.17	
0.24	0.62	1.27	1.31	0.98	11.66	4.74	1.8	79.5	0.8	0.53	0.37	0.30	0.26	1.13	
0.36	0.63	1.07	0.99	1.08	11.40	4.17	2.7	78.6	0.9	0.49	0.44	0.33	0.26	1.03	
0.38	0.63	1.12	0.79	1.17	11.04	3.67	4.0	76.8	1.1	0.48	0.41	0.35	0.28	0.87	
0.41	0.60	1.04	0.57	1.11	10.73	3.19	5.4	71.0	1.3	0.45	0.47	0.35	0.28	0.87	
0.46	0.71	0.91	0.43	1.19	10.09	2.86	7.2	63.3	1.4	0.45	0.47	0.40	0.35	0.81	
0.98	0.53	0.80	0.47	0.82	7.22	2.06	4.5	52.6	1.0	2.38	4.28	5.77	0.37	2.17	
0.65	0.86	0.82	0.17	1.68	8.10	2.75	8.8	50.0	3.6	0.44	0.43	0.38	0.40	0.78	
0.64	0.82	0.95	0.24	1.57	9.16	2.97	8.6	51.8	3.3	0.52	0.43	0.35	0.39	0.75	
0.65	0.86	0.79	0.16	1.69	8.06	2.70	8.7	49.5	3.5	0.42	0.44	0.35	0.39	0.74	
0.64	0.89	0.73	0.13	1.78	7.20	2.61	9.1	49.1	3.9	0.37	0.41	0.37	0.40	0.71	
1.18	0.95	1.23	0.13	1.35	5.77	2.72	9.8	42.5	3.0	1.50	1.76	3.09	0.88	1.73	
0.40	0.69	0.56	0.06	1.87	5.08	2.57	13.6	45.5	4.2	0.11	0.003	0.16	0.38	0.51	
0.41	0.76	0.62	0.07	2.06	6.00	2.64	12.8	46.7	4.1	0.12	0.003	0.15	0.36	0.54	
0.42	0.66	0.59	0.05	1.89	5.09	2.52	13.2	45.4	4.2	0.09	0.003	0.15	0.38	0.52	
0.36	0.65	0.46	0.06	1.71	4.37	2.62	14.4	45.2	4.5	0.11	0.002	0.15	0.40	0.48	
0.42	0.74	0.46	0.13	1.41	3.61	2.23	13.6	41.6	4.2	0.18	0.002	0.29	0.40	0.49	
0.56	0.81	0.37	0.06	1.40	3.16	2.69	17.1	37.8	3.6	0.33	—	0.35	0.40	0.66	
0.39	0.58	0.43	0.14	1.23	2.17	1.94	22.5	37.6	3.3	0.17	—	0.35	0.45	0.46	
0.38	0.69	0.57	0.05	1.92	5.14	2.64	13.8	46.1	4.3	0.11	0.003	0.17	0.38	0.51	
0.39	0.75	0.63	0.06	2.11	5.97	2.72	13.3	47.1	4.2	0.11	0.003	0.16	0.36	0.53	
0.41	0.66	0.60	0.04	1.92	5.05	2.56	13.6	45.7	4.2	0.09	0.004	0.15	0.38	0.51	
0.34	0.64	0.47	0.05	1.71	4.35	2.65	14.7	45.6	4.5	0.11	0.001	0.15	0.40	0.48	
0.41	0.90	0.65	0.08	1.51	3.81	2.35	13.9	41.7	4.1	0.26	0.006	0.49	0.48	0.60	
0.73	1.02	0.27	—	1.84	3.10	2.87	14.5	34.8	3.4	1.58	—	1.65	0.74	1.65	
0.59	0.59	0.29	—	1.21	1.12	2.62	15.5	36.6	3.9	2.45	—	2.45	1.09	2.17	
0.48	0.71	0.46	0.12	1.62	4.80	2.23	12.2	42.6	4.0	0.12	0.003	0.13	0.38	0.52	
0.51	0.77	0.56	0.14	1.79	6.18	2.14	9.6	44.6	3.9	0.15	0.004	0.12	0.39	0.63	
0.48	0.71	0.51	0.10	1.73	5.30	2.25	10.6	43.5	4.1	0.09	0.002	0.11	0.41	0.57	
0.50	0.73	0.40	0.11	1.65	4.47	2.41	12.4	42.3	4.3	0.09	0.01	0.09	0.35	0.44	
0.42	0.64	0.33	0.16	1.36	3.49	2.15	13.5	41.5	4.2	0.14	—	0.17	0.34	0.41	
0.54	0.78	0.38	0.07	1.32	3.17	2.65	17.6	38.3	3.6	0.12	—	0.13	0.35	0.50	
0.38	0.58	0.44	0.14	1.23	2.21	1.91	22.8	37.6	3.3	0.08	—	0.27	0.42	0.39	

第 5 表 年齢別 一般検診の被患率
(2) 男

区 分	栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝 染 性 の 皮 膚 疾 患	目							そ の 他 の 眼 疾
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異 常	ト ラ ホ ー ム		
幼 稚 園	計	1.08	0.68	1.76	1.32	—	—	—	—	—	1.58	3.15
	3才	0.63	0.60	1.94	0.95	—	—	—	—	—	0.58	0.76
	4才	0.97	0.55	1.86	1.30	—	—	—	—	—	1.04	3.47
	5才	2.12	0.71	1.73	1.34	—	—	—	—	—	1.74	3.06
	6才以上	1.67	0.88	2.64	0.88	—	—	—	—	—	0.84	2.52
小 学 校	計	1.01	0.91	1.24	2.85	8.80	0.24	0.13	0.45	3.03	4.15	3.58
	6才	1.67	0.97	1.79	2.68	—	—	—	—	—	4.36	4.26
	7才	1.20	0.94	1.56	3.10	—	—	—	—	—	4.26	3.82
	8才	1.03	0.91	1.23	2.87	8.54	0.18	0.10	0.34	2.97	4.68	3.97
	9才	0.92	0.87	1.02	2.83	8.43	0.22	0.10	0.42	2.94	3.92	3.24
	10才	0.81	0.89	0.90	2.93	8.77	0.31	0.14	0.47	3.00	4.11	3.49
	11才	0.81	0.88	0.77	2.61	9.66	0.30	0.22	0.64	3.18	4.37	3.20
	12才以上	1.58	2.46	1.00	1.80	9.78	0.18	—	0.88	2.29	4.22	2.63
中 学 校	計	0.72	0.75	0.61	2.19	15.41	0.52	0.27	0.87	3.77	4.22	3.35
	12才	0.83	0.76	0.67	2.14	13.38	0.56	0.21	0.77	4.02	4.17	3.27
	13才	0.71	0.70	0.59	2.37	14.99	0.53	0.25	0.88	3.60	4.04	3.38
	14才	0.63	1.08	0.57	2.05	17.72	0.49	0.34	0.96	3.73	4.44	3.40
	15才以上	0.77	1.57	1.12	2.00	18.10	0.70	0.18	1.04	2.63	4.51	3.00
高 等 学 校	計	0.40	0.56	0.45	0.29	25.78	0.46	0.73	1.14	3.75	2.73	3.14
	15才	0.54	0.55	0.49	0.43	23.75	0.45	0.65	1.06	4.09	3.06	3.29
	16才	0.37	0.60	0.45	0.28	26.42	0.44	0.73	1.10	3.80	2.82	3.11
	17才	0.28	0.51	0.41	0.18	28.21	0.46	0.90	1.28	3.54	2.48	3.11
	18才	0.33	0.67	0.40	0.22	22.82	0.54	0.54	1.11	2.97	2.19	2.92
	19才	0.39	0.41	0.49	0.29	23.89	0.42	0.61	1.12	3.04	1.70	3.05
	20才以上	0.36	0.45	0.55	0.11	23.67	0.46	0.51	1.11	2.49	1.24	1.98
	計	0.40	0.57	0.45	0.29	27.12	0.45	0.82	1.22	3.91	2.75	3.11
	15才	0.53	0.54	0.48	0.42	24.47	0.47	0.70	1.11	4.18	3.03	3.24
	16才	0.36	0.60	0.44	0.28	27.61	0.42	0.79	1.17	3.91	2.78	3.04
定 時 制 学 校	17才	0.28	0.52	0.40	0.16	29.58	0.46	0.98	1.36	3.64	2.46	3.09
	18才	0.49	1.06	0.49	0.14	28.36	0.46	0.93	1.68	3.45	2.09	2.48
	19才	1.47	1.68	1.05	0.42	26.81	0.51	0.76	1.65	2.33	2.23	2.22
	20才以上	2.38	1.36	2.38	—	27.80	0.40	0.40	3.01	3.10	1.72	1.72
	計	0.39	0.51	0.46	0.31	20.39	0.48	0.39	0.82	3.13	2.65	3.26
	15才	0.63	0.63	0.50	0.47	19.95	0.35	0.36	0.79	3.61	3.20	3.52
	16才	0.40	0.57	0.55	0.28	19.95	0.54	0.40	0.77	3.26	3.05	3.47
制 学 校	17才	0.30	0.44	0.43	0.25	20.01	0.50	0.40	0.79	2.93	2.61	3.24
	18才	0.24	0.46	0.35	0.26	19.77	0.59	0.33	0.81	2.71	2.25	3.16
	19才	0.21	0.20	0.39	0.27	23.39	0.41	0.58	1.03	3.16	1.61	3.19
	20才以上	0.28	0.42	0.48	0.11	23.53	0.46	0.52	1.04	2.47	1.22	1.99

耳			鼻およびいんとう				歯			が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患 お 常
難 聴 (両耳)	中 耳 炎	その他の耳疾	せん (アデノイ ド)様増殖 症	蓄 の う 症	へん と う せん 大	その の 疾 患 の 鼻 お う	む し 歯		その の 他 の 歯 疾						
							了 る 者 を 処 置 し て 完	未 処 置 者							
0.08	0.60	0.69	1.18	0.49	12.88	3.26	3.4	82.7	0.6	0.24	0.06	0.15	0.31	0.84	
0.02	0.97	0.84	0.65	0.15	10.75	3.21	4.8	68.2	1.6	0.28	—	0.18	0.13	1.00	
0.07	0.57	0.75	1.27	0.53	14.28	3.30	4.5	78.0	0.5	0.28	0.02	0.09	0.32	0.82	
0.09	0.59	0.67	1.12	0.48	12.58	3.23	3.0	84.4	0.6	0.23	0.07	0.15	0.31	0.84	
0.10	0.20	0.20	0.19	0.58	13.43	2.50	6.8	77.0	1.4	0.97	2.54	2.24	0.29	1.65	
0.38	0.78	1.23	1.09	1.17	11.37	4.50	3.0	73.7	1.0	0.47	0.43	0.37	0.27	1.09	
0.24	0.86	1.33	1.87	0.92	12.64	5.23	0.9	77.1	0.8	0.56	0.29	0.37	0.31	1.28	
0.24	0.75	1.35	1.45	1.10	12.08	5.39	1.6	77.7	1.0	0.51	0.36	0.34	0.27	1.22	
0.41	0.77	1.18	1.10	1.23	11.48	4.76	2.3	76.1	1.2	0.44	0.50	0.35	0.25	1.07	
0.41	0.73	1.21	0.81	1.32	11.09	4.16	3.6	75.2	1.3	0.45	0.44	0.37	0.24	1.00	
0.46	0.71	1.19	0.60	1.23	10.53	3.69	4.7	69.6	1.5	0.42	0.51	0.38	0.26	0.99	
0.57	0.91	1.07	0.44	1.23	9.72	3.12	6.3	52.6	0.9	0.42	0.47	0.42	0.31	0.93	
1.48	0.68	0.90	0.37	1.10	8.20	2.65	4.5	73.7	1.0	1.22	4.44	5.14	0.21	1.76	
0.75	0.98	0.93	0.18	1.80	7.72	2.93	7.8	49.4	3.9	0.41	0.47	0.38	0.36	0.80	
0.74	0.93	1.09	0.25	1.68	8.82	3.14	7.6	46.2	3.6	0.49	0.46	0.37	0.34	0.79	
0.75	1.00	0.86	0.17	1.79	7.63	2.89	8.1	46.2	3.8	0.38	0.48	0.35	0.37	0.80	
0.76	0.99	0.85	0.13	1.91	6.83	2.80	8.0	40.4	4.4	0.35	0.43	0.36	0.38	0.76	
1.30	1.25	1.34	0.15	1.75	5.40	2.98	8.7	47.1	3.0	1.47	2.02	3.11	0.98	1.97	
0.44	0.79	0.59	0.07	2.02	4.67	2.70	12.3	43.4	4.2	0.12	0.004	0.18	0.38	0.49	
0.44	0.87	0.65	0.08	2.22	5.65	2.79	11.1	44.4	4.2	0.13	0.004	0.17	0.37	0.56	
0.48	0.77	0.62	0.05	2.13	4.76	2.70	11.9	43.3	4.0	0.09	0.01	0.17	0.38	0.45	
0.38	0.73	0.52	0.05	1.83	3.91	2.70	13.3	43.2	4.3	0.12	0.002	0.17	0.39	0.44	
0.45	0.85	0.47	0.16	1.45	3.21	2.44	13.3	41.0	4.3	0.15	0.003	0.30	0.36	0.43	
0.68	0.78	0.29	0.06	1.45	3.26	2.75	17.4	37.8	3.8	0.25	—	0.29	0.41	0.63	
0.42	0.59	0.40	0.13	1.30	2.04	1.90	22.5	37.5	3.4	0.14	—	0.31	0.40	0.48	
0.41	0.80	0.63	0.05	2.10	4.72	2.78	12.4	43.7	4.1	0.11	0.003	0.19	0.38	0.48	
0.40	0.87	0.68	0.07	2.28	5.62	2.87	11.5	44.5	4.2	0.12	0.003	0.18	0.36	0.54	
0.47	0.77	0.65	0.04	2.18	4.67	2.76	12.2	43.4	3.9	0.08	0.01	0.19	0.38	0.44	
0.35	0.72	0.54	0.05	1.85	3.86	2.72	13.5	43.4	4.3	0.12	—	0.18	0.39	0.44	
0.39	1.05	0.69	0.11	1.64	3.30	2.71	13.3	40.2	4.1	0.16	0.01	0.51	0.42	0.50	
0.81	0.83	0.34	—	1.58	3.33	3.01	14.8	34.4	3.5	0.95	—	1.37	0.63	1.69	
0.74	0.74	0.37	—	1.54	0.71	2.57	14.6	35.9	3.2	1.70	—	1.70	1.02	2.72	
0.55	0.78	0.44	0.13	1.70	4.48	2.40	12.2	42.1	4.2	0.13	0.01	0.13	0.39	0.51	
0.61	0.83	0.49	0.15	1.94	5.79	2.38	8.8	44.3	4.2	0.17	0.01	0.12	0.41	0.68	
0.53	0.81	0.50	0.11	1.89	5.26	2.42	10.3	42.4	4.3	0.11	0.003	0.11	0.42	0.51	
0.57	0.79	0.41	0.10	1.34	4.21	2.61	11.9	42.2	4.6	0.10	0.01	0.08	0.37	0.45	
0.49	0.75	0.35	0.18	1.43	3.16	2.30	13.3	41.5	4.4	0.14	—	0.19	0.32	0.39	
0.66	0.77	0.29	0.07	1.43	3.25	2.71	17.9	38.4	3.8	0.13	—	0.11	0.38	0.45	
0.41	0.58	0.40	0.13	1.29	2.09	1.88	22.8	37.5	3.4	0.09	—	0.26	0.37	0.40	

第 5 表 年齢別 一般検診の被患率
(3) 女

区 分	栄 養 要 注 意	せ ぎ 柱 異 常	胸 郭 異 常	伝 染 性 の 皮 膚 疾 患	目							
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異 常	ト ラ ホ ー ム	そ の 他 の 眼 疾	
幼 稚 園	計	0.89	0.35	0.92	0.86	—	—	—	—	—	1.80	3.23
	3才	0.62	0.18	1.36	0.56	—	—	—	—	—	1.09	2.48
	4才	0.89	0.29	0.93	0.81	—	—	—	—	—	1.17	3.18
	5才	0.89	0.37	0.90	0.88	—	—	—	—	—	1.98	2.43
	6才以上	2.40	0.13	1.13	1.77	—	—	—	—	—	1.50	2.87
小 学 校	計	0.94	0.69	0.83	1.81	10.45	0.26	0.13	0.47	0.33	4.93	4.07
	6才	0.98	0.67	1.01	1.69	—	—	—	—	—	4.95	4.42
	7才	1.07	0.68	0.94	1.98	—	—	—	—	—	4.76	4.26
	8才	0.96	0.65	0.82	1.85	10.10	0.26	0.10	0.36	0.34	4.88	3.86
	9才	0.92	0.72	0.77	1.78	10.10	0.24	0.08	0.45	0.31	4.86	3.90
	10才	0.87	0.70	0.71	1.80	10.52	0.24	0.12	0.49	0.35	4.95	3.98
	11才	0.73	0.74	0.66	1.73	11.67	0.35	0.25	0.65	0.32	5.42	3.98
	12才以上	1.83	1.96	0.77	2.26	10.54	0.18	0.24	1.61	0.41	4.68	3.71
中 学 校	計	0.63	0.66	0.40	1.23	18.68	0.42	0.33	0.97	0.48	4.85	3.78
	12才	0.86	0.73	0.49	1.41	15.96	0.43	0.26	0.82	0.50	5.09	3.91
	13才	0.58	0.66	0.41	1.31	18.57	0.46	0.33	0.98	0.46	4.90	3.85
	14才	0.47	0.59	0.32	0.99	21.29	0.36	0.37	1.10	0.47	4.59	3.59
	15才以上	0.67	1.90	0.61	1.25	20.28	0.19	0.60	1.07	0.47	4.56	3.38
高 等 学 校	計	0.33	0.26	0.17	0.11	27.43	0.71	0.75	1.38	0.31	2.22	2.65
	15才	0.39	0.33	0.21	0.13	26.61	0.75	0.68	1.36	0.35	2.51	2.88
	16才	0.30	0.24	0.15	0.10	27.64	0.75	0.78	1.40	0.35	2.15	2.58
	17才	0.27	0.20	0.13	0.08	28.67	0.66	0.80	1.41	0.23	1.98	2.49
	18才	0.35	0.29	0.24	0.08	24.15	0.46	0.65	1.13	0.21	2.03	2.51
	19才	0.42	—	0.10	0.10	25.59	0.19	0.32	1.18	0.37	1.56	2.13
	20才以上	0.13	0.13	0.07	—	28.08	0.16	1.04	0.83	0.20	1.19	1.79
	計	0.34	0.25	0.16	0.10	28.06	0.76	0.78	1.46	0.28	2.13	2.61
	15才	0.39	0.32	0.20	0.12	27.16	0.82	0.72	1.41	0.33	2.39	2.82
	16才	0.32	0.22	0.15	0.09	28.24	0.78	0.81	1.48	0.30	2.04	2.54
17才	0.28	0.18	0.12	0.07	29.13	0.70	0.83	1.48	0.22	1.91	2.45	
18才	0.61	0.38	0.35	0.11	25.54	0.48	0.76	1.47	0.24	1.74	2.38	
19才	0.75	—	—	—	25.29	0.88	—	3.06	1.16	3.37	2.60	
20才以上	1.35	1.35	—	—	39.13	1.54	1.61	1.56	—	1.35	2.70	
定 時 制 校	計	0.24	0.33	0.21	0.17	23.15	0.35	0.51	0.86	0.48	2.84	2.93
	15才	0.35	0.47	0.29	0.21	22.16	0.26	0.36	0.94	0.48	3.46	3.40
	16才	0.21	0.33	0.18	0.22	22.97	0.50	0.55	0.84	0.85	2.95	2.86
	17才	0.17	0.31	0.18	0.15	23.94	0.29	0.57	0.77	0.26	2.68	2.87
	18才	0.15	0.23	0.17	0.05	23.13	0.45	0.57	0.89	0.19	2.25	2.60
	19才	0.36	—	0.12	0.12	25.64	0.07	0.38	0.88	0.24	1.27	2.05
	20才以上	0.07	0.07	0.07	—	27.51	0.08	1.01	0.79	0.21	1.19	1.74

耳			鼻およびいんとう				歯		が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患 お 常
難 聴 (両耳)	中 耳 炎	その他の耳疾	せん 様 増 殖 症 (アデノイ ド)	蓄 の う 症	へん と う せん 大	そ の 他 の 疾 患 い ん と う の 鼻 お	む し 歯 の 処 置 を 完 了 し て い る 者	未 の 処 置 を 受 け て い る 者	そ の 他 の 歯 疾					
0.08	0.45	0.61	0.99	0.39	12.04	2.71	3.3	82.8	0.6	0.24	0.05	0.10	0.30	0.78
0.19	0.60	0.63	0.83	0.30	8.06	2.82	3.8	69.7	0.3	0.25	0.03	—	0.03	0.91
0.07	0.46	0.69	1.09	0.35	12.50	3.14	4.7	77.7	0.5	0.21	0.01	0.07	0.23	0.81
0.08	0.45	0.58	0.98	0.40	12.05	2.62	2.9	84.5	0.6	0.24	0.05	0.11	0.32	0.76
0.39	0.13	0.38	—	—	8.10	2.21	8.4	75.1	1.7	1.60	0.86	0.86	0.12	2.08
0.30	0.51	1.00	0.92	0.93	11.13	3.40	3.8	77.7	0.9	0.52	0.37	0.32	0.30	0.88
0.21	0.57	1.10	1.54	0.77	11.61	4.04	1.0	81.1	0.6	0.47	0.23	0.30	0.27	1.06
0.24	0.50	1.19	1.16	0.86	11.23	4.06	1.9	81.5	0.8	0.56	0.37	0.27	0.26	1.03
0.31	0.48	0.95	0.89	0.92	11.31	3.55	3.1	81.4	0.9	0.55	0.38	0.31	0.27	0.98
0.35	0.52	1.02	0.77	1.01	10.99	3.15	4.5	78.5	1.1	0.52	0.37	0.32	0.33	0.73
0.36	0.48	0.88	0.53	0.98	10.93	2.68	6.2	72.7	1.2	0.49	0.43	0.32	0.30	0.73
0.35	0.50	0.74	0.42	1.13	10.48	2.52	8.1	64.8	1.4	0.49	0.46	0.38	0.40	0.67
0.39	0.37	0.69	0.58	0.51	6.11	1.38	4.6	53.9	1.1	3.76	4.09	6.53	0.55	2.45
0.54	0.73	0.71	0.17	1.57	8.49	2.57	9.9	53.1	3.2	0.48	0.39	0.37	0.43	0.67
0.53	0.71	0.80	0.24	1.46	9.51	2.79	9.6	54.3	2.9	0.56	0.39	0.34	0.44	0.69
0.55	0.70	0.73	0.14	1.59	8.51	2.52	9.8	53.0	3.1	0.46	0.39	0.34	0.42	0.66
0.52	0.79	0.61	0.13	1.65	7.57	2.41	11.6	52.1	3.4	0.40	0.38	0.37	0.43	0.65
1.03	1.47	1.09	0.12	0.88	6.21	2.42	11.1	45.2	3.0	1.54	1.43	3.08	0.75	1.43
0.35	0.57	0.51	0.05	1.66	5.61	2.40	15.2	48.3	4.3	0.11	0.002	0.13	0.38	0.55
0.38	0.62	0.59	0.05	1.87	6.41	2.47	14.8	49.6	4.0	0.10	0.002	0.13	0.35	0.51
0.35	0.53	0.54	0.04	1.59	5.49	2.28	14.8	48.2	4.4	0.09	0.001	0.11	0.39	0.60
0.32	0.54	0.39	0.06	1.54	4.97	2.52	15.9	47.8	4.7	0.10	0.001	0.12	0.41	0.52
0.35	0.51	0.43	0.06	1.35	4.41	1.80	14.4	42.7	4.0	0.25	—	0.26	0.47	0.60
0.18	0.90	0.62	0.05	1.20	2.82	2.46	16.2	37.7	3.1	0.63	—	0.53	0.37	0.78
0.23	0.50	0.64	0.21	0.83	2.87	2.13	22.7	37.7	3.1	0.33	—	0.54	0.73	0.33
0.35	0.57	0.51	0.05	1.69	5.64	2.47	15.6	48.9	4.4	0.11	0.002	0.13	0.39	0.55
0.38	0.62	0.58	0.05	1.91	6.35	2.57	15.4	50.1	4.1	0.10	0.003	0.13	0.35	0.51
0.34	0.53	0.54	0.04	1.61	5.50	2.33	15.3	48.5	4.5	0.09	0.001	0.11	0.39	0.59
0.32	0.54	0.39	0.05	1.54	4.96	2.57	16.2	48.1	4.7	0.11	0.002	0.12	0.42	0.53
0.44	0.66	0.60	0.02	1.29	4.66	1.76	15.1	44.2	4.2	0.43	—	0.46	0.58	0.78
0.43	1.65	—	—	2.80	2.30	2.35	13.3	36.3	3.2	3.82	—	2.65	1.13	1.51
—	—	—	—	—	2.70	2.78	20.0	40.0	7.3	5.41	—	5.41	1.35	—
0.34	0.58	0.52	0.10	1.45	5.44	1.88	12.2	43.7	3.6	0.09	—	0.13	0.37	0.54
0.34	0.67	0.68	0.11	1.52	6.89	1.70	10.1	45.3	3.5	0.11	—	0.13	0.35	0.54
0.40	0.54	0.53	0.07	1.44	5.39	1.94	11.1	45.4	3.6	0.05	—	0.11	0.39	0.67
0.34	0.61	0.36	0.13	1.55	5.04	1.99	13.4	42.4	3.9	0.06	—	0.11	0.32	0.43
0.28	0.40	0.30	0.10	1.39	4.24	1.82	13.9	41.5	3.9	0.13	—	0.12	0.39	0.46
0.14	0.78	0.71	0.06	0.95	2.90	2.48	16.6	37.9	3.0	0.12	—	0.18	0.24	0.67
0.24	0.53	0.68	0.22	0.88	2.88	2.09	22.8	37.6	2.9	0.07	—	0.28	0.70	0.35