

第 4 表 生徒 児童 幼児の年齢別疾病異常該当者率 (一般検診)
(1) 総括 (男女の合計)

区 分	栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝 染 性 疾 患	眼							難 聴 (両耳)
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異 常	ト ラ ホ ー ム	そ 眼 の 他 の 疾	
幼稚園	3 才	0.55	0.25	1.07	0.61	-	-	-	-	0.44	2.24	0.06
	4	0.84	0.35	1.35	0.75	-	-	-	-	0.78	2.50	0.08
	5	0.97	0.49	1.26	1.01	-	-	-	-	1.65	2.63	0.10
	6 才以上	2.22	0.46	0.95	1.16	-	-	-	-	1.46	1.97	0.32
	計	0.94	0.46	1.27	0.95	-	-	-	-	1.47	2.59	0.10
小学校	6 才	1.44	0.96	1.44	1.72	-	-	-	-	4.32	3.72	0.21
	7	1.47	0.99	1.23	2.20	-	-	-	-	4.17	3.56	0.21
	8	1.37	0.94	1.06	2.20	8.72	0.19	0.12	0.30	1.48	4.18	0.36
	9	1.20	0.89	0.91	2.10	9.01	0.20	0.14	0.40	1.52	4.32	0.37
	10	1.10	0.99	0.81	2.10	9.73	0.24	0.14	0.53	1.58	4.42	0.40
	11	1.13	0.97	0.74	1.79	9.73	0.26	0.17	0.62	1.61	4.51	0.44
中学校	12 才以上	1.58	2.47	0.81	1.37	8.53	0.27	0.21	1.21	1.58	3.51	0.78
	計	1.31	0.96	1.07	2.02	9.21	0.22	0.14	0.45	1.54	4.30	0.32
	12 才	0.91	0.84	0.55	1.79	13.64	0.41	0.24	0.68	2.06	4.62	0.61
	13	0.78	0.83	0.49	1.63	15.10	0.39	0.26	0.82	1.93	4.67	0.64
	14	0.57	0.71	0.39	1.22	16.15	0.41	0.31	0.95	1.88	4.59	0.62
高等学校	15 才以上	0.70	1.08	0.62	0.87	13.24	0.36	0.15	0.77	1.27	3.50	0.64
	計	0.75	0.79	0.48	1.54	14.96	0.41	0.27	0.80	1.95	4.54	0.62
	15 才	0.59	0.49	0.41	0.39	23.39	0.49	0.61	1.06	2.31	3.09	0.43
	16	0.40	0.45	0.38	0.27	25.39	0.43	0.71	1.19	2.10	2.74	0.43
	17	0.31	0.43	0.35	0.25	26.64	0.46	0.75	1.25	2.02	2.40	0.39
	18	0.36	0.58	0.43	0.23	20.51	0.42	0.64	0.87	2.02	2.59	0.46
	19	0.35	0.66	0.53	0.13	20.51	0.30	0.57	0.89	1.94	1.93	0.43
	20才以上	0.44	0.65	0.38	0.12	22.29	0.54	0.75	0.87	1.70	1.39	0.54
	計	0.44	0.47	0.39	0.30	24.68	0.46	0.68	1.14	2.13	2.73	0.42
	15 才	0.57	0.48	0.40	0.39	24.12	0.50	0.65	1.08	2.28	2.97	0.42
等 通 常	16	0.39	0.45	0.38	0.28	26.50	0.43	0.76	1.26	2.10	2.65	0.40
	17	0.31	0.42	0.35	0.25	27.74	0.46	0.79	1.31	2.02	2.36	0.37
	18	0.51	0.81	0.49	0.32	24.96	0.44	0.80	1.01	2.10	2.29	0.38
	19	0.96	0.96	1.17	0.14	24.05	0.48	0.66	1.11	1.95	1.46	0.59
	20才以上	1.22	0.41	1.82	-	27.35	0.23	1.46	0.64	1.84	2.26	1.07
	計	0.43	0.46	0.39	0.31	25.98	0.46	0.73	1.20	2.14	2.67	0.40
校 定 時 制	15 才	0.74	0.54	0.42	0.39	19.20	0.44	0.37	0.93	2.44	3.77	0.49
	16	0.46	0.49	0.38	0.25	18.51	0.37	0.43	0.80	2.06	3.32	0.58
	17	0.34	0.49	0.38	0.23	18.99	0.49	0.48	0.84	2.00	2.67	0.48
	18	0.29	0.46	0.40	0.12	18.19	0.40	0.56	0.79	1.98	2.74	0.49
	19	0.25	0.61	0.43	0.13	19.93	0.27	0.56	0.85	1.94	2.00	0.40
	20才以上	0.41	0.66	0.32	0.12	22.07	0.55	0.72	0.88	1.70	1.36	0.47
	計	0.47	0.52	0.39	0.25	19.05	0.42	0.48	0.85	2.10	2.79	0.51

耳	中 耳 炎	そ 耳 の 他 の 疾	鼻 お よ び い ん 頭					歯 が		身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患
			せ 症 イ ド ん (ア デ ノ 様 増 殖 ノ	蓄 の う 症	へ ん 頭 せ ん 大	そ の 他 の 疾 患	頭 の い ん 頭	む し 歯 処 置 を て る 者	未 処 置 の 者					
幼稚園	3 才	0.33	0.30	0.38	0.10	8.88	1.90	3.18	51.03	0.52	0.14	0.02	0.04	0.18
	4	0.38	0.68	1.01	0.26	12.45	2.71	3.03	63.96	0.56	0.23	0.02	0.06	0.25
	5	0.41	0.59	0.98	0.32	11.67	2.53	2.22	71.88	0.42	0.24	0.06	0.13	0.27
	6 才以上	0.54	0.70	1.08	0.14	9.28	3.52	2.06	69.90	0.57	0.76	0.81	0.65	0.30
	計	0.40	0.60	0.97	0.30	11.74	2.56	2.38	69.60	0.45	0.24	0.05	0.12	0.26
小学校	6 才	0.61	1.09	1.43	0.92	11.27	4.03	1.10	72.01	0.47	0.73	0.23	0.30	0.30
	7	0.62	0.91	1.14	1.07	11.01	4.18	1.66	72.32	0.75	0.74	0.30	0.32	0.27
	8	0.60	0.86	0.80	1.02	10.68	3.65	2.60	71.48	0.93	0.68	0.34	0.34	0.25
	9	0.69	0.89	0.65	0.96	10.41	3.33	3.63	68.24	1.27	0.70	0.36	0.31	0.26
	10	0.71	0.80	0.47	0.96	9.87	2.94	5.18	61.11	1.54	0.70	0.41	0.40	0.29
	11	0.69	0.78	0.34	1.00	9.30	2.68	6.24	52.98	1.69	0.61	0.37	0.40	0.29
中学校	12 才以上	1.03	0.88	0.20	0.82	5.47	1.96	5.23	38.09	1.13	3.15	4.37	4.95	0.53
	計	0.65	0.90	0.86	0.99	10.51	3.55	3.11	67.36	1.04	0.70	0.34	0.35	0.28
	12 才	0.81	0.87	0.42	1.55	9.25	2.40	7.30	42.67	3.50	0.45	0.37	0.30	0.33
	13	0.76	0.80	0.40	1.49	8.06	2.20	7.45	41.96	4.03	0.41	0.41	0.33	0.33
	14	0.70	0.69	0.31	1.49	7.02	1.90	8.06	42.96	4.06	0.34	0.34	0.31	0.33
高等学校	15 才以上	0.72	0.59	0.21	0.85	4.58	1.44	5.08	26.92	2.28	1.03	1.06	2.00	0.54
	計	0.76	0.79	0.38	1.50	8.07	2.16	7.59	42.41	3.85	0.40	0.38	0.33	0.35
	15 才	0.69	0.65	0.08	2.09	6.36	3.01	10.38	44.81	4.55	0.12	-	0.16	0.37
	16	0.65	0.63	0.08	1.96	5.32	2.84	11.66	44.28	4.63	0.12	0.01	0.18	0.36
	17	0.57	0.59	0.06	1.81	4.73	2.82	13.11	44.23	4.80	0.10	-	0.18	0.38
	18	0.61	0.52	0.09	1.56	3.39	2.07	12.46	38.63	4.44	0.17	0.01	0.22	0.42
	19	0.77	0.69	0.06	1.14	2.54	2.07	16.71	37.48	3.21	0.20	-	0.37	0.50
	20才以上	0.66	0.47	0.03	1.16	2.18	2.08	20.13	37.31	3.87	0.13	-	0.35	0.32
	計	0.64	0.62	0.07	1.90	5.32	2.83	11.84	43.96	4.62	0.12	-	0.18	0.37
	15 才	0.67	0.66	0.08	0.78	6.49	3.08	10.77	45.09	4.64	0.12	-	0.16	0.37
等 通 常	16	0.64	0.63	0.08	1.97	5.44	2.91	12.10	44.83	4.70	0.12	-	0.19	0.36
	17	0.57	0.59	0.05	1.81	4.85	2.90	13.44	44.87	4.89	0.10	-	0.19	0.38
	18	0.68	0.52	0.07	1.74	3.79	2.51	14.37	37.69	4.89	0.33	0.02	0.45	0.57
	19	0.89	0.29	-	1.02	2.25	1.71	14.28	41.28	2.04	0.84	-	1.26	0.56
	20才以上	0.64	0.43	-	1.70	3.68	2.09	15.86	35.52	2.96	1.02	-	2.86	1.23
	計	0.63	0.62	0.07	1.96	5.59	2.95	12.08	44.75	4.73	0.12	0	0.19	0.37
校 定 時 制	15 才	0.82	0.61	0.11	2.02	5.66	2.62	8.11	43.19	4.06	0.13	0.01	0.15	0.38
	16	0.73	0.69	0.09	1.87	4.55	2.39	9.07	40.83	4.20	0.10	0.01	0.12	0.35
	17	0.64	0.58	0.10	1.83	3.91	2.22	10.84	39.68	4.19	0.07	0.01	0.13	0.40
	18	0.57	0.52	0.10	1.47	3.18	1.83	11.46	39.13	4.20	0.09	0.01	0.11	0.35
	19	0.75	0.75	0.07	1.16	2.43	2.12	17.12	36.84	3.41	0.09	-	0.23	0.49
	20才以上	0.66	0.47	0.03	1.14	1.75	2.08	20.32	37.38	3.90	0.10	-	0.24	0.29
	計	0.70	0.60	0.09	1.83	4.14	2.27	10.81	40.46	4.12	0.10	0.01	0.14	0.37

第4表 生徒・児童・幼児の年齢別 疾病異常該当者率 (一般検診)
(2) 男

区 分	年齢	栄養 要注意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	眼							難聴 (両耳)
						近 視	遠 視	乱 視	弱視 (両眼)	色 神異 常	トラ ホー ム	そ眼 の他 の疾	
幼稚園	3才	0.50	0.19	1.52	0.80	-	-	-	-	-	0.55	1.80	0.06
	4	0.92	0.40	1.73	0.88	-	-	-	-	-	0.80	2.45	0.07
	5	1.07	0.63	1.71	1.21	-	-	-	-	-	1.41	2.60	0.12
	6才以上	2.54	0.75	1.15	1.50	-	-	-	-	-	1.27	1.67	0.52
	計	1.04	0.58	1.70	1.14	-	-	-	-	-	1.28	2.55	0.11
小学校	6才	1.53	1.17	1.81	2.16	-	-	-	-	-	4.05	3.59	0.24
	7	1.47	1.15	1.46	2.57	-	-	-	-	-	3.80	3.24	0.23
	8	1.36	1.07	1.27	2.69	8.87	0.20	0.09	0.28	2.67	3.86	3.13	0.41
	9	1.17	0.96	0.97	2.64	8.92	0.21	0.13	0.38	2.71	3.98	3.20	0.39
	10	1.06	1.20	0.79	2.58	8.36	0.26	0.12	0.50	2.80	4.03	3.11	0.46
	11	1.05	1.06	0.75	2.16	8.41	0.27	0.15	0.56	2.88	3.97	2.96	0.49
	12才以上	1.52	2.54	0.96	1.69	8.60	0.38	0.17	1.10	2.80	3.07	3.12	0.65
中学校	計	1.31	1.10	1.23	2.47	8.54	0.24	0.13	0.42	2.74	3.94	3.22	0.36
	12才	0.93	0.78	0.63	2.19	11.97	0.46	0.22	0.63	3.64	4.24	2.99	0.70
	13	0.79	0.91	0.59	2.12	13.08	0.46	0.23	0.73	3.46	4.27	2.95	0.74
	14	0.61	0.90	0.49	1.69	14.07	0.46	0.30	0.87	3.36	4.17	3.00	0.70
	15才以上	0.61	0.83	0.76	1.20	12.51	0.26	0.16	0.74	2.13	3.14	2.48	0.72
高等学校	計	0.78	0.88	0.57	1.99	13.04	0.46	0.25	0.74	3.48	4.21	2.98	0.71
	15才	0.68	0.59	0.56	0.54	22.20	0.47	0.54	1.05	4.00	3.28	3.24	0.50
	16	0.43	0.56	0.52	0.35	24.64	0.43	0.69	1.20	3.58	2.86	3.28	0.47
	17	0.32	0.60	0.48	0.33	25.94	0.47	0.67	1.35	3.47	2.57	2.94	0.44
	18	0.38	0.69	0.49	0.27	19.56	0.43	0.61	0.83	2.75	2.64	2.62	0.49
	19	0.37	0.70	0.60	0.14	20.13	0.28	0.63	0.88	2.32	2.06	2.66	0.47
	20才以上	0.48	0.70	0.40	0.12	21.96	0.59	0.83	0.86	1.91	1.45	1.81	0.58
	計	0.48	0.59	0.51	0.39	23.70	0.45	0.63	1.15	3.57	2.86	3.09	0.48
	15才	0.62	0.56	0.55	0.54	23.09	0.46	0.58	1.08	4.13	3.19	3.22	0.49
	16	0.40	0.54	0.52	0.36	26.10	0.43	0.74	1.30	3.75	2.81	3.30	0.44
等 通	17	0.30	0.59	0.48	0.34	27.61	0.45	0.72	1.48	3.63	2.55	2.97	0.42
	18	0.49	0.89	0.53	0.38	25.13	0.34	0.86	1.01	3.13	2.28	2.74	0.41
	19	0.88	0.78	1.17	0.20	26.50	0.34	0.82	1.16	2.54	1.96	2.74	0.53
	20才以上	1.22	0.24	1.69	-	28.68	-	1.45	0.52	2.20	2.46	2.46	0.77
	計	0.46	0.57	0.52	0.42	25.47	0.45	0.69	1.26	3.82	2.85	3.16	0.45
学 常	15才	0.92	0.69	0.52	0.51	18.24	0.50	0.37	0.91	3.42	3.68	3.36	0.55
	19	0.53	0.66	0.50	0.31	17.66	0.40	0.43	0.73	2.80	3.14	3.18	0.59
	17	0.38	0.64	0.48	0.30	17.50	0.53	0.44	0.69	2.65	2.66	2.78	0.53
	18	0.32	0.59	0.47	0.23	17.06	0.48	0.51	0.75	2.58	2.80	2.56	0.53
	19	0.29	0.68	0.52	0.13	19.21	0.27	0.60	0.84	2.29	2.07	2.64	0.46
	20才以上	0.45	0.72	0.35	0.13	21.68	0.62	0.78	0.88	1.90	1.41	1.79	0.58
	計	0.54	0.66	0.48	0.31	18.11	0.47	0.47	0.79	2.77	2.90	2.87	0.55

耳		鼻 お よ び い ん 頭				歯		が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患
中 耳 炎	そ 耳 の 他 の 疾	せ ん 様 増 殖 ノ	蓄 の う 症	へん 頭 せん 大	そ お の 他 の 疾 患 の い 鼻	む し 歯		そ 歯 の 他 の 疾					
						処 置 を て	未 の 処 置 者						
0.31	0.36	0.42	0.09	9.51	2.26	3.03	50.38	0.83	0.22	-	0.05	0.13	0.80
0.43	0.78	1.09	0.31	13.23	2.88	3.20	63.84	0.52	0.24	0.02	0.09	0.26	0.80
0.49	0.64	1.03	0.34	12.24	2.73	2.19	71.06	0.39	0.25	0.06	0.15	0.28	0.87
0.98	0.58	1.38	0.23	9.57	4.09	1.96	66.55	0.17	0.63	0.98	0.63	0.12	0.23
0.48	0.66	1.03	0.33	12.35	2.76	2.40	69.26	0.42	0.25	0.06	0.14	0.27	0.85
0.73	1.17	1.57	1.05	11.79	4.69	1.08	71.26	0.45	0.71	0.23	0.30	0.30	1.34
0.76	0.95	1.26	1.24	11.27	4.64	1.49	71.61	0.78	0.74	0.34	0.35	0.28	1.10
0.77	0.95	0.88	1.17	10.81	4.16	2.24	70.83	0.95	0.64	0.37	0.35	0.24	1.07
0.82	1.00	0.73	1.03	10.37	3.78	3.22	67.70	1.37	0.54	0.38	0.34	0.23	1.02
0.90	0.89	0.46	1.03	9.72	3.50	4.59	60.86	1.63	0.67	0.47	0.40	0.26	0.95
0.87	0.85	0.37	1.13	8.97	3.07	5.46	52.15	1.80	0.56	0.40	0.42	0.24	0.83
1.37	0.44	0.37	0.91	5.50	1.84	5.57	36.03	1.09	2.61	4.37	5.63	0.50	0.34
0.80	0.98	0.94	1.12	10.62	4.02	2.76	66.72	1.09	0.67	0.36	0.37	0.26	1.08
0.97	0.98	0.41	1.66	8.89	2.64	6.56	40.56	3.88	0.43	0.40	0.31	0.33	0.77
0.88	0.88	0.44	1.56	7.75	2.34	6.79	39.36	4.64	0.41	0.45	0.35	0.32	0.79
0.79	0.79	0.35	1.65	6.65	2.07	7.29	40.84	4.49	0.31	0.39	0.32	0.32	0.69
0.93	0.66	0.20	0.88	4.43	-	5.14	26.77	2.57	0.82	1.02	2.19	0.56	1.64
0.88	0.88	0.40	1.62	7.72	2.34	6.87	40.15	4.32	0.39	0.42	0.34	0.36	0.76
0.80	0.69	0.09	2.38	6.42	3.39	8.67	43.38	4.88	0.14	-	0.18	0.34	0.56
0.72	0.69	0.10	2.13	5.15	3.14	10.13	42.26	4.96	0.10	-	0.21	0.34	0.44
0.63	0.63	0.07	1.89	4.46	3.01	11.22	42.62	4.93	0.07	-	0.19	0.38	0.44
0.65	0.57	0.12	1.65	3.04	2.11	11.49	37.45	4.60	0.11	0.01	0.21	0.38	0.64
0.74	0.59	0.08	1.16	2.29	2.16	16.01	37.03	3.27	0.10	-	0.37	0.42	0.84
0.69	0.47	0.02	1.20	1.68	2.08	19.47	37.05	4.07	0.13	-	0.36	0.27	0.81
0.72	0.66	0.09	2.08	5.11	3.08	10.34	42.18	4.85	0.11	-	0.20	0.35	0.51
0.77	0.69	0.08	2.41	6.66	3.50	8.95	43.66	5.09	0.14	-	0.19	0.33	0.50
0.70	0.66	0.10	2.17	5.35	3.24	10.43	42.83	5.11	0.11	-	0.23	0.34	0.43
0.61	0.63	0.06	1.89	4.68	3.17	11.41	43.24	5.03	0.08	-	0.20	0.38	0.42
0.75	0.47	0.07	1.83	3.48	2.55	13.29	35.71	5.05	0.18	-	0.45	0.42	0.88
0.73	0.21	-	1.25	2.60	1.62	12.39	40.93	2.08	0.20	-	1.19	0.50	1.59
0.51	0.26	-	2.05	2.48	2.01	16.25	35.50	2.75	0.98	-	3.19	0.98	1.23
0.70	0.65	0.08	2.16	5.55	3.29	10.29	43.02	5.07	0.11	-	0.22	0.35	0.47
0.94	0.70	0.13	2.24	5.38	2.90	7.41	42.73	3.97	0.14	-	0.53	0.36	0.83
0.80	0.82	0.07	1.96	4.23	2.62	8.65	39.48	4.25	0.09	-	0.09	0.36	0.49
0.72	0.65	0.12	1.90	3.36	2.24	10.25	39.39	4.38	0.05	-	0.13	0.37	0.53
0.61	0.61	0.14	1.56	2.84	1.91	10.68	38.24	4.40	0.08	-	0.11	0.36	0.53
0.74	0.65	0.09	1.14	2.24	2.24	16.50	36.44	3.45	0.09	-	0.26	0.41	0.74
0.69	0.48	0.02	1.17	1.65	2.09	19.60	37.11	4.12	0.10	-	0.25	0.24	0.79
0.77	0.68	0.10	1.82	3.72	2.41	10.49	39.48	4.17	0.09	-	0.14	0.35	0.63

第4表 生徒・児童・幼児の年齢別 疾病異常該当者率 (一般検診)
(3) 女

区 分	栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝皮 染膚 性疾 の患	眼							難 聴 (両耳)	
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異 常	ト ラ ホ ー ム	そ 眼 の 他 の 疾		
幼 稚 園	3 才	0.60	0.31	0.60	0.41	—	—	—	—	—	0.33	2.69	0.05
	4	0.74	0.30	0.95	0.61	—	—	—	—	—	0.75	2.56	0.10
	5	0.86	0.36	0.79	0.80	—	—	—	—	—	1.91	2.66	0.09
	6 才 以 上	1.93	0.20	0.25	0.87	—	—	—	—	—	1.63	2.24	0.52
	計	0.85	0.34	0.82	0.76	—	—	—	—	—	1.67	2.64	0.09
小 学 校	6 才	1.35	0.74	1.05	1.27	—	—	—	—	—	4.60	3.85	0.19
	7	1.46	0.82	1.00	1.81	—	—	—	—	—	4.56	3.89	0.18
	8	1.38	0.81	0.84	1.69	9.47	0.18	0.14	0.33	0.24	4.52	3.67	0.31
	9	1.23	0.80	0.84	1.54	9.92	0.18	0.14	0.42	0.29	4.68	3.81	0.34
	10	1.15	0.77	0.82	1.61	10.61	0.22	0.15	0.56	0.32	4.82	3.76	0.35
	11	1.20	0.89	0.73	1.40	10.56	0.24	0.18	0.68	0.29	5.07	3.65	0.38
	12 才 以 上	1.65	2.40	0.63	1.01	8.72	0.15	0.24	1.34	0.21	4.01	1.71	0.92
計	1.32	0.81	0.89	1.56	10.14	0.20	0.15	0.48	0.28	4.68	3.77	0.28	
中 学 校	12 才	0.88	0.77	0.48	1.38	15.35	0.36	0.25	0.74	0.44	5.02	3.53	0.52
	13	0.76	0.75	0.38	1.14	17.16	0.33	0.29	0.91	0.39	5.08	3.45	0.53
	14	0.52	0.59	0.30	0.73	18.28	0.36	0.31	0.94	0.35	4.55	3.08	0.52
	15 才 以 上	0.82	0.78	0.46	0.50	14.10	0.47	0.14	0.80	0.27	3.92	3.12	0.55
	計	0.72	0.70	0.38	1.08	16.91	0.35	0.28	0.88	0.40	4.87	3.35	0.52
高 等 学 校	15 才	0.49	0.37	0.24	0.22	24.78	0.51	0.69	1.07	0.30	2.87	3.10	0.35
	16	0.37	0.32	0.22	0.17	26.28	0.42	0.73	1.19	0.29	2.59	2.98	0.37
	17	0.31	0.22	0.20	0.15	27.50	0.45	0.84	1.13	0.23	2.20	2.81	0.32
	18	0.34	0.31	0.29	0.14	22.76	0.37	0.71	0.95	0.27	2.46	2.48	0.37
	19	0.28	0.52	0.28	0.09	22.01	0.39	0.34	0.92	0.43	1.43	1.47	0.30
	20才以上	0.20	0.27	0.27	0.07	24.64	0.16	0.39	1.27	0.20	1.01	1.62	0.21
	計	0.39	0.31	0.22	0.18	25.92	0.46	0.74	1.12	0.28	2.56	2.94	0.35
学 校	15 才	0.50	0.38	0.24	0.23	25.21	0.53	0.72	1.08	0.28	2.73	3.13	0.35
	16	0.38	0.34	0.23	0.18	26.92	0.44	0.77	1.21	0.27	2.45	3.02	0.35
	17	0.31	0.23	0.21	0.15	27.89	0.45	0.88	1.12	0.22	2.12	2.82	0.32
	18	0.53	0.67	0.41	0.21	24.67	0.62	0.70	1.02	0.26	2.34	2.57	0.34
	19	1.18	1.41	1.18	—	18.25	0.78	0.27	0.99	0.48	0.24	0.95	0.74
	20才以上	1.22	1.22	2.47	—	20.73	1.37	1.52	1.28	—	1.25	1.27	2.60
	計	0.41	0.33	0.23	0.19	26.53	0.48	0.78	1.13	0.26	2.47	2.99	0.34
定 時 制	15 才	0.39	0.26	0.23	0.15	21.12	0.32	0.36	0.96	0.47	3.95	2.85	0.38
	16	0.31	0.15	0.14	0.12	20.30	0.31	0.42	0.95	0.49	3.71	2.63	0.58
	17	0.25	0.12	0.14	0.06	22.84	0.38	0.61	1.22	0.29	2.70	2.70	0.35
	18	0.21	0.06	0.21	0.09	21.37	0.20	0.73	0.89	0.28	2.57	2.36	0.39
	19	0.06	0.29	0.06	0.12	22.98	0.28	0.35	0.90	0.42	1.73	1.60	0.19
	20才以上	0.14	0.21	0.14	0.07	24.89	0.83	0.33	0.90	0.21	1.00	1.64	0.07
	計	0.29	0.17	0.17	0.11	21.45	0.30	0.49	0.99	0.40	3.24	2.59	0.41

耳		鼻 お よ び い ん 頭				歯		が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患
中 耳 炎	そ 耳 の 他 の 疾	せ ん 様 増 殖	症 イ ド (ア デ ノ ウ 症)	へ 肥 の う 症	へ 肥 の う 症	そ の 他 の 疾 患	そ の 他 の 疾 患	む し 歯					
								処 完 了 置 を て	未 の 処 あ る 置 を て				
0.34	0.24	0.34	0.11	8.23	1.52	3.35	51.71	0.20	0.05	0.05	0.03	0.24	0.57
0.32	0.57	0.93	0.32	11.60	2.52	2.84	54.08	0.60	0.22	0.01	0.04	0.24	0.65
0.33	0.54	0.92	0.30	11.10	2.32	2.24	51.71	0.45	0.23	0.05	0.11	0.26	0.73
0.20	0.81	0.81	0.05	9.01	3.00	2.14	72.86	0.91	0.87	0.66	0.66	0.46	0.31
0.32	0.54	0.91	0.28	11.11	2.35	2.37	69.94	0.48	0.23	0.05	0.10	0.26	0.71
0.50	1.00	1.28	0.79	10.74	3.48	1.12	72.78	0.48	0.75	0.23	0.30	0.30	1.07
0.47	0.86	1.03	0.90	10.74	3.70	1.83	73.06	0.71	0.74	0.26	0.29	0.27	0.89
0.43	0.77	0.72	0.86	10.54	3.11	2.97	72.15	0.91	0.72	0.32	0.32	0.26	0.91
0.56	0.78	0.56	0.89	10.44	2.85	4.06	68.80	1.17	0.77	0.34	0.27	0.28	0.79
0.51	0.71	0.48	0.89	10.02	2.47	5.80	61.37	1.46	0.72	0.35	0.41	0.32	0.78
0.50	0.69	0.30	0.86	9.64	2.28	7.04	53.84	1.57	0.65	0.35	0.39	0.34	0.75
0.65	1.37	-	0.72	5.43	2.09	4.84	40.39	1.18	3.75	4.37	4.19	0.57	2.26
0.49	0.82	0.77	0.86	10.40	3.06	3.47	68.03	0.99	0.73	0.31	0.33	0.29	0.88
0.65	0.76	0.43	1.43	9.63	2.16	8.06	44.82	3.12	0.46	0.35	0.29	0.33	0.62
0.64	0.72	0.36	1.41	8.37	2.06	8.12	44.61	3.42	0.41	0.36	0.30	0.34	0.64
0.59	0.59	0.28	1.32	7.40	1.73	8.85	45.14	3.62	0.37	0.30	0.30	0.33	0.60
0.48	0.52	0.23	0.82	4.76	1.22	5.02	27.08	1.95	1.27	1.11	1.79	0.52	1.33
0.63	0.69	0.35	1.38	8.43	1.97	8.32	44.72	3.38	0.42	0.34	0.31	0.34	0.62
0.56	0.60	0.08	1.76	6.30	2.56	12.37	46.48	4.16	0.11	0.01	0.13	0.40	0.59
0.57	0.57	0.05	1.70	5.51	2.48	13.49	46.70	4.25	0.13	0.01	0.14	0.37	0.61
0.51	0.53	0.04	1.72	5.05	2.58	15.41	46.20	4.65	0.13	-	0.16	0.38	0.57
0.50	0.41	0.02	1.36	4.21	1.96	14.79	41.45	4.04	0.32	0.01	0.27	0.53	0.61
0.90	1.04	-	1.08	3.52	1.70	19.48	39.26	2.95	0.57	-	0.38	0.81	0.99
0.49	0.42	0.07	0.90	2.51	0.20	25.06	39.24	2.35	0.13	-	0.27	0.73	0.93
0.55	0.57	0.06	1.72	5.59	2.51	13.75	46.22	4.31	0.13	0.01	0.15	0.40	0.60
0.56	0.63	0.08	1.78	6.31	2.62	12.71	46.61	4.15	0.11	0.01	0.13	0.40	0.60
0.57	0.59	0.04	1.75	5.54	2.55	13.91	47.02	4.26	0.13	0.01	0.13	0.38	0.62
0.51	0.54	0.04	1.72	5.03	2.62	15.66	46.67	4.72	0.13	-	0.17	0.38	0.56
0.56	0.61	0.05	1.57	4.34	2.45	16.27	41.17	4.61	0.59	0.02	0.47	0.84	0.60
1.25	0.50	-	0.49	4.80	1.93	18.89	42.13	1.94	2.36	-	1.42	0.71	1.18
1.30	1.32	-	-	3.70	2.50	13.70	35.62	4.11	1.23	-	1.23	2.47	2.47
0.55	0.59	0.05	1.75	5.64	2.59	14.04	46.66	4.36	0.13	0.01	0.15	0.40	0.60
0.57	0.43	0.07	1.58	6.23	2.09	9.50	45.31	4.24	0.13	0.02	0.14	0.81	0.48
0.58	0.41	0.11	1.67	5.22	1.91	9.50	43.68	4.11	0.12	0.02	0.16	0.33	0.50
0.43	0.42	0.05	1.67	5.31	2.14	12.38	40.44	3.68	0.11	-	0.12	0.47	0.72
0.47	0.27	-	1.21	4.11	1.60	13.70	41.66	3.62	0.14	0.01	0.12	0.32	0.61
0.81	1.18	-	1.23	3.20	1.64	18.63	38.51	3.22	0.12	-	0.12	0.83	0.95
0.44	3.68	0.07	0.95	2.44	2.01	25.68	39.41	2.25	0.07	-	0.21	0.64	0.85
0.54	0.42	0.06	1.52	5.19	1.94	11.61	42.95	3.90	0.12	0.01	0.14	0.41	0.58